



US00PP11323P

United States Patent [19]
Boeder

[11] Patent Number: Plant 11,323
[45] Date of Patent: Apr. 4, 2000

[54] CHRYSANTHEMUM PLANT NAMED
‘PARAKEET’
[75] Inventor: Mark Boeder, West Wittering, United
Kingdom
[73] Assignee: Cleangro Limited, West Sussex, United
Kingdom
[21] Appl. No.: 09/038,790
[22] Filed: Mar. 11, 1998
[51] Int. Cl.⁷ A01H 5/00
[52] U.S. Cl. Plt./289
[58] Field of Search Plt./289

[56] References Cited
U.S. PATENT DOCUMENTS
P.P. 6,404 11/1988 Mack et al. Plt./289
P.P. 6,621 2/1989 Mack et al. Plt./289
P.P. 10,463 6/1998 Wain Plt./289
Primary Examiner—Howard J. Locker
Attorney, Agent, or Firm—Christie, Parker & Hale, LLP

[57] ABSTRACT
A new plant variety of Chrysanthemum producing yellow
flowers.
1 Drawing Sheet

1

BACKGROUND OF THE INVENTION
The present invention is directed to a new and distinct
variety of Chrysanthemum botanically classified as *Den-*
dranthema grandiflora. The varietal denomination of the
new chrysanthemum is ‘Parakeet’.
The female parent of the new variety is an unnamed,
undistributed variety identified as ‘G12-C1’ and the male
parent is a undistributed, unnamed, seedling identified as
‘G23-C1’. The new variety has been asexually reproduced
by vegetative cuttings in Ventura County, Calif. and the
distinguishing characteristics are retained through succes-

SUMMARY OF THE INVENTION
‘Parakeet’ is a pot type Chrysanthemum plant variety that
produces yellow flowers.

BRIEF DESCRIPTION OF ILLUSTRATION
The accompanying photograph shows a typical specimen
of the new variety with colors being as nearly true as
possible with illustrations of this type.

DESCRIPTION OF THE PLANT
The following description of the new variety is of speci-
mens grown in a greenhouse in Ventura County, Calif. in the
month of October. ‘Parakeet’ has not been observed under
all possible environmental conditions. The phenotype may
vary with variations in the environment such as temperature,
light intensity, day length and cultural conditions. The color
designations herein are from The Royal Horticultural Soci-
ety Colour Chart except where general terms are used.
To produce a commercial product the plants may be
pinched once ten days after planting which results in about
3 breaks per pinch. It has been observed that the shelf life of
‘Parakeet’ is about 26 days with the response time of about
6.5 weeks. No treatment with growth retardant is required.
Useful growing conditions include night temperatures of
about 64°–66° F., day temperatures of about 80°–85° F. and
about 5,000 foot-candles of light.

Plant:
Habit.—Upright.
Height.—About 30 cm.
Number of breaks from pinch.—About 3.

2

Typical container sizes commercially grown in.—4
inch, 6 inch, 1 gallon and 3 gallon containers.
Length of lateral branches.—About 19 cm.
Stem color.—Near 146C.
5 Foliage:
Leaf arrangement.—Alternate.
Number of leaves per lateral branch.—About 11.
Leaf size.—Length: About 6 cm. Width: About 4 cm.
Leaf shape.—Ovate.
Attachment.—Petioled.
10 Leaf apex.—Obtuse.
Base.—Tapered.
Margin.—Serrate, lobed.
Aspect.—Undulating.
15 Surface.—Top: Pubescent. Bottom: Lightly pubescent.
Petiole.—Length: About 1.3 cm. Color: Near 146C.
Color.—Mature leaf: Top: Near 147A. Bottom: Near
137B. Young leaf: Top: Near 137A. Bottom: Near
20 137D.
Flower:
Inflorescence form.—Cyme.
Flower form.—Decorative.
Number of blooms per branch.—About 7.
Diameter of fully expanded bloom.—About 4.5 cm.
Depth of fully expanded bloom.—About 2.5 cm.
Sepal number—About 35. Color: Near 138A.
General appearance of sepals.—Thin with highly
membranous margins.
Peduncle length.—About 8.5 cm at lower most point on
the flowering stem, about 3 and 4 cm at upper most
peduncle. Habit: Upright. Surface: Lightly pubes-
cent. Strength: Very sturdy.
Flower bud shape.—Flattened shpere. Diameter: About
0.9 cm. Height: About 0.6 cm.
Ray florets.—Number per flower: About 250. Shape:
Elliptic. Apex: About 4 lobed. Base: Tapered. Mar-
gin: Entire. Aspect: Recurved. Length: About 2.3
cm. Width: About 0.9 cm.
Disc florets.—Number per flower: About 5. Shape:
Tubular. Length: About 0.4 cm. Width: About 0.1
cm.
Fragrance.—Faint.
Flower Color:
45 General flower coloration.—Bright yellow.
Ray florets, top side.—Immature: Near 7A. Mature:
Near 9A. Fading: Near 12B.

Plant 11,323

3

Ray floret, under side.—Immature: Near 10B. Mature: Near 12C. Fading: Near 10C.

Disc florets.—Mature: Near 12C.

Changes as the flower ages.—Very little fading; flower becomes very round.

Reproductive organs:

Ray florets.—Pistillate. Stigma shape: 2 forked. Stigma color: Near 6A. Style length: About 0.5 cm.

4

Disc florets.—Stigma shape: linear. Stigma color: Near 3C. Style Length: About 0.2 cm. Stamen number: About 6. Anther length: About 0.1 cm. Pollen color: Near 12A. Pollen quantity: Moderate.

What is claimed is:

1. A new and distinct Chrysanthemum plant of the variety substantially as herein shown and described.

* * * * *

