



US00PP11456P

United States Patent [19]

van Rijn

[11] Patent Number: Plant 11,456
[45] Date of Patent: Jul. 18, 2000

[54] ANTHURIUM PLANT NAMED 'CLEOPATRA'

P.P. 9,703 11/1996 Rotolante Plt./366

[75] Inventor: **Leonardus van Rijn**, Schipluiden,
Netherlands

Primary Examiner—Howard J. Locker
Assistant Examiner—Kent L. Bell
Attorney, Agent, or Firm—C. A. Whealy

[73] Assignee: **Rijnplant B.V.**, Schipluiden,
Netherlands

ABSTRACT

[21] Appl. No.: **09/177,282**

A distinct cultivar of Anthurium plant named 'Cleopatra', characterized by its upright, outwardly arching and very freely clumping growth habit; moderate to rapid growth rate; large green leaves that are ovate in shape; numerous inflorescences that are positioned upright and just above the foliage on strong and erect scapes; durable white spathes with pink spadices; year-round continuous flowering; and good post-production longevity.

[22] Filed: **Oct. 22, 1998**

[51] Int. Cl.⁷ **A01H 5/00**

[52] U.S. Cl. **Plt./365**

[58] Field of Search **Plt./365, 366**

References Cited

U.S. PATENT DOCUMENTS

P.P. 9,088 3/1995 van Rosmaleu Plt./366

2 Drawing Sheets

1

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of Anthurium plant, botanically known as *Anthurium andeanum*, and hereinafter referred to by the cultivar name 'Cleopatra'.

The new Anthurium is a product of a planned breeding program conducted by the Inventor in Schipluiden, The Netherlands. The objective of the program is to create new Anthurium cultivars that have freely clumping growth habit, strong plant growth, attractive spathe color, numerous inflorescences and leaves, and good post-production longevity.

The new Anthurium originated from a self-pollination by the Inventor on Jul. 15, 1993 of the Inventor's proprietary *Anthurium andeanum* selection code Number 93-18. The cultivar 'Cleopatra' was discovered and selected by the Inventor as a plant within the progeny of the stated cross in a controlled environment in Schipluiden, The Netherlands in the October, 1995. Asexual propagation of the new cultivar by tissue culture in a laboratory in Belgium has shown that the unique features of this new Anthurium plant are stable and reproduced true to type in successive generations of asexual propagation.

BRIEF SUMMARY OF THE INVENTION

The new Anthurium has not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature and light intensity, without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of the cultivar 'Cleopatra'. These characteristics in combination distinguish 'Cleopatra' as a new and distinct cultivar:

1. Upright, outwardly arching and very freely clumping growth habit.
2. Moderate to rapid growth rate.
3. Large dark leaves that are ovate in shape.
4. Numerous inflorescences that are positioned upright and just above the foliage on strong and erect scapes.
5. Durable white spathes with pink spadices.

2

6. Year-round continuous flowering.

7. Good post-production longevity.

The new Anthurium can be compared to the parent, the Inventor's proprietary selection code No. 93-18. In side-by-side comparisons conducted by the Inventor in Schipluiden, The Netherlands, plants of the new Anthurium differ from plants of selection code Number 93-18 in the following characteristics:

1. Plants of the new Anthurium have smaller and more durable leaves than plants of the selection code Number 93-18.

2. Plants of the new Anthurium and the selection code No. 93-18 differs in spathe and spadix colors.

3. Plants of the new Anthurium have flatter and more cordate spathes than plants of the selection code Number 93-18.

The new Anthurium can be compared to the nonpatented Anthurium cultivar 'Desiree'. In side-by-side comparisons conducted by the Inventor in Schipluiden, The Netherlands, plants of the new Anthurium differ from plants of the cultivar 'Desiree' in the following characteristics:

1. Plants of the new Anthurium are more compact than plants of the cultivar 'Desiree'.

2. Plants of the new Anthurium have darker green, smaller and stiffer leaves than plants of the cultivar 'Desiree'.

3. Plants of the new Anthurium have smaller and stiffer spathes than plants of the cultivar 'Desiree'.

4. Plants of the new Anthurium and the cultivar 'Desiree' differ in spathe and spadix colors.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new Anthurium, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type.

The photograph on the first sheet comprises a top perspective view of a typical potted plant of the cultivar 'Cleopatra'.

The photograph on the second sheet comprises a close-up view of a typical spathes and spadices of the cultivar

Plant 11,456

3

'Cleopatra'. Leaf, spathe and spadix colors in the photographs may appear different from the actual colors due to light reflectance.

DETAILED BOTANICAL DESCRIPTION

In the following description, color reference are made to The Royal Horticultural Society Colour Chart except where general terms of ordinary dictionary significance are used. The following observations and measurements describe one-year old plants grown in Schipluiden, The Netherlands, in a glass greenhouse with an average day temperature of 25° C. and an average night temperature of 19° C.

Botanical classification:*Anthurium andreanum* cultivar 'Cleopatra'.

Parentage:

Female parent.—Inventor's proprietary *Anthurium andreanum* selection code Number 93-18.

Male parent.—Inventor's proprietary *Anthurium andreanum* selection code Number 93-18.

Propagation:

Method.—Typically by tissue culture.

Time to initiate roots.—About 70 to 84 days at 24° C. or 21° C., respectively.

Rooting habit.—Numerous and very strong fleshy roots.

Plant description:

Plant shape.—Upright, inverted triangle, symmetrical.

Growth habit.—Erect when young, becoming outwardly arching as plants develop. Freely clumping, bushy and dense. Appropriate for 15 to 30-cm containers.

Plant height.—About 45 cm from soil level to apex of spathes.

Plant vigor.—Moderate.

Growth rate.—Moderate to rapid.

Crop time.—About 10 months are usually required from planting of young plants to finished plants in 17-cm container.

Foliage description.—Quantity: Usually about 25 leaves per clump. Length: About 23.5 cm. Width: About 16 cm. Shape: Ovate. Apex: Apiculate to cuspidate. Base: Auriculate to cordate, lobes no overlapping. Margin: Entire, undulate. Texture: Smooth, glabrous, leathery. Color: Young leaves,

4

upper surface: 144A. Young leaves, lower surface: 144C to 144A to 147A. Mature leaves, upper surface: between 139A and 147A. Mature leaves, lower surface: Darker than 144A to 146B. Petiole: Length: About 30 cm. Color: 144A. Geniculum length: About 3 cm.

Inflorescence description:

Inflorescence arrangement.—Spatha with spadix held above the foliage. Flowering structures arise from leaf axils. Freely flowering; continuous flowering year-round; typically three to seven inflorescences per plant. Not fragrant.

Inflorescene longevity.—Inflorescences last about six weeks under winter conditions and up to three months under summer conditions; persistent.

Flowers.—Quantity of flowers per spadix: Numerous, about 150 to 200. Shape: Rounded. Diameter: About 1 mm, maximum.

Spatha.—Length: About 9.5 cm. Width: About 9 cm. Height above foliage: Just above foliage. Shape: Deltoid. Apex: Apiculate to mucronate. Base: Auriculate to cordate; lobes not overlapping. Margin: Entire. Texture: Leathery, glabrous, very slight blistering, shiny. Color: When opening: 144A to 158C. Front surface: 155B. Back surface: 155B. After senescence: 155B to 157A.

Spadix.—Length: About 5.75 cm. Diameter: About 8 mm. Shape: Columnar. Cross section: Rounded. Longitudinal axis: Weakly recurved. Color: Base: 51B to 51C. Mid-section: Close to 51B. Apex: 51A. Color, after senescence: 51A to 51B.

Scape.—Length: About 30 cm. Aspect: Strong and erect. Color: 144A.

Reproductive organs.—Androecium: Pollen color: Creamy white, 159B. Gynoecium: Stigma shape: Ovoid.

Disease Resistance: Plants of the new *Anthurium* have not been shown to be resistant to diseases common to *Anthurium*.

Seed development: Seed development plants of the new *Anthurium* has not been observed.

It is claimed:

1. A new and distinct cultivar of *Anthurium* plant named 'Cleopatra', as illustrated and described.

* * * * *

U.S. Patent

Jul. 18, 2000

Sheet 1 of 2

Plant 11,456



U.S. Patent

Jul. 18, 2000

Sheet 2 of 2

Plant 11,456

