



US00PP11839P2

**(12) United States Plant Patent**  
**Zary****(10) Patent No.: US PP11,839 P2****(45) Date of Patent: Apr. 24, 2001****(54) FLORIBUNDA ROSE PLANT NAMED**  
**'JACAMQUE'****(75) Inventor: Keith W. Zary, Thousand Oaks, CA**  
**(US)****(73) Assignee: Jackson & Perkins Wholesale, Inc.,**  
**Medford, OR (US)****(\*) Notice:** Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.**(21) Appl. No.: 09/266,991****(22) Filed: Mar. 12, 1999****(51) Int. Cl.<sup>7</sup> ..... A01H 5/00****(52) U.S. Cl. .... Plt./145****(58) Field of Search ..... Plt./141, 145, 146***Primary Examiner*—Howard J. Locker**(74) Attorney, Agent, or Firm**—Klarquist Sparkman  
Campbell Leigh & Whinston, LLP**(57) ABSTRACT**A floribunda rose plant having a compact plant habit; dark  
green, glossy, disease-resistant foliage; abundant amber  
flowers; good clustering ability; and rapid rebloom.**1 Drawing Sheet****1**The present invention relates to a new and distinct variety  
of rose plant of the floribunda class which was originated by  
me by crossing the variety 'JACrun', (not patented,  
'JACjem', U.S. Plant Pat. No. 5,001×'JACdew', U.S. Plant  
Pat. No. 5,122), with the variety 'HARroony', U.S. Plant  
Pat. No. 5,582.The primary objective of this breeding was to produce a  
new rose variety having the compact, well-branched plant  
habit, and dark green, glossy, disease-resistant foliage, abun-  
dant flowers, good clustering ability and rapid rebloom of  
the female parent and the fragrance, vigor, large flowers and  
amber color of the male parent. The objective was substan-  
tially achieved, along with other desirable improvements, as  
evidenced by the following unique combination of charac-  
teristics that are outstanding in the new variety and that  
distinguish it from its parents, as well as from all other  
varieties of which I am aware:

1. Medium-sized, fragrant flowers.
2. Compact plant habit.
3. Glossy, dark-green, disease resistant foliage.
4. A light amber flower color.
5. Rapid rebloom.
6. Flowers presented in clusters.

'JACamque' is a vigorous, compact well-branched flori-  
bunda garden rose. As flowers open, eyes below the flower  
buds break rapidly, creating a new crop of flowers. This  
insures the plant is almost always in flower.Asexual reproduction of this new variety by budding, as  
performed at Wasco, Calif., shows that the foregoing and all  
other characteristics and distinctions come true to form and  
are established and transmitted through succeeding propa-  
gations.The accompanying illustration shows typical specimens  
of the vegetative growth and flowers of this new variety in  
different stages of development, depicted in color as nearly  
true as it is reasonably possible to make the same in a color  
illustration of this character.The following is a detailed description of my new rose  
cultivar with color descriptions using terminology in accord-  
ance with The Royal Horticultural Society (London)  
Colour Chart, except where ordinary dictionary significance  
of color is indicated.**2**

Parentage:

*Seed parent.*—'JACrun', (not patented, 'JACjem', U.S.  
Plant Pat. No. 5,001×'JACdew', U.S. Plant Pat. No.  
5,122).*Pollen parent.*—'HARroony', U.S. Plant Pat. No.  
5,582.

Classification:

*Botanical.*—*Rosa hybrida*.*Commercial.*—Floribunda.**FLOWER**Observations made from specimens grown in a garden  
environment at Somis, Calif. in March 1997 to November  
1998.

Blooming habit: Recurrent.

Bud:

*Size.*—1¼ inches long when the petals start to unfurl.*Form.*—The bud form is long, pointed ovoid.*Color.*—When sepals first divide, bud color is Yellow-  
Orange Group 18B with some Red Group 44D on  
petal edges and tips. When half blown, the upper  
sides of the petals are Yellow-Orange Group 18B  
with faint Red Group 44D on petal edges and tips;*Sepals.*—Color: Green Group 138B. Surface texture:  
Covered in fine hairs. There are three normally  
appendaged sepals. There are two unappendaged  
sepals with hairy edges.*Receptacle.*—Color: Green Group 137D. Shape: Fun-  
nel. Size: Small, about 5/16×¼ inch. Surface: Smooth.*Peduncle.*—Length: Short, averaging about 2½ inches.  
Surface: Glandular. Color: Yellow Green Group  
146D. Strength: Stiff, erect.

Bloom:

*Size.*—Medium. Average open size is about 3½ inches.*Borne.*—Several together in clusters of three to five  
blooms having rounded shape.*Stems.*—Strength: Strong. Average length is about 12 to  
14 inches long.*Form.*—When first open: High-centered. Permanence:  
Flattens, all petals curl.*Petalage.*—Number of petals under normal conditions:  
25.

*Color*.—The upper sides of the petals are Yellow-Orange Group 18B with faint Red Group 44D on petal edges and tips. The reverse sides of the petals are Yellow-Orange Group 18B with faint Red Group 44D on petal edges and tips. The base of each petal has on both surfaces a small ( $\frac{3}{16} \times \frac{3}{16}$  inch) Yellow-Orange Group 16B color spot. The major color on the upper side is Yellow-Orange Group 18B.

*Variations*.—On guard petals there are occasional greenish-white stripes on both petal surfaces.

*Discoloration*.—The general tonality at the end of the first day: No change. At the end of the third day: No change. By day five, there is general fading to Yellow-Orange Group 18C. By day seven, fading is to Yellow-Orange Group 18D.

*Fragrance*.—Moderate, citrus.

**Petals:**

*Texture*.—Thick.

*Shape*.—Round.

*Form*.—Tips slightly recurved.

*Arrangement*.—Imbricated. Petaloids in the center are few (zero to seven). Yellow-Orange Group 18B range from  $\frac{1}{4}$  to  $\frac{1}{2}$  inch long and  $\frac{1}{8}$  to  $\frac{1}{4}$  inch wide.

*Persistence*.—Petals drop off cleanly before drying.

*Lastingness*.—On the plant: Fair (about seven to eight days). As a cut flower: Fair (about eight to nine days).

**Reproductive parts:**

*Anthers*.—Size: Medium. Quantity: Many. Color: Yellow-Orange Group 21D. Arrangement: Regular around styles.

*Filaments*.—Color: Yellow-Orange Group 21D.

*Pollen*.—Present.

*Styles*.—Color: Red Group 53B.

*Stigmas*.—Color: Yellow-Orange Group 19C.

**Plant:**

*Form*.—Bush.

*Growth*.—Vigorous, upright, branching, compact. At maturity, height is 3 to  $3\frac{1}{2}$  feet, width is 2 to  $2\frac{1}{2}$  feet.

**Foliage:** Number of leaflets on normal mid-stem leaves: Five.

*Size*.—Large (6 inches long  $\times$   $4\frac{1}{2}$  inches wide).

*Quantity*.—Abundant.

*Color*.—New foliage: Upper and lower surfaces: Greyed-Orange Group 175A. Old foliage: Upper surface: Green Group 139A. Lower surface: Green Group 138B.

**Leaflets:**

*Shape*.—Oval.

*Texture*.—Leathery, glossy.

*Edge*.—Serrated.

*Serration*.—Single, small.

*Petiole rachis*.—Color: Green Group 138C on the lower surface. The upper surface is Greyed-Purple Group 183D.

*Petiole underside*.—Smooth, with occasional prickles.

*Stipules*.—Medium, serrated (about  $\frac{5}{8}$  inch), bearded.

*Disease resistance*.—Mildew and rust resistant under normal growing conditions, but susceptible to black-spot.

**Wood:**

*New wood*.—Color: Greyed-Orange Group 176B.

Bark: Smooth.

*Old wood*.—Color: Green Group 137C. Bark: Smooth.

**Prickles:**

*Quantity*.—On main canes from base: Ordinary. On laterals from main canes: Ordinary.

*Form*.—Medium straight to hooked slightly upward.

*Color when young*.—Greyed-Orange Group 176B.

*Color when mature*.—Greyed-Orange 173D.

**Small prickles:**

*Quantity*.—On main stalks: None. On laterals: None.

**I claim:**

1. A new and distinct variety of rose plant of the floribunda class, substantially as herein shown and described, characterized particularly by a compact plant habit; dark green, glossy, disease-resistant foliage; abundant amber flowers; good clustering ability; and rapid rebloom.

\* \* \* \* \*

