



US00PP11908P2

(12) **United States Plant Patent**  
**Fuess**

(10) **Patent No.:** **US PP11,908 P2**

(45) **Date of Patent:** **Jun. 5, 2001**

(54) **CHRYSANTHEMUM PLANT NAMED**  
**'EMPIRE SWEET DREAMS'**

(76) **Inventor:** **Janet S. Fuess**, 22 Country Club Dr.,  
New York Mills, NY (US) 13417

(\*) **Notice:** Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

(21) **Appl. No.:** **09/224,735**

(22) **Filed:** **Jan. 4, 1999**

(51) **Int. Cl.<sup>7</sup>** ..... **A01H 5/00**

(52) **U.S. Cl.** ..... **Plt./286**

(58) **Field of Search** ..... **Plt./286, 297**

(56) **References Cited**  
**PUBLICATIONS**

UPOV-ROM, 2000/02, Plant Variety Database, GTI Jouve  
Retrieval Software, citation for 'Empire Sweet Dreams'.\*

\* cited by examiner

*Primary Examiner*—Howard J. Locker  
(74) *Attorney, Agent, or Firm*—C. A. Whealy

(57) **ABSTRACT**

A distinct cultivar of Chrysanthemum plant named 'Empire  
Sweet Dreams', characterized by its uniformly mounded  
plant habit; large daisy-type inflorescences that are about 7  
cm in diameter; attractive coral pink ray florets and bright  
yellow disc florets; and numerous inflorescences per plant.

**1 Drawing Sheet**

**1**

**BACKGROUND OF THE INVENTION**

The present invention relates to a new and distinct cultivar  
of Chrysanthemum plant, botanically known as *Dendran-*  
*thema grandiflora* and referred to by the cultivar name  
Empire Sweet Dreams.

The new cultivar is a product of a planned breeding  
program conducted by the Inventor in New York Mills, N.Y.  
The objective of the breeding program is to create new  
garden-type Chrysanthemum cultivars having inflores-  
cences with desirable inflorescence forms and floret colors  
and good garden performance.

The new cultivar originated from a cross made by the  
Inventor in October, 1992 of two unidentified proprietary  
seedling selections.

The cultivar Empire Sweet Dreams was discovered and  
selected by the Inventor as a flowering plant within the  
progeny of the stated cross in a controlled environment in  
New York Mills, N.Y., in August, 1993. The selection of this  
plant was based on its desirable inflorescence form and ray  
floret color.

Asexual reproduction of the new cultivar by terminal  
cuttings taken in a controlled environment in New York  
Mills, N.Y., has shown that the unique features of this new  
Chrysanthemum are stable and reproduced true to type in  
successive generations.

**SUMMARY OF THE INVENTION**

The cultivar Empire Sweet Dreams has not been observed  
under all possible environmental conditions. The phenotype  
may vary somewhat with variations in environment such as  
temperature, daylength and light intensity, without,  
however, any variance in genotype.

The following traits have been repeatedly observed and  
are determined to be the unique characteristics of 'Empire  
Sweet Dreams'. These characteristics in combination dis-  
tinguish 'Empire Sweet Dreams' as a new and distinct  
cultivar:

1. Uniformly mounded plant habit.
2. Glossy dark green leaves.
3. Large daisy-type inflorescences that are about 7 cm in  
diameter.

**2**

4. Attractive coral pink ray florets and bright yellow disc  
florets.

5. Numerous inflorescences per plant.

The new Chrysanthemum is similar to the Chrysanthemum  
cultivar Sandy (disclosed in U.S. Plant Pat. No. 7,531).  
However in side-by-side comparisons under commercial  
practice, plants of the new Chrysanthemum differed from  
plants of the cultivar Sandy in the following characteristics:

1. Plants of the new Chrysanthemum are shorter than  
plants of the cultivar Sandy.
2. Plants of the new Chrysanthemum have larger inflo-  
rescences than plants of the cultivar Sandy.
3. Ray florets of plants of the new Chrysanthemum are  
coral pink in color whereas ray florets of plants of the  
cultivar Sandy are golden bronze in color.

**BRIEF DESCRIPTION OF THE PHOTOGRAPHS**

The accompanying photographs illustrate the overall  
appearance of the new cultivar.

The photograph at the top of the sheet comprises a side  
perspective view of a typical flowering plant of 'Empire  
Sweet Dreams'.

The photograph at the bottom of the sheet comprises a  
close-up view of typical inflorescences of the cultivar  
'Empire Sweet Dreams'. These photographs show the colors  
as true as it is reasonably possible to obtain in colored  
reproductions of this type. Floret and foliage colors in the  
photographs may differ from the actual colors due to light  
reflectance.

**DETAILED BOTANICAL DESCRIPTION**

In the following description, color references are made to  
The Royal Horticultural Society Colour Chart except where  
general terms of ordinary dictionary significance are used.  
The following observations and measurements describe  
plants grown in Leamington, Ontario, Canada, under con-  
ditions which approximate those generally used in commer-  
cial garden Chrysanthemum production. One rooted cutting  
was planted in a 15-cm container on Jul. 20, 1998 and plants  
were grown outdoors under natural season conditions. Mea-

surements and numerical values represent averages for typical flowering containers.

Botanical classification: *Dendranthema grandiflora* cultivar Empire Sweet Dreams.

Commercial classification: Daisy-type garden chrysanthemum.

Parentage:

*Female or seed parent.*—Unidentified proprietary seedling selection.

*Male or pollen parent.*—Unidentified proprietary seedling selection.

Propagation:

*Type.*—Terminal tip cuttings.

*Time to rooting.*—Seven to ten days with soil temperatures of 21° C.

*Rooting habit.*—Fine, fibrous and well-branched.

Plant description:

*Appearance.*—Perennial herbaceous daisy-type garden Chrysanthemum. Inverted triangle. Stems initially upright, then outwardly spreading giving a uniformly mounded appearance to the plant. Freely branching with lateral branches potentially developing at every node, when pinched, about 10 laterals develop.

*Plant height.*—About 28 cm.

*Plant spread.*—About 43 cm.

*Foliage description.*—Leaf arrangement: Alternate.

Length: About 5.4 cm. Width: About 5.2 cm. Apex: Cuspidate to mucronate. Base: Truncate. Margin: Palmately lobed, sinuses parallel to divergent. Texture: Upper surface sparsely pubescent; lower surface moderately pubescent. Veins prominent on lower surface. Petiole length: About 2.3 cm. Petiole diameter: About 3 mm. Color: Young foliage upper surface: Darker than 147A. Young foliage lower surface: Darker than 147B. Mature foliage upper surface: 147A, glossy. Mature foliage lower surface: Close to 147B. Venation upper surface: 147A. Venation lower surface: 147B.

Inflorescence description:

*Appearance.*—Daisy-type inflorescence form with oblong to elongated spoon-shaped ray florets. Inflorescences borne on terminals above foliage, arising from leaf axils. Disk and ray florets arranged acropetally on a capitulum. One inflorescence per termi-

nal with numerous inflorescences per plant, about 9 per lateral stem.

*Flowering response.*—Under natural season conditions, plants flower in late September in the Northern Hemisphere, about 76 days after planting, and flower for at least three weeks depending on weather conditions.

*Inflorescence bud (before showing color).*—Height: About 5 mm. Diameter: About 8 mm. Phyllary color: Greener than 147A.

*Inflorescence size.*—Diameter: About 7 cm. Depth (height): About 1.3 cm. Diameter of disc: About 1.8 cm.

*Ray florets.*—Shape: Oblong to elongated spoon. Length: About 3.75 cm. Width: About 8.5 mm. Apex: Usually dentate. Margin: Entire. Texture: Smooth, glabrous, satiny. Orientation: Initially upright, then horizontal. Number of ray florets per inflorescence: About 67. Color: When opening: Upper surface: Close to 48A to 48C; iridescent. Lower surface: 27B to 27C. Opened inflorescence: Upper surface: 48C to 48D to 49A to 49C to 27A to 27B sometimes with pinkish, 49B to 49C, tones; iridescent. Lower surface: 27B to 27D.

*Disc florets.*—Shape: Tubular, apex dentate. Length: About 7 mm. Width: Apex: About 2 mm. Base: About 1 mm. Number of disc florets per inflorescence: Typically more than 150. Color: Immature: 154A. Mature: Apex: 12A. Mid-section: Greenish white. Base: White.

*Peduncle.*—Aspect: Flexible, angled about 45° to the stem. Length: First peduncle: About 6.5 cm. Fourth peduncle: About 7.8 cm. Diameter: About 2.5 mm. Texture: Pubescent. Color: Close to 147A.

*Reproductive organs.*—Androecium: Present on disc florets only. Anther color: 12A. Pollen: Scarce. Gynoecium: Present on both ray and disc florets.

Disease resistance: Resistance to known Chrysanthemum diseases has not been observed on plants grown under commercial production conditions.

Seed production: Seed production has not been observed.

It is claimed:

1. A new and distinct cultivar of Chrysanthemum plant named 'Empire Sweet Dreams', as illustrated and described.

\* \* \* \* \*

