



US00PP12635P2

(12) **United States Plant Patent**
Booman

(10) **Patent No.:** **US PP12,635 P2**

(45) **Date of Patent:** **May 21, 2002**

(54) **BEGONIA PLANT NAMED 'MINI MIAMI'**

(76) Inventor: **James Lawrence Booman**, 2302
Bautista Ave., Vista, CA (US) 92084

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **09/624,467**

(22) Filed: **Jul. 24, 2000**

(51) **Int. Cl.**⁷ **A01H 5/00**

(52) **U.S. Cl.** **Plt./343**

(58) **Field of Search** Plt./343

Primary Examiner—Bruce R. Campell

Assistant Examiner—Anne Marie Grünberg

(74) *Attorney, Agent, or Firm*—C. A. Whealey

(57) **ABSTRACT**

A new and distinct cultivar of Begonia plant named 'Mini
Miami' characterized by its dense, uniform, outwardly arch-
ing and dwarf plant habit; rapid plant growth; bright silvery
leaves blushed with bright to hot pink with dark purple
brown centers; and serrate leaf margin.

1 Drawing Sheet

1

BACKGROUND OF THE INVENTION

The present Invention relates to a new and distinct culti-
var of Begonia, botanically known as *Begonia rex* hybrid,
commercially known as Rex Begonia, and hereinafter
referred to by the cultivar name 'Mini Miami'.

The new Begonia was discovered by the Inventor in a
controlled environment in Vista, Calif., as a naturally-
occurring mutation of the *Begonia rex* hybrid cultivar Mini
Merry Christmas, not patented. The new Rex Begonia was
observed as a single plant in a group of plants of the parent
cultivar. The selection of this plant was based on its unique
leaf coloration and pattern.

Asexual reproduction of the new Begonia by leaf cuttings
taken in a controlled environment in Vista, Calif., has shown
that the unique features of this new Begonia are stable and
reproduced true to type in successive generations.

SUMMARY OF THE INVENTION

The new Begonia has not been observed under all possi-
ble environmental conditions. The phenotype may vary
somewhat with variations in environment such as
temperature, daylength, light intensity, nutritional and water
status without, however, any variance in genotype.

The following traits have been repeatedly observed and
are determined to be the unique characteristics of 'Mini
Miami'. These characteristics in combination distinguish
'Mini Miami' as a new and distinct cultivar:

1. Dense, uniform, outwardly arching and dwarf plant habit.
2. Rapid plant growth.
3. Does not require winter dormancy.
4. Bright silvery leaves blushed with bright to hot pink with dark purple brown centers; under high light conditions and good fertility, leaf color becomes almost red.
5. Serrate leaf margin.

BRIEF DESCRIPTION OF THE PHOTOGRAPH

The accompanying colored photograph illustrates the
overall appearance of the new Begonia. This photograph
shows the colors as true as it is reasonably possible to obtain
in colored reproductions of this type. Colors in the photo-

2

graph may differ slightly from the color values cited in the
detailed botanical description, which more accurately
describe the actual colors of the new Begonia. The photo-
graph comprises a side perspective view of a typical plant of
'Mini Miami'.

DETAILED BOTANICAL DESCRIPTION

The aforementioned and following observations, mea-
surements and values describe plants grown in a
polyethylene-covered greenhouse in Lompoc, Calif., during
the spring under conditions which approximate commercial
production practices. After the cuttings were rooted, plants
were planted in 10-cm containers and grown with day
temperatures ranging from 27 to 32° C., night temperatures
ranging from 18 to 20° C., and light levels about 1,800
foot-candles. Plants used for the description were about 6 to
8 weeks old. In the following description, color references
are made to The Royal Horticultural Society Colour Chart
except where general terms of ordinary dictionary signifi-
cance are used.

Botanical classification: *Begonia rex* hybrid cultivar Mini
Miami.

Parentage: Naturally-occurring mutation of *Begonia rex*
hybrid cultivar Mini Merry Christmas, not patented.

Propagation:

Type.—By leaf cuttings.

Time to initiate roots.—About 21 days at 21° C.

Time to develop roots.—About 56 days at 21° C.

Rooting habit.—Numerous, fine, fibrous, freely branch-
ing.

Plant description:

Plant form.—Rosette; dwarf; full and dense; uniform;
outwardly arching potted plant; freely basal branch-
ing with good leaf petiole strength.

Growth habit.—Rapid growth rate; moderately vigor-
ous. Suitable for 10-cm containers.

Crop time.—To produce a 10-cm container flowering
plant, about 6 to 8 weeks are required after planting
a rooted leaf cutting.

Branching habit.—Very freely basal branching with
about 15 to 20 leaves per plant.

Plant height, soil level to top of flowers.—About 15 cm.

Plant width.—About 17 cm.

Foliage description:

Length.—Petiole to apex: About 5.3 cm. Base to apex: About 6.7 cm.

Width.—About 4.8 cm.

Shape.—Asymmetrical, oblique, roughly ovate.

Apex.—Sharply acute.

Base.—Asymmetrically cordate, not equilateral.

Margin.—Serrate with fine ciliation.

Texture.—Leathery, rugose; pubescence on lower surface veins.

Color.—Upper surface: Margin, purple to brown, 187A to 200A; central veinal area, 187A; central veinal area surrounded by 60A to 184B overlain with close to 187A to 191B; intermarginal, 191B; veins, 187A; iridescent. Lower surface: Margin, 187A; central veinal area, 187A; intermarginal, close to 191B.

Petiole.—Length: About 4.6 cm. Diameter: About 3 mm. Shape: Longitudinally channeled. Texture: Pubescent. Color: 183A to 187A.

Stipules.—Length: About 1.2 cm. Diameter, base: About 6 mm. Shape: Deltoid. Color: Close to 183B.

Flower description: Flower development has not been observed.

Disease resistance: Plants of the new Rex Begonia have been noted to be more resistant to Powdery Mildew than large-leaf Rex Begonias known to the Inventor.

Temperature tolerance: Plants of the new Rex Begonia tolerate temperatures ranging from 0° to 46° C.

It is claimed:

1. A new and distinct Begonia plant named 'Mini Miami' as illustrated and described.

* * * * *

