



US00PP13076P2

(12) **United States Plant Patent**
Roberson

(10) **Patent No.: US PP13,076 P2**
(45) **Date of Patent: Oct. 15, 2002**

(54) **LANTANA PLANT NAMED ‘ROBPATPET’**

(76) **Inventor: Robert J. Roberson**, P.O. Box 210,
Grain Valley, MO (US) 64029

(*) **Notice:** Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 43 days.

(21) **Appl. No.: 09/895,641**

(22) **Filed: Jun. 30, 2001**

(51) **Int. Cl.⁷ A01H 5/00**

(52) **U.S. Cl. Plt./227**

(58) **Field of Search Plt./227**

Primary Examiner—Kent L. Bell

(74) *Attorney, Agent, or Firm*—C. A. Whealy

(57) **ABSTRACT**

A distinct cultivar of Lantana plant named ‘Robpatpet’,
characterized by its upright and outwardly spreading plant
habit; uniformly mounded plant form; vigorous growth
habit; freely branching habit; rapid growth rate; freely
flowering habit; pale yellow to pale pink-colored flowers;
and high rooting percentage.

2 Drawing Sheets

1

**BOTANICAL CLASSIFICATION/CULTIVAR
DESIGNATION**

Lantana camara cultivar ‘Robpatpet’.

BACKGROUND OF THE INVENTION

The present Invention relates to a new and distinct culti-
var of Lantana plant, botanically known as *Lantana camara*,
and hereinafter referred to by the cultivar name ‘Robpatpet’.

The new Lantana is a product of a planned breeding
program conducted by the Inventor in Grain Valley, Mo. The
objective of the breeding program is to create freely-
flowering Lantanas with pale pink-colored flowers.

The new Lantana originated from a cross made by the
Inventor in 1995 of the Lantana cultivar ‘Pink Caprice’, not
patented, as the female, or seed parent, with an unidentified
Lantana selection as the male, or pollen parent. The new
Lantana was selected in 1995 as a single plant from the
resulting progeny by the Inventor in a controlled environ-
ment in Grain Valley, Mo., on the basis of its pale pink-
colored flowers.

Asexual reproduction of the new cultivar by terminal
cuttings taken in a controlled environment in Grain Valley,
Mo., has shown that the unique features of this new Lantana
are stable and reproduced true to type in successive genera-
tions.

SUMMARY OF THE INVENTION

Plants of the cultivar ‘Robpatpet’ have not been observed
under all possible environmental conditions. The phenotype
may vary somewhat with variations in environment and
culture such as temperature, light intensity, daylength, water
status, and/or fertilizer rate or type without, however, any
variance in genotype.

The following traits have been repeatedly observed and
are determined to be the unique characteristics of ‘Robpat-
pet’. These characteristics in combination distinguish ‘Rob-
patpet’ as a new and distinct Lantana cultivar:

1. Upright and outwardly spreading plant habit; mounded
plant form.
2. Vigorous growth habit; rapid growth rate.
3. Freely branching habit.
4. Freely flowering habit.

2

5. Pale yellow to pale pink-colored flowers.

6. High rooting percentage.

Plants of the new Lantana are comparable to plants of the
female parent, the cultivar ‘Pink Caprice’. In side-by-side
comparisons conducted in Grain Valley, Mo., plants of the
new Lantana differ from plants of the cultivar ‘Pink Caprice’
in the following characteristics:

1. Plants of the new Lantana grow more rapidly than
plants of the cultivar ‘Pink Caprice’.

2. Plants of the new Lantana are more freely branching
than plants of the cultivar ‘Pink Caprice’.

3. Plants of the new Lantana are more freely flowering
than plants of the cultivar ‘Pink Caprice’.

4. Opened flower color of plants of the new Lantana is
paler pink and more homogenous than opened flower color
of the cultivar ‘Pink Caprice’ which is more multi-colored.

Compared to plants of the cultivar ‘Robpatpar’, disclosed
in U.S. Plant patent application Ser. No. 09/895,640, plants
of the new Lantana have pale pink-colored opened flowers
whereas plants of the cultivar ‘Robpatpar’ have medium
pink-colored opened flowers.

Plants of the new Lantana differ from plants of the male
parent, the unidentified Lantana selection, and other Lantana
cultivars known to the Inventor primarily in the new Lan-
tana’s unique combination of mounded plant habit, pale pink
opened flower color, and freely-flowering habit.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the
overall appearance of the new cultivar, showing the colors as
true as it is reasonably possible to obtain in colored repro-
ductions of this type. Colors in the photographs may differ
slightly from the color values cited in the detailed botanical
description which accurately describe the colors of the new
Lantana.

The photograph on the first sheet comprises a side per-
spective view of typical flowering plants of ‘Robpatpet’
grown in a hanging basket container.

The photograph on the second sheet comprises a close-up
view of typical inflorescences and leaves of ‘Robpatpet’.

DETAILED BOTANICAL DESCRIPTION

In the following description, color references are made to The Royal Horticultural Society Colour Chart except where general terms of ordinary dictionary significance are used. Plants used for the photographs and description were planted in hanging basket containers after rooting and grown for about 3 months during the spring in a polyethylene-covered greenhouse in Grain Valley, Mo. During the production of the plants, day temperatures were about 24° C. and night temperatures were about 18° C.

Parentage:

Female parent.—*Lantana camara* cultivar ‘Pink Caprice’, not patented.

Male parent.—Unidentified *Lantana camara* selection, not patented.

Propagation:

Type cutting.—Terminal cuttings.

Time to initiate roots, summer.—About 9 days at 27° C.

Time to initiate roots, winter.—About 11 days at 27° C.

Time to develop roots, summer.—About 35 days at 29° C.

Time to develop roots, winter.—About 42 days at 24° C.

Root description.—Fine, fibrous; initially glaucous white in color then becoming tan, 161D, with development. Plants of the new *Lantana* root easily, about 99 percent of cuttings will initiate roots.

Rooting habit.—Freely branching.

Plant description:

Form.—Flowering subshrub; upright and outwardly spreading; mounded plant form. Very freely branching; two lateral branches potentially forming at every node; pinching enhances lateral branch development.

Plant height.—About 25 cm.

Plant diameter.—About 51 cm.

Vigor.—Vigorous, rapid growth rate.

Lateral branches.—Length: About 23 cm. Diameter: About 4 mm. Internode length: About 4 cm. Strength: Flexible, but strong. Texture: Rough, pubescent. Color: Young: 144A to 144B. Woody: More brown than 165B.

Foliage description.—Leaves simple, generally symmetrical and long-persisting; opposite. Length: About 4.7 cm. Width: About 3.4 cm. Shape: Ovate. Apex: Acute. Base: Obtuse to truncate. Margin: Crenate to serrate with ciliation. Texture, both surfaces: Leathery, rough, coarse; slightly pubescent. Luster: Upper surface: Somewhat glossy. Lower surface: Dull. Venation pattern: Arcuate. Fragrance: Mint-like. Color: Young foliage, upper surface: More green than 146A. Young foliage, lower surface: More green than 146B. Mature foliage, upper surface: Much darker green than 146A. Mature foliage, lower surface: More green than 146B. Venation, upper surface: 146A. Venation, lower surface: Close to 147C. Petiole length: About 8 mm. Petiole diameter: About 2 mm. Petiole texture, both surfaces: Slightly pubescent. Petiole color: Upper surface: 146A. Lower surface: Close to 146B.

Flower description:

Flower type and habit.—Small salverform flowers arranged in axillary umbels; flowers face mostly upward or outward. Flowers self-cleaning. Very freely flowering with potentially two inflorescences per node; typically about 28 flowers per umbel.

Natural flowering season.—Spring until frost in the autumn; flowering continuous and consistent.

Flower longevity on the plant.—About one week.

Fragrance.—Faint, spicy, pleasant.

Inflorescence diameter.—About 3.9 cm.

Inflorescence height.—About 1.9 cm.

Flowers.—Appearance: Flared trumpet, corolla fused, four-parted; flowers roughly rectangular in shape. Diameter: About 1 cm by 8.5 mm. Corolla tube length: About 1.2 cm.

Flower buds (before showing color).—Length: About 6 mm. Diameter: About 5 mm. Shape: Roughly spherical. Color: 144A.

Corolla.—Arrangement/appearance: Single whorl of four petals, fused into flared trumpet. Petal length from throat: Upper and lower petals: About 5 mm. Lateral petals: About 4.25 mm. Petal width: Upper and lower petals: About 7 mm. Lateral petals: About 4 mm. Petal shape: Spatulate to somewhat orbicular. Petal apex: Rounded with slight emargination. Petal margin: Entire. Petal texture: Smooth, velvety. Color: Petal, upper surface, when opening: White, close to 155D, overlain with 14A; becoming mostly white, close to 155D, with subsequent development. Petal, lower surface, when opening: 14D to 13D. Petal, upper surface, fully opened: White, close to 155D, overlain with 55A. Petal, lower surface, fully opened: White, close to 155D, faintly underlain with 55A. Throat: 17A, becoming 24A with subsequent development. Tube: White, close to 155D, underlain with 17A; with subsequent development, white, close to 155D, underlain with 53A.

Calyx.—Arrangement/appearance: One single calyx tube per flower. Calyx length: About 3 mm. Calyx width: About 1.5 mm. Apex: Two-pointed. Texture: Pubescent. Color, both surfaces: Close to 144A to 144B.

Peduncles.—Length: About 2.2 cm. Diameter: About 1.25 mm. Angle: About 45° from the stem. Strength: Flexible, but strong. Texture: Pubescent. Color: 144A.

Pedicels.—Length: Less than 1 mm. Diameter: Less than 1 mm. Angle: About 45° from the stem. Strength: Flexible, but strong. Texture: Pubescent. Color: Close to 144A.

Reproductive organs.—Stamens: Quantity/arrangement: Four per flower, adnate to floral tube. Filament length: About 6 mm. Filament color: Close to 155D. Anther shape: Ovoid. Anther length: Less than 1 mm. Anther color: 14A. Pollen amount: Scarce. Pollen color: 12A. Pistils: Quantity: One per flower. Pistil length: About 3 mm. Stigma shape: Globular. Stigma color: Close to 151C. Ovary color: Close to 144A.

Fruit.—Type: Drupe. Length: About 5 mm. Diameter: About 5 mm. Texture: Smooth. Color: Immature: 144A. Mature: Close to 187A.

Seed.—Quantity per fruit: Two. Size: About 2 mm by 2 mm. Color: Close to 150D.

Disease/pest resistance: Plants of the new *Lantana* grown in the garden have been noted to be resistant to pathogens or pests common to *Lantana*. When grown in the greenhouse, plants of the new *Lantana* have been observed to be attractive to whiteflies.

Weather tolerance: Plants of the new *Lantana* have been observed to be very tolerant to rain and wind.

Temperature tolerance: Plants of the new *Lantana* have been observed to be tolerant to temperatures ranging from 0 to 38° C.

It is claimed:

1. A new and distinct cultivar of *Lantana* plant named ‘Robpatpet’, as illustrated and described.

* * * * *



