



US00PP13237P2

(12) **United States Plant Patent**
van Leeuwen

(10) **Patent No.: US PP13,237 P2**
(45) **Date of Patent: Nov. 19, 2002**

(54) **CARNATION PLANT NAMED ‘WESDIWIT’**

OTHER PUBLICATIONS

(75) Inventor: **Gijsbertus van Leeuwen,**
 ’s-Gravenzande (NL)
(73) Assignee: **West Select B.V.,** ’s - Gravezande (NL)
(*) Notice: Subject to any disclaimer, the term of this
 patent is extended or adjusted under 35
 U.S.C. 154(b) by 0 days.

UPOV-ROM GTITM computer database, GTI JOUVE
retrieval software 2002/02, citation for Wesdiwit.*

* cited by examiner

(21) Appl. No.: **10/094,284**
(22) Filed: **Mar. 8, 2002**
(51) **Int. Cl.⁷** **A01H 5/00**
(52) **U.S. Cl.** **Plt./279**
(58) **Field of Search** **Plt./279**

Primary Examiner—Bruce R. Campell
Assistant Examiner—W C Baker
(74) *Attorney, Agent, or Firm*—C. A. Whealy

(57) **ABSTRACT**

A distinct cultivar of Carnation plant named ‘Wesdiwit’,
characterized by its compact, upright and rounded plant
habit; freely basal branching habit; strong lateral branches;
dark green-colored foliage; continuous flowering habit; and
white-colored flowers.

(56) **References Cited**
U.S. PATENT DOCUMENTS
PP2,480 P * 2/1965 Mittleider Plt./279

1 Drawing Sheet

1

**BOTANICAL CLASSIFICATION/CULTIVAR
DESIGNATION**

Dianthus caryophyllus cultivar Wesdiwit.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of potted Carnation plant, botanically known as *Dianthus*
caryophyllus and hereinafter referred to by the name ‘Wes-
diwit’.

The new cultivar is a product of a planned breeding
program conducted by the Inventor in ’s-Gravenzande, The
Netherlands. The objective of the breeding program is to
create new potted Carnation cultivars having compact plant
habit, continuous flowering, and attractive flower coloration.

The new Carnation originated from a cross-pollination
made by the Inventor in ’s-Gravenzande, The Netherlands,
of two unidentified proprietary seedling selections of *Dian-*
thus caryophyllus, not patented. The new Carnation was
discovered and selected by the Inventor as a single flowering
plant within the progeny of the stated cross-pollination
grown in a controlled environment in ’s-Gravenzande, The
Netherlands in May, 1999. The selection of this plant was
based on its compact plant habit and attractive flower
coloration.

Asexual reproduction of the new Carnation by cuttings
propagated in a controlled environment in ’s-Gravenzande,
The Netherlands, since the summer of 1999, has shown that
the unique features of this new Carnation are stable and
reproduced true to type in successive generations.

SUMMARY OF THE INVENTION

The cultivar Wesdiwit has not been observed under all
possible environmental conditions. The phenotype may vary
somewhat with variations in environment such as tempera-

2

ture and light intensity without, however, any variance in
genotype.

The following traits have been repeatedly observed and
are determined to be the unique characteristics of ‘Wesdi-
wit’. These characteristics in combination distinguish ‘Wes-
diwit’ as a new and distinct cultivar:

1. Compact, upright and rounded plant habit.
2. Freely basal branching habit.
3. Strong lateral branches.
4. Dark green-colored foliage.
5. Continuous flowering habit during the flowering sea-
son.
6. White-colored flowers.

Compared to plants of the female parent, plants of the new
Carnation are more compact, more vigorous and have stron-
ger lateral branches. Compared to plants of the male parent,
plants of the new Carnation are more vigorous and differ in
flower color.

Plants of the new Carnation can be compared to plants of
the cultivar Diogenes, not patented. In side-by-side com-
parisons conducted in ’s-Gravenzande, The Netherlands,
plants of the new Carnation and the cultivar Diogenes
differed in the following characteristics:

1. Plants of the new Carnation were more compact than
plants of the cultivar Diogenes.
2. Flowers of plants of the new Carnation were white in
color whereas flowers of plants of the cultivar Diogenes
were pink in color.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the
overall appearance of the new Carnation, showing the colors
as true as it is reasonably possible to obtain in colored
reproductions of this type. Colors in the photographs may
differ slightly from the color values cited in the detailed

botanical description which accurately describe the colors of the new Carnation.

The photograph at the top of the sheet comprises a side perspective view of a typical flowering plant of 'Wesdiwit' grown in a container.

The photograph at the bottom of the sheet comprises a close-up view of flowers and leaves of a typical plant of 'Wesdiwit'.

DETAILED BOTANICAL DESCRIPTION

In the following description, color references are made to The Royal Horticultural Society Colour Chart, 1995 edition, except where general terms of ordinary dictionary significance are used. The aforementioned photographs, following observations and measurements describe plants grown in 's-Gravenzande, The Netherlands during the summer in a glass-covered greenhouse. During the production of the plants, day temperatures ranged from 20 to 25° C. and night temperatures ranged from 18 to 20° C. Rooted young plants were planted in 10-cm containers and pinched once. The photographs and the description were taken about five months after planting.

Botanical classification: *Dianthus caryophyllus* cultivar Wesdiwit.

Parentage:

Female, or seed, parent.—Unidentified proprietary seedling selection of *Dianthus caryophyllus*, not patented.

Male, or pollen, parent.—Unidentified proprietary seedling selection of *Dianthus caryophyllus*, not patented.

Propagation:

Type.—By cuttings.

Time to initiate roots.—About 21 days at 20° C.

Root description.—Fine, fibrous.

Plant description:

Plant habit.—Compact, upright and rounded.

Growth habit.—Freely basal branching; when pinched, potentially 35 lateral branches develop. Moderately vigorous.

Plant height.—About 15 cm.

Plant width.—About 21.5 cm.

Lateral branch description.—Length: About 7.5 cm. Diameter: About 2 mm. Internode length: About 1.75 mm. Aspect: Upright. Strength: Strong. Texture: Glabrous; smooth. Color: 137B.

Foliage description.—Arrangement: Leaves simple; symmetrical; abundant; opposite; sessile and decurrent. Length: About 3.5 cm. Width: About 3.5 mm. Shape: Ligulate. Apex: Acute. Margin: Entire. Texture, upper and lower surfaces: Glabrous; smooth. Venation pattern: Parallel, linear. Color:

Young foliage, upper and lower surfaces: 144B. Fully expanded foliage, upper surface: 147A. Fully expanded foliage, lower surface: 137A. Venation, upper and lower surfaces: 137C.

Flowering description:

Appearance.—Rounded flowers that face upright. One flower per lateral branch; freely flowering, potentially about 35 flowers per plant.

Flowering response.—Plants flower during the summer in The Netherlands; during this period, flowering is continuous.

Postproduction longevity.—Flowers last about 7 days on the plant. Flowers persistent.

Fragrance.—None detected.

Flower size.—Diameter: About 4.25 cm. Depth (height): About 2.25 cm.

Flower buds.—Length: About 1.75 cm. Diameter: About 8.5 mm. Shape: Ovoid. Color: 146A.

Petals.—Quantity/arrangement: About 20 to 25 per flower; rosulate. Length: About 3 cm. Width: About 1.4 cm. Shape: Flabellate. Apex: Rounded, praemorse. Base: Attenuate. Margin: Praemorse. Texture, upper and lower surfaces: Glabrous; satiny. Color: When opening and fully opened, upper surface: Closest to 155D. When opening and fully opened, lower surface: Closest to 155D.

Sepals.—Quantity/arrangement: Five per flower fused into a calyx tube. Length: About 1.7 cm. Width: About 5 mm. Shape: Elliptic. Apex: Acute. Texture, upper and lower surfaces: Smooth, leathery; glabrous. Color: Upper surface: 137B. Lower surface: 148C.

Peduncles.—Length: About 1.5 cm. Diameter: About 1.5 mm. Aspect: Upright. Strength: Strong. Texture: Smooth; glabrous. Color: 137B.

Reproductive organs.—Androecium: Stamen number: About four. Filament length: About 8 mm. Filament diameter: Less than 1 mm. Filament color: 155D. Anther length: Less than 1 mm. Anther shape: Roughly oblong. Anther color: Close to 155D. Pollen: None observed. Gynoecium: Pistil quantity: One. Style length: About 2.3 cm. Style diameter: Less than 1 mm. Style color: 155D. Ovary color: Towards the apex, 144B; towards the base, 145C.

Seed/fruit.—Seed and fruit production has not been observed.

Disease/pest resistance: Plants of the new Carnation have not been observed to be resistant to pathogens nor pests common to Carnation.

It is claimed:

1. A new and distinct cultivar of Carnation plant named 'Wesdiwit', as illustrated and described.

* * * * *

