



US00PP14198P29

(12) **United States Plant Patent**
Plevier

(10) **Patent No.:** **US PP14,198 P2**

(45) **Date of Patent:** **Oct. 7, 2003**

(54) **ALSTROEMERIA PLANT NAMED**
'ZANTRICE'

(50) Latin Name: *Alstroemeria*
Varietal Denomination: **'Zantrice'**

(75) Inventor: **Franciscus B. Plevier**, Sassenheim
(NL)

(73) Assignee: **Van Zanten Plants B.V.** (NL)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **09/640,811**

(22) Filed: **Aug. 16, 2000**

(51) **Int. Cl.**⁷ **A01H 5/00**

(52) **U.S. Cl.** **Plt./309**

(58) **Field of Search** **Plt./309**

Primary Examiner—Bruce R. Campell

Assistant Examiner—Michelle Kizilkaya

(74) *Attorney, Agent, or Firm*—Christie, Parker & Hale,
LLP

(57) **ABSTRACT**

A new and distinct *Alstroemeria* plant variety producing
flowers of attractive coloration.

1 Drawing Sheet

1

Classification: The present invention relates to a new
Alstroemeria sp. plant, in the family *Amaryllidaceae*.

Variety denomination: The new *Alstroemeria* sp. plant has
the varietal denomination 'Zantrice.'

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct variety
of *Alstroemeria*, which is a hybrid resulting from a cross of
two unnamed, undistributed seedlings; namely, 290-032 as
seed parent and 472-011A as pollen parent. The 'Zantrice'
hybrid was produced as a seedling in a research station in
Hillegom, the Netherlands, and combines the flower color of
the seed parent with the stem quality of the pollen parent.

Asexual reproduction by dividing rhizomes, and by tissue
culture, through successive generations in Rijsenhout, the
Netherlands, has demonstrated that the combination of char-
acteristics as herein disclosed for 'Zantrice' are firmly fixed
and retained through successive generations.

SUMMARY OF THE INVENTION

The new variety of *Alstroemeria*, 'Zantrice', produces
attractive flowers.

DESCRIPTION OF ILLUSTRATION

The new variety of *Alstroemeria* hybrid is illustrated in
the accompanying illustration, which shows typical flower
characteristics of a one-year-old plant grown in a green-
house in the Netherlands, with colors being as nearly true as
is possible for illustrations of this type. The photographic
illustration submitted with this Application is a detail of
flower stems of the new variety.

**DETAILED DESCRIPTION OF THE NEW
VARIETY**

The following is a detailed description of the new cultivar
of *Alstroemeria* hybrid as observed in a greenhouse in
Rijsenhout, The Netherlands. The plants described is of a
1-year old plant grown in a glass house in The Netherlands.
Color designations indicated are in accordance with The
Royal Horticultural Society Colour Chart by color plate
designations.

2

'Zantrice' has not been observed under all possible envi-
ronmental conditions. Phenotypic expression may vary with
variations in environment such as temperature, light
intensity, day length and growing and cultural conditions.

Plant:

Form.—Bush.

Shape.—Upright.

Height.—About 140 to 180 cm.

Growth rate.—Medium.

Time to flowering stage.—About 80 to 100 days (from
young rooted rootstocks, the stage of development in
which the varieties are sold, to flowering stage in
commercial greenhouse conditions).

Pinching.—Not required.

Stem:

Main stem or cain length.—About 160 cm.

Internode length.—About 1 to 4 cm.

Growth.—Vigorous.

Strength.—Strong.

Quantity.—About 170 to 190 harvestable stems per m².

Lateral branches:

Average number.—About 170 to 190.

Color.—Near 137A.

Length.—About 140 to 180 cm.

Diameter.—About 0.5 to 1.2 cm.

Texture.—Smooth.

Foliage:

Quantity.—Abundant.

Number of leaves.—About 20 to 60 per stem.

Size of leaf.—Length about 4.5 to 16 cm; width about
1 to 3.5 cm.

Shape of leaf.—Elliptical.

Margin type.—Minutely crimped.

Texture.—Leathery.

Color.—Upperside near 137A; underside near 137A.

Phyllotaxy.—Asymmetrical single.

Venation pattern.—Parallel.

Venation color.—Near 143A.

Points of attachment.—Sessile.

Other plant characteristics:

Thorns.—No.

Spines.—No.

Prickles.—No.

Bulbs.—No.

Corms.—No.

Rhizomes.—Yes. Color: Near 155A. Size: About 15 to 35 cm.

Disease resistance.—Unknown.

Fragrance.—None.

INFLORESCENCE—FLOWER/FLORET

Blooming habit: Continuous, with no need to pinch spent umbels to maintain continuous blooming condition.

Flower bud:

Size.—diameter: About 1 cm. depth (or length): About 0.5–4.5 cm.

Form or shape.—Pearshaped; long, but not pointed.

Rate of opening.—Fast.

Blooms:

Abundance.—Blooms profusely throughout the year.

Discoloration after full bloom.—None.

Effect of wet or hot weather.—None.

Persistence (do flowers hang on and dry).—No.

Flower Size: Medium, measured at stage of development when first anthers release their pollen.

Diameter.—About 6 cm.

Depth.—About 5.5 cm.

Borne: Singly.

Shape or Form:

Bloom first opens.—Cup.

Mature bloom.—Cup.

Petalage:

Number of petals.—6.

Arrangement.—Two concentric circles of 3 petals.

Form of tepals.—Obovate.

Duration of tepals.—Stay on stem about 3 weeks.

Texture.—Velvety.

Appearance.—Leathery.

Petal Color:

Outer petal.—Body: Near 28A. Base: Near 28A.

Reverse side: Near 28A.

Inside petal.—Body: Near 28A to 14A. Base: Near 14A. Reverse side: Near 28A.

Spots.—Outer petals (3): None. Inner lateral petals (2): About 30 to 40 spots, color near 184A. Inner medial petal: About 10 to 20 spots, color near 184A.

Tepal Color:

When tepals first divide.—Near 151A to 34C.

When petals begin to unfurl.—Near 151A to 34C.

Peduncle or Flower Stem:

Length.—About 1 to 4 cm.

Color.—Near 144A.

Strength.—Strong, erect.

Upright.—Yes.

Hairy.—No.

Other Flower Characteristics:

Discoloration after full bloom.—None.

Effect of wet or hot weather.—None.

Fragrance.—None.

Lasting quality.—on plant: About 3 weeks. as cut flower: About 16 to 18 days.

REPRODUCTIVE ORGANS

Stamen:

Number.—About 6.

Arrangement.—Side by side around style.

Anthers:

Size.—About 5 to 10 mm.

Color.—Near 14A.

Filaments:

Length.—About 30 to 40 mm.

Color.—Near 32C.

Pollen:

Color.—Near 17A.

Pistil:

Number.—1.

Style:

Length.—About 4 to 5 cm.

Color.—Near 30A.

Stigma:

Color.—Near 31A.

Fruit:

Fertile.—Yes.

Shape.—Round.

Color at maturity.—Near 163A.

I claim:

1. A new and distinct *Alstroemeria* plant of the variety substantially as shown and described.

* * * * *

