



US00PP14310P39

(12) **United States Plant Patent**
Hachmann(10) **Patent No.:** US PP14,310 P3
(45) **Date of Patent:** Nov. 18, 2003

- (54) **HOLLY PLANT NAMED 'HACHFEE'**
- (50) Latin Name: *Ilex meservae x aquitolum*
Varietal Denomination: **Hachfee**
- (75) Inventor: **Hans Hachmann**, Barmstedt (DE)
- (73) Assignee: **H. Hachmann Baumschulen Gbr** (DE)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: **10/123,546**
- (22) Filed: **Apr. 16, 2002**
- (65) **Prior Publication Data**
US 2003/0196235 P1 Oct. 16, 2003
- (51) **Int. Cl.⁷** A01H 5/00
(52) **U.S. Cl.** Plt./247

1

Classification: *Ilex meservae x aquitolum*.
Varietal denomination: 'Hachfee'.

BACKGROUND OF THE INVENTION

The present invention comprises a new and distinct cultivar of *Ilex meservae x aquitolum* (holly) known by the varietal name 'Hachfee'. The new variety was discovered in 1998 in a selected breeding program in Barmstedt, Germany and is a selection from the cross of the unpatented variety of *Ilex aquitolum* 'Pyramidalis' and the *Ilex meservae* variety 'Blue Prince' (U.S. Plant Pat. No. 3,517).

The plant was first asexually reproduced by cuttings in Barmstedt, Germany in October 1997 and has been asexually reproduced by cuttings in Barmstedt, Germany. The distinguishing features of this new cultivar are stable and reproduce true to type in successive propagations.

The following traits are determined to be basic characteristics of this new cultivar which in combination distinguish this variety as new and distinct:

1. Upright, pyramidal habit.
2. Excellent hardiness to -25° C.
3. Typical bluish, green bark.
4. Very glossy leaves, serrated not prickling.
5. Strong grower, at least 50 up to 80 cm per year for the female variety.

The following characteristics distinguish over the new variety from its parents as well as 'Blue Princess' (U.S. Plant Pat. No. 3,675) and the unpatented variety 'Blue Stallion'.

1. Branches grow more upright as a young plant.
2. Faster growing than 'Blue Princess'.
3. Less trimming required.
4. Forms a close hedge more quickly.
5. Large glossy red berries.

(58) **Field of Search** Plt./247(56) **References Cited****PUBLICATIONS**

UPOV-ROM GTITM Computer Database, 2002/05, GRI Jouve Retrieval Software, citation for 'Hachfee'.*

* cited by examiner

Primary Examiner—Bruce R. Campell*Assistant Examiner*—Susan B. McCormick(74) *Attorney, Agent, or Firm*—Webb Ziesenhein Logsdon Orkin & Hanson P.C.**ABSTRACT**

A female holly plant named 'Hachfee' having an upright pyramidal growth habit, serrated glossy leaves, glossy red berries, and tolerance to temperatures to -25° C.

8 Drawing Sheets

2**DESCRIPTION OF THE DRAWINGS**

The accompanying photographic drawings illustrate the new cultivar, the color being as nearly true as possible with color illustrations of this type. The photographs were taken under natural light conditions in Barmstedt, Germany.

- FIG. 1 shows the tree, 8 years old, about 180 cm tall;
FIG. 2 shows the tree, 12 years old;
FIG. 3 shows the berries and leaves;
FIG. 4 shows a close-up view of the berries and leaves;
FIG. 5 shows the stem and leaves;
FIG. 6 shows a branch;
FIG. 7 shows the leaf upper surface; and
FIG. 8 shows the leaf lower surface.

DESCRIPTION OF THE NEW PLANT

The following detailed description sets forth the characteristics of the new cultivar. The data which defines these characteristics were collected from asexual reproductions carried out in Barmstedt, Germany. The plant history was taken on a plant about ten years old, grown from a 2 mm rootball. The test plants were grown outdoors at about 8–10° C. nighttime temperatures and color readings were taken outdoors.

In the following description, color references are made to The Royal Horticultural Society Colour Chart except where general terms of ordinary dictionary significance were used.

PLANT

Habit and form of growth: Upright, pyramidal, bushy.
Time to initiate root development: 3 months.

Plant vigor: Young plant grows 50–75 cm per year.

Plant height: 3.5 m after 15 years.

Plant width: 1 m.

Average trunk diameter: 4 cm at 1 meter above soil level;
measured at 15 years of age.

Average branch diameter: 5 mm.
Bark color: 137 A.

STEM AND LENTICEL

Young stem (1 year old):
Color.—189A with hint of 79A.

Texture.—Rough.

Mature stem (2–5 years old):
Color.—137A with hint of 139A.

Texture.—Rough.

Immature lenticel (1 year old):
Shape.—Elongated.

Position relative to stem surface.—Irregularly grouped.

Average length.—0.5 mm.

Average width.—0.2–0.4 mm.

Quantity.—3–8 per square inch.

Color.—146A.

Mature lenticel (2–3 years old):
Shape.—Nearly round.

Position relative to stem surface.—Irregularly grouped.

Average length.—1 mm.

Average width.—0.8 mm.

Quantity.—1–4 per square inch.

Color.—152B.

FOLIAGE

Internode length: 25 mm.

Margin: Serrated.

Spine quality and location: 10–18 spines at the margin, average is 14.

Size of mature leaves:

Length.—6 cm.

Width.—3.5 cm.

Shape of mature leaves: Oval.

Juvenile leaves:

Upper surface.—Texture: Smooth. Color: 139A. Venation color: 143B.

Lower surface.—Texture: Rough. Color: 138B. Venation color: 138B.

Mature leaves:

Upper surface.—Texture: Smooth. Color: 139A. Venation color: 137C.

Lower surface.—Texture: Rough. Color: 144A. Venation color: 139B.

Petiole:

Length.—8–10 mm.

Diameter.—3 mm.

Color.—144A with hint of 139A.

Leaf arrangement: Helical around the twig.

FLOWERS

Habit: In clusters of 2 to 5 flowers.

Peduncle:

Texture.—Velvety, rough.

Size.—Length: 2 mm. Diameter: 3 mm.

Color.—157B changing to 157C as flowers open.

Calyx:

Diameter.—6–9 mm when fully open.

Texture.—Velvety, rough.

Buds:

Shape (prior to opening).—Spherical: 3 mm circumference.

Color, upon opening.—157A.

Color changes during opening.—None.

Foliaceous appendages, color.—155A.

Blooms:

Petals.—Four, not imbricated.

Texture.—Upper surface: Rough. Lower surface: Rough.

Petal size.—Width: 6 mm. Length: 6 mm.

Shape of bloom.—Cupped.

Petal color.—Upper surface: 155A. Lower surface: 157A.

Fragrance: Lemony.

Persistence on plant: 5–7 days.

Sepals:

Length.—3 mm.

Width.—3 mm.

Number.—4.

Color.—157D.

REPRODUCTIVE ORGANS

Stamens:

Number.—4.

Anther.—Shape: Oval. Length: 1 mm. Color: 1C.

Filament.—Length: 2 mm. Color: 156D.

Pollen.—Amount: 4 spores per flower. Color: 10C.

Pistils:

Quantity.—One.

Stigma.—Shape: Round. Color: 158C.

Ovaries:

Quantity.—One.

Size.—1–1.5 mm.

Color.—138D.

Berries:

Texture.—Smooth.

Color.—44A.

Diameter.—7–10 mm.

Persistence.—5–6 months.

Seeds:

Shape.—Spherical; 8 mm circumference.

Texture.—Rough.

Color.—165C.

Number.—30 seeds per branch.

Disease/pest resistance: Appears to be very disease and insect resistant, some susceptibility to wool louse.

Winter hardiness: Extremely hardy to -25° C. in snowless winter in north Germany.

Drought/heat tolerance: Resists temperatures up to 40° C.

I claim:

1. A new and distinct holly plant substantially as shown and described.

* * * * *




Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5




Fig. 6




Fig. 7



Fig. 8