



US00PP14383P39

(12) **United States Plant Patent**
Noodelijk

(10) **Patent No.:** **US PP14,383 P3**

(45) **Date of Patent:** **Dec. 16, 2003**

(54) **CHRYSANTHEMUM PLANT NAMED**
'GRANT'

(50) Latin Name: *Chrysanthemum morifolium*
Varietal Denomination: **Grant**

(75) Inventor: **Robert Noodelijk, Woubrugge (NL)**

(73) Assignee: **Chrysanthemum Breeders Association**
N.V. (NL)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **10/175,817**

(22) Filed: **Jun. 21, 2002**

(65) **Prior Publication Data**

US 2003/0028939 P1 Feb. 6, 2003

(30) **Foreign Application Priority Data**

Jun. 28, 2001 (NL) CHR3267

(51) **Int. Cl.⁷** **A01H 5/00**

(52) **U.S. Cl.** **Plt./294**

(58) **Field of Search** **Plt./294**

Primary Examiner—Anne Marie Grunberg

(74) *Attorney, Agent, or Firm*—Parkhurst & Wendel, L.L.P.

(57) **ABSTRACT**

A Chrysanthemum plant named 'Grant' characterized by its
large sized blooms with white ray-florets and yellow-green
disc florets.

3 Drawing Sheets

1

BACKGROUND OF THE INVENTION

'Grant' is a product of a breeding-program which had the
objective of creating new chrysanthemum cultivars with a
daisy type flower, a 7 week response and a medium plant
height. The new plant of the present invention comprises a
new and distinct cultivar of Chrysanthemum plant. 'Grant' is
a seedling from a cross in a breeding program maintained
under the control of inventor. The female parent is 'Mira-
mar', the male parent is 94.1349, an unpatented, unnamed
seedling. The male parent is not available to inventor for
description. A comparison with the female parent is made in
this description. The new and distinct cultivar was discov-
ered and selected as a flowering plant within the progeny of
the stated cross by Rob Noodelijk in a controlled environ-
ment (greenhouse) in Rijshout Holland in April 1997. The
first act of asexual reproduction of 'Grant' was accom-
plished when vegetative cuttings were taken from the initial
selection in June 1997 in a controlled environment in
Rijshout Holland.

SUMMARY OF THE INVENTION

The present invention is a new and distinct variety of
chrysanthemum bearing large sized blooms with white ray-
florets and yellow-green disc florets.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention of a new and distinct variety of
chrysanthemum is shown in the accompanying drawings,
the color being as nearly true as possible with color photo-
graphs of this type.

FIG. 1 shows a plant of the cultivar in full bloom.

FIG. 2 shows the various stages of bloom of the new
cultivar.

FIG. 3 shows the foliage of the new cultivar.

2

DESCRIPTION OF THE INVENTION

This new variety of chrysanthemum is of the botanical
classification *Chrysanthemum morifolium*. The observations
and measurements were gathered from plants grown in a
greenhouse in Rijshout Holland in a photo-periodic con-
trolled crop under conditions generally used in commercial
practice. The greenhouse temperatures during this crop were
at day-time between 18° C. and 25° C. and at night 20° C.
The photo-periodic response time in this crop was 51 days
after an average of eight long days. After this long day
period to flowering growth retardants were applied 6 times
in an average dose of 1.5 gram/liter water. The plants were
observed (directly) during the flowering of this crop. No
tests were done on disease or insect resistance or suscepti-
bility. No tests were done on cold or drought tolerance. This
new variety produces large sized blooms with white ray-
florets and yellow-green disc-florets blooming on the plant
for 5 weeks. This new variety of chrysanthemum has been
found to retain its distinctive characteristics throughout
successive propagations however the phenotype may vary
significantly with variations in environment such as light
intensity and temperature. To show the phenotype as
described 'Grant' can be planted without assimilation light-
ning (high pressure sodium lamps) between week 50 and
week 40 of the next year under greenhouse conditions in
Holland. With assimilation lightning (minimum level 2500
lux) it can be planted year round under greenhouse condi-
tions in Holland.

From the cultivars known to inventor the most similar
existing cultivar in comparison to 'Grant' is 'Shasta' (U.S.
Plant Pat. No. 9,314). When 'Shasta' and 'Grant' are being
compared the following differences are noticed: The differ-
ence of 'Shasta' and 'Grant' are (1) flower size and (2)
Response time. The difference with the female parent 'Mira-
mar' is the flower color.

The following is a description of the plant and charac-
teristics that distinguish 'Grant' as a new and distinct variety.
The color designations are taken from the plant itself.

Accordingly, any discrepancies between the color designations and the colors depicted in the photographs are due to photographic tolerances. The color chart used in this description is: The Royal Horticultural Society Colour Chart, edition 1995.

Botanical Description of Cultivar 'Grant'.

Bud:

Size.—Large ;cross-section 1.2 cm, height 1.4 cm.
Outside color.—White 155 A.
Involucral bracts.—2 rows, length 7 mm, width 3 mm.
Involucral bracts among disc-florets.—Not present.
Involucral bracts color.—Yellow-green 146 A.

Bloom:

Type.—Daisy.
Height.—Flat.
Size.—Large.
Fully expanded.—9.0–9.5 cm.
Number of blooms per branch.—Approx. 2–3 blooms per branch.
Performance on the plant.—5 weeks.
Seeds.—Produced in large quantities, oval shaped, grey-brown 199A, 2 mm in length.
Fragrance.—Typical chrysanthemum.

Color:

Center of the flower (disc-florets).—Immature yellow-green 144 B. Mature yellow-green 144 B, yellow 7A along the edge.
Color of upper surface of the ray-florets.—White 155 D.
Color of the lower surface of the ray-florets.—White 155 D.
Tonality from distance.—A pot mum with very large white flowers and a yellow-green disc.
Discoloration of the surface of the ray-florets after aging of the plant.—None.

Ray florets:

Texture.—Upper and under side smooth.
Number.—28–30.
Cross-section.—Flat.
Longitudinal axis of majority.—Reflexing, sometimes twisted.
Length of corolla tube.—Short.
Ray-floret length.—3.5–4.0 cm.
Ray-floret width.—1.0 cm.
Ratio length/width.—Medium.
Shape of tip.—Rounded, sometimes dentate.

Disc florets:

Disc diameter.—1.7–2.0 cm.
Distribution of disc florets.—Numerous, clearly visible at all stages of flowering.
Shape.—Tubular.
Color.—Yellow-green 144 B.
Receptacle shape.—Conical raised.

Reproductive organs:

Stamen (present in disc florets only).—Thin, 2 mm in length.
Number of stamen.—4.

Stamen color.—Yellow-green.

Pollen.—Appears late.

Pollen color.—Yellow 7 A.

Styles (present in both ray and disc florets).—Thin.

Style color.—Green.

Style length.—5 mm.

Stigmas.—Yellow-green.

Stigma width.—2 mm.

Ovaries.—Enclosed in calyx.

Plant:

Form.—A pot mum meant for indoor use.

Growth habit.—Spreading.

Growth rate.—Slow.

Height.—24.0–27.0 cm.

Width.—24.0–26.0 cm.

Stem color.—Yellow-green 146 A.

Stem strength.—Good.

Stem brittleness.—Present.

Stem anthocyanin coloration.—Absent.

Length of lateral branch.—From top to bottom 11.0–12.0 cm.

Lateral branch color.—Yellow-green 146 A.

Lateral branch, attachment.—Brittle.

Branching (average number of lateral branches).—Good with 4–5 breaks after pinching.

Peduncle length.—4.0–5.0 cm.

Peduncle color.—Yellow-green 146 A.

Flowering response (photo-periodic controlled crop, not natural season).—51 days.

Foliage:

Color mature.—Upper side yellow-green 146 A. Under side yellow-green 146 B.

Color immature.—Upper side yellow-green 146 A. Under side yellow-green 146 B.

Size.—Medium; length 7.0 cm, width 6.0 cm.

Quantity (number per lateral branch).—6.

Shape.—Round and lobed.

Texture upper side.—Glabrous.

Texture under side.—Pubescent.

Venation arrangement.—Palmate.

Shape of the margin.—Crenated.

Shape of base of sinus between lateral lobes.—Round.

Margin of sinus between lateral lobes.—Converging.

Shape of base.—Truncate.

Apex.—Mucronate.

Differences with the comparison varieties: When grown under the same conditions.

	'Grant'	'Shasta'	'Miramar'
Flower color	White 155D		Yellow 7A
Flower size	9.0–9.5 cm	7.0–7.5 cm	
Response time	51 days	55 days	

I claim:

1. A new and distinct variety of chrysanthemum plant as described and illustrated.

* * * * *




FIG. 1




FIG. 2




FIG. 3