



US00PP14855P2

(12) **United States Plant Patent**  
**Verduin**(10) **Patent No.:** **US PP14,855 P2**  
(45) **Date of Patent:** **Jun. 1, 2004**

- (54) **ASTILBE PLANT NAMED 'ROCK AND ROLL'**
- (50) Latin Name: *Astilbe hybrida*  
Varietal Denomination: **Rock and Roll**
- (75) Inventor: **Harry G. J. Verduin, Heemskerk (NL)**
- (73) Assignee: **Inspiration Plant C✓, Lisse (NL)**
- (\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: **10/628,754**
- (22) Filed: **Jul. 28, 2003**
- (51) **Int. Cl.<sup>7</sup>** ..... **A01H 5/00**
- (52) **U.S. Cl.** ..... **Plt./263**
- (58) **Field of Search** ..... **Plt./226, 263**

(56) **References Cited**

U.S. PATENT DOCUMENTS

PP11,961 P2 \* 6/2001 van Veen ..... Plt./263

OTHER PUBLICATIONS

UPOV-ROM GTITM Computer Database, 2003/05, GTI Jouve Retrieval Software, citation for 'Rock and Roll'.\*

\* cited by examiner

*Primary Examiner*—Anne Marie Grunberg  
*Assistant Examiner*—Susan B. McCormick  
(74) *Attorney, Agent, or Firm*—C. A. Whealy

**ABSTRACT**

Anew and distinct cultivar of Astilbe plant named 'Rock and Roll', characterized by its upright, mounded and compact plant habit; rapid growth rate; freely and uniform flowering habit; and white-colored flowers.

**1 Drawing Sheet****1**

Botanical classification/cultivar designation: *Astilbe hybrida* cultivar Rock and Roll.

**BACKGROUND OF THE INVENTION**

The present Invention relates to a new and distinct cultivar of Astilbe plant, botanically known as *Astilbe hybrida*, and hereinafter referred to by the name 'Rock and Roll'.

The new Astilbe is a product of a planned breeding program conducted by the Inventor in Heemskerk, The Netherlands. The objective of the breeding program is to develop new compact and fast-growing Astilbe cultivars.

The new Astilbe originated from a pollination made by the Inventor of two unidentified *Astilbe hybrida* selections, not patented. The new Astilbe was discovered and selected as a single flowering plant by the Inventor in a controlled environment in Heemskerk, The Netherlands in 1995 from the resultant progeny of the pollination. The new Astilbe was selected on the basis of its rapid growth rate and white-colored flowers.

Asexual reproduction of the new cultivar by divisions taken at Heemskerk, The Netherlands, has shown that the unique features of this new Astilbe are stable and reproduced true to type in successive generations.

**SUMMARY OF THE INVENTION**

Plants of the cultivar Rock and Roll have not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature and light intensity without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'Rock and Roll'. These characteristics in combination distinguish 'Rock and Roll' as a new and distinct Astilbe cultivar:

1. Upright, mounded and compact plant habit.
2. Rapid growth rate.
3. Freely and uniform flowering habit.
4. White-colored flowers.

**2**

Plants of the new Astilbe are most similar to plants of the parent selections. Plants of the new Astilbe differ from plants of the parent selections and other Astilbe cultivars known to the Inventor in leaf color, stem color, inflorescence shape and flower color.

**BRIEF DESCRIPTION OF THE PHOTOGRAPHS**

The accompanying colored photographs illustrate the overall appearance of the new cultivar, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the actual colors of the new Astilbe.

<sup>10</sup> The photograph at the top of the sheet comprises a side perspective view of a typical flowing plant of 'Rock and Roll' grown in a container.

<sup>15</sup> The photograph at the bottom of the sheet is a close-up view of a typical inflorescence and leaves of 'Rock and Roll'.

**DETAILED BOTANICAL DESCRIPTION**

<sup>20</sup> Plants shown in the aforementioned photographs and used in the following description were grown in containers under conditions which closely approximate commercial production conditions during the spring and summer in an outdoor nursery in Heemskerk, The Netherlands. Plants in the photographs and those used for the description were about one year old when the photographs and description were taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used.

<sup>25</sup> Botanical classification: *Astilbe hybrida* cultivar 'Rock and Roll'.

Parentage:

*Female, or seed, parent.*—Unidentified *Astilbe hybrida* selection, not patented.

*Male, or pollen, parent.*—Unidentified *Astilbe hybrida* selection, not patented.

Propagation:

*Type.*—By divisions.

*Time to rooting.*—About one month at 18° C.

*Root description.*—Fine.

Plant description:

*Form.*—Perennial. Upright, mounded and compact plant habit; inverted triangle. Flowering stems and leaves arise from the roots; dense and bushy plant habit; moderately vigorous growth habit. Freely flowering with numerous flowers on numerous branched panicles.

*Growth rate.*—Rapid; from divisions, about 20 weeks are required to produce fully-grown flowering plants in 17-cm containers.

*Plant height.*—About 50 cm.

*Plant width.*—About 60 cm.

*Stem description.*—Length: About 45 cm. Internode length: About 8 cm. Texture: Sparsely pubescent. Color: 180A to 180C.

*Foliage description.*—Arrangement: Alternate, bi-ternately compound. Leaf length (including petiole): About 34 cm. Leaf width: About 21 cm. Leaflet length: About 8 cm. Leaflet width: About 3.5 cm. Leaflet shape: Ovate to elliptic. Leaflet apex: Acuminate to acute. Leaflet base: Cuneate to oblique. Leaflet margin: Serrate, occasionally doubly serrate. Leaflet texture, upper and lower surfaces: Sparsely pubescent. Leaflet venation pattern: Pin-nate. Leaflet color: Developing and fully expanded foliage, upper surface: 144A; venation, 145A. Developing and fully expanded foliage, lower surface: 138B; venation, 145C. Petiole length: About 13 cm. Petiole diameter: About 2.5 mm. Petiole texture, upper and lower surfaces: Smooth, glabrous. Petiole color, upper surface: 180A. Petiole color, lower surface: 173C.

Flower description:

*Flower arrangement and shape.*—Numerous single flowers arranged in branched panicles; flowers face mostly outwardly. Freely and uniformly flowering habit; about 1,000 flowers and flower buds per plant.

*Natural flowering season.*—Continuous flowering during the early summer in The Netherlands.

*Flower longevity on the plant.*—Individual flowers last about three weeks on the plant and about one week as a cut flower. Flowers persistent.

*Fragrance.*—Faint musty odor, not unpleasant.

*Flower buds.*—Length: About 2 mm. Diameter: About 1.8 mm. Shape: Ovate to orbicular. Color: 155D.

*Flowers.*—Diameter: About 4 mm. Depth (height): About 2 mm.

*Petals.*—Quantity per flower: Five. Length: About 4 mm. Width: About 1.5 mm. Shape: Ligulate to linear. Apex: Obtuse. Margin: Entire. Texture, upper and lower surfaces: Smooth, glabrous. Color: When opening and fully opened, upper surface: 155D. When opening and fully opened, lower surface: 155D.

*Sepals.*—Quantity per flower. Five. Calyx length: About 5 mm. Calyx width: About 6 mm. Shape: Ovate. Apex: Obtuse. Margin: Entire. Texture, upper and lower surfaces: Smooth, glabrous. Color, upper and lower surfaces: 155D.

*Pedicels.*—Length: About 1 mm. Diameter: Less than 1 mm. Color: 34D.

*Reproduction organs.*—Stamens: Quantity per flower: About ten. Anther attachment: Basifixed. Anther length: Less than 0.5 mm. Anther color: Creamy white to light gray. Pollen amount: Sparse. Pollen color: 11C. Pistils: Quantity per flower: Two. Pistil length: About 2 mm. Stigma shape: Club-shaped. Stigma color: Close to 155D. Style length: About 1.5 mm. Style color: Close to 155D. Ovary color: Close to 155D.

*Seed.*—Length: Less than 0.5 mm. Diameter: Less than 0.5 mm. Color: Light brown.

Disease/pest resistance: Plants of the new *Astilbe* have not been noted to be resistant to pathogens and pests common to *Astilbe*.

It is claimed:

1. A new and distinct cultivar of *Astilbe* plant named 'Rock and Roll', as illustrated and described.

\* \* \* \* \*

**U.S. Patent**

**Jun. 1, 2004**

**US PP14,855 P2**



**Rock and Roll**