



US00PP14999P2

(12) United States Plant Patent
Heffner**(10) Patent No.: US PP14,999 P2**
(45) Date of Patent: Jul. 6, 2004**(54) PETUNIA PLANT NAMED**
'BODTRUBLUICE'**(50) Latin Name: *Petunia*×*hybrida***
Varietal Denomination: Bodtrublucice**(75) Inventor: Michael R. Heffner, Santa Barbara, CA**
(US)**(73) Assignee: John Bodger & Sons Co., South El**
Monte, CA (US)**(*) Notice:** Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.**(21) Appl. No.: 10/666,276****(22) Filed: Sep. 17, 2003****(51) Int. Cl.⁷ A01H 5/00****(52) U.S. Cl. Plt./356****(58) Field of Search Plt./356***Primary Examiner*—Kent Bell*Assistant Examiner*—Susan B. McCormick-Ewoldt**(74) Attorney, Agent, or Firm**—C. A. Whealy**(57) ABSTRACT**A new and distinct cultivar of *Petunia* plant named
'Bodtrublucice', characterized by its mounded and trailing
plant habit; freely branching habit; and numerous large and
ruffled violet-colored flowers with darker violet-colored
venation.**1 Drawing Sheet****1**Botanical classification: *Petunia*×*hybrida* cultivar
Bodtrublucice.**BACKGROUND OF THE INVENTION**The present Invention relates to a new and distinct culti-
var of *Petunia* plant, botanically known as *Petunia*×*hybrida*,
and hereinafter referred to by the cultivar name
Bodtrublucice.The new *Petunia* is a product of a planned breeding
program conducted by the Inventor in Lompoc, Calif. The
objective of the breeding program is to create trailing
Petunias with numerous large flowers and attractive flower
coloration.The new *Petunia* originated from a cross-pollination made
by the Inventor in September, 1998 of a proprietary *Petunia*
selection identified as 9P5251-8, not patented, as the female,
or seed, parent, with a proprietary *Petunia* selection identi-
fied as 8P2004, not patented, as the male, or pollen parent.
The new *Petunia* was selected as a single plant from the
resulting progeny of the cross-pollination by the Inventor in
a controlled environment in Lompoc, Calif.Asexual reproduction of the new cultivar by vegetative
cuttings taken in Lompoc, Calif. since June, 2000 has shown
that the unique features of this new *Petunia* are stable and
reproduced true to type in successive generations.**SUMMARY OF THE INVENTION**Plants of the cultivar Bodtrublucice have not been
observed under all possible environmental conditions. The
phenotype may vary somewhat with variations in environ-
ment such as temperature and light intensity without,
however, any variance in genotype.The following traits have been repeatedly observed and
are determined to be the unique characteristics of
'Bodtrublucice'. These characteristics in combination distin-
guish 'Bodtrublucice' as a new and distinct cultivar:

1. Mounded and trailing plant habit.
2. Freely branching habit.
3. Numerous large and ruffled violet-colored flowers with
darker violet-colored venation.

2Compared to plants of the female parent, plants of the new
Petunia have a more mounded habit and larger flowers.
Compared to plants of the male parent, plants of the new
Petunia are more vigorous and have a more mounded plant
habit.Plants of the new *Petunia* can be compared to plants of the
cultivar *Surfinia Blue Veined*, not patented. In side-by-side
comparisons conducted in Lompoc, Calif., plants of the new
Petunia differed from plants of the cultivar *Surfinia Blue*
Veined in the following characteristics:

1. Plants of the new *Petunia* were more mounded than
plants of the cultivar *Surfinia Blue Veined*.
2. Plants of the new *Petunia* had larger flowers than plants
of the cultivar *Surfinia Blue Veined*.
3. Plants of the new *Petunia* flowered under short day
conditions whereas plants of the cultivar *Surfinia Blue*
Veined did not flower under short day conditions.

BRIEF DESCRIPTION OF THE PHOTOGRAPHSThe accompanying colored photographs illustrate the
overall appearance of the new cultivar, showing the colors as
true as it is reasonably possible to obtain in colored repro-
ductions of this type. Colors in the photographs may differ
slightly from the color values cited in the detailed botanical
description which accurately describe the colors of the new
Petunia. The photograph at the top of the sheet comprises a
side perspective view of a typical flowering plant of
'Bodtrublucice' grown in a container. The photograph at the
bottom of the sheet comprises a close-up view of typical
flower buds, developing flowers, open flowers and the upper
and lower surfaces of typical leaves of 'Bodtrublucice'.**DETAILED BOTANICAL DESCRIPTION**The aforementioned photographs and following observa-
tions and measurements describe plants grown in Lompoc,
Calif., under commercial practice during the summer in a
polycarbonate-covered greenhouse with day temperatures
about 21 to 27° C., night temperatures about 16 to 18° C. and
light levels about 5,000 to 9,000 foot-candles. Plants were
grown with one rooted cutting per 15.25-cm container for
about 11 weeks. In the following description, color refer-

ences are made to The Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Petunia*×*hybrida* cultivar Bodtrublucice.

Parentage:

Female parent.—Proprietary *Petunia* selection identified as 9P5251-8, not patented.

Male parent.—Proprietary *Petunia* selection identified as 8P2004, not patented.

Propagation:

Type cutting.—Vegetative cuttings.

Time to initiate roots.—About 7 to 10 days at 27° C.

Time to develop roots.—About 28 to 42 days at 18 to 24° C.

Root description.—Fine, fibrous, whitish in color.

Rooting habit.—Freely branching.

Plant description:

Form.—Annual flowering plant; indeterminate; initially upright, then mounded and outwardly spreading to low trailing; plants eventually becoming roughly hemispherical in shape. Vigorous growth habit. Freely basal branching with about 8 main lateral branches per plant with lateral branches potentially forming at every node.

Usage.—Appropriate for hanging baskets, window boxes, patio containers and landscape applications.

Plant height.—About 16 cm.

Plant diameter.—About 55 cm.

Lateral branches.—Length: About 30 cm. Diameter: About 6 mm. Internode length, vegetative shoots: About 2.5 to 3 cm. Internode length, flowering shoots: About 5 cm. Texture: Pubescent. Color: 144B.

Foliage description.—Arrangement, before flowering: Alternate, simple. Arrangement, when flowering: Opposite, simple. Length: About 5.5 cm. Width: About 5 cm. Shape: Oval to elliptical. Apex: Broadly acute. Base: Attenuate. Margin: Entire. Texture, upper and lower surfaces: Glandular, viscid; pubescent. Venation pattern: Pinnate, arcuate. Color: Developing foliage, upper surface: 138A. Developing foliage, lower surface: 143B. Fully expanded foliage, upper surface: 138A. Fully expanded foliage, lower surface: 143A. Venation, upper surface: 144C. Venation, lower surface: 143B. Petiole length: About 1 cm. Petiole diameter: About 6 mm. Petiole color: 144C.

Flower description:

Flower type and habit.—Large salverform flowers; flowers face upward or outward; single, axillary. Flowers persistent. Freely flowering, typically about 80 open flowers and flower buds per plant at one time.

Natural flowering season.—Long day responsive; spring until frost in the autumn; flowering continu-

ous during the flowering period. Plants of the new *Petunia* will also flower under short day conditions.

Flower longevity on the plant.—About 4 to 5 days.

Fragrance.—Faint; sweet.

Flower size.—Diameter: About 7.5 cm. Tube length: About 3 to 3.5 cm. Throat diameter, distal end: About 1.6 cm. Tube diameter, proximal end: About 6 mm.

Flower buds.—Length: About 5 cm. Diameter: Apex: About 2 cm. Base: About 1 cm. Shape: Elongated oblong with ruffled apices. Color: 90D.

Corolla.—Arrangement/appearance: Single whorl of five petals, fused into flared trumpet with distinct clefts between petal lobes. Petal length from throat: About 3.2 cm. Petal width: About 4.5 cm. Petal shape: Roughly spatulate or fan-shaped. Petal apex: Rounded with slight emargination. Petal margin: Entire, ruffled. Petal texture: Smooth, velvety. Color: Petal, upper surface, when opening: Initially 157A, then becoming closer to 85D. Petal, lower surface, when opening: Towards margins, 85B, towards centers, 155A. Petal, upper surface, fully opened: 88A to 88B; color becoming closer to 91B to 91C with development. Petal, lower surface, fully opened: Towards margins, 86B to 86C, towards centers, 88D. Flower throat (inside): 79A. Flower tube (outside): 83B. Venation, upper petal surface: 89A to brighter than 89A. Venation, lower petal surface: 146D. Venation, throat: 79A. Venation, tube: 146D.

Sepals.—Arrangement/appearance: Single whorl of five sepals fused at base, star-shaped. Length: About 2 cm. Width: About 1.5 cm. Shape: Rounded elliptic. Apex: Broadly acute. Margin: Entire. Texture, upper and lower surfaces: Glandular, viscid. Color, upper surface: 147A. Color, lower surface: 146B.

Peduncles.—Length: About 3 cm. Width: About 1.5 mm. Angle: About 45° to the stem. Strength: Strong. Texture: Pubescent. Color: 146C.

Reproductive organs.—Stamens: Quantity/arrangement: Five, adnate to corolla tube. Anther shape: Ovoid. Anther length: About 1.5 mm. Anther color: 97A. Pollen amount: Sparse. Pollen color: 97A. Pistils: Quantity: One. Pistil length: About 2.7 cm. Stigma shape: Rounded, flattened. Stigma color: 146A. Style length: About 2 cm. Style color: 145C. Ovary color: 145A.

Fruit/seed.—Fruit and seed production has not been observed.

Disease/pest resistance: Plants of the new *Petunia* have not been noted to be resistant to pathogens and pests common to *Petunia*.

It is claimed:

1. A new and distinct cultivar of *Petunia* plant named 'Bodtrublucice', as illustrated and described.

* * * * *

