



US00PP15001P2

(12) **United States Plant Patent**  
**Heffner**

(10) **Patent No.: US PP15,001 P2**  
(45) **Date of Patent: Jul. 6, 2004**

(54) **PETUNIA PLANT NAMED 'BODTRUBUR'**

(22) Filed: **Sep. 17, 2003**

(50) Latin Name: *Petunia*×*hybrid*  
Varietal Denomination: **Bodtrubur**

(51) **Int. Cl.<sup>7</sup> ..... A01H 5/00**

(52) **U.S. Cl. .... Plt./356**

(58) **Field of Search ..... Plt./356**

(75) Inventor: **Michael R. Heffner**, Santa Barbara, CA (US)

*Primary Examiner*—Bruce R. Campell  
*Assistant Examiner*—S. B. McCormick-Ewoldt

(73) Assignee: **John Badger + Sons, Co.**, South El Monte, CA (US)

(74) *Attorney, Agent, or Firm*—C. A. Whealy

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(57) **ABSTRACT**

A new and distinct cultivar of *Petunia* plant named 'Bodtrubur', characterized by its mounded and trailing plant habit; freely branching habit; and numerous large purple-colored flowers.

(21) Appl. No.: **10/666,277**

**1 Drawing Sheet**

**1**

**2**

Botanical classification: *Petunia*×*hybrida* cultivar Bodtrubar.

parent, plants of the new *Petunia* differ in flower color, are more vigorous and have a more mounded plant habit.

**BACKGROUND OF THE INVENTION**

Plants of the new *Petunia* can be compared to plants of the cultivar *Surfinia Purple*, not patented. In side-by-side comparisons conducted in Lompoc, Calif., plants of the new *Petunia* differed from plants of the cultivar *Surfinia Purple* in the following characteristics:

The present Invention relates to a new and distinct cultivar of *Petunia* plant, botanically known as *Petunia*×*hybrida*, and hereinafter referred to by the cultivar name Bodtrubar.

The new *Petunia* is a product of a planned breeding program conducted by the Inventor in Lompoc, Calif. The objective of the breeding program is to create trailing *Petunias* with numerous large flowers and attractive flower coloration.

1. Plants of the new *Petunia* were more mounded than plants of the cultivar *Surfinia Purple*.
2. Plants of the new *Petunia* had larger flowers than plants of the cultivar *Surfinia Purple*.
3. Plants of the new *Petunia* flowered under short day conditions whereas plants of the cultivar *Surfinia Purple* did not flower under short day conditions.

The new *Petunia* originated from a cross-pollination made by the Inventor in September, 1998 of a proprietary *Petunia* selection identified as 9P5398-1, not patented, as the female, or seed parent, with a proprietary *Petunia* selection identified as 8P200, not patented, as the male, or pollen parent. The new *Petunia* was selected as a single plant from the resulting progeny of the cross-pollination by the Inventor in a controlled environment in Lompoc, Calif.

**BRIEF DESCRIPTION OF THE PHOTOGRAPHS**

Asexual reproduction of the new cultivar by vegetative cuttings taken in Lompoc, Calif. since June, 2000 has shown that the unique features of this new *Petunia* are stable and reproduced true to type in successive generations.

The accompanying colored photographs illustrate the overall appearance of the new cultivar, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Petunia*.

**SUMMARY OF THE INVENTION**

The photograph at the top of the sheet comprises a side perspective view of a typical flowering plant of 'Bodtrubur' grown in a container.

Plants of the cultivar Bodtrubar have not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature and light intensity without, however, any variance in genotype.

The photograph at the bottom of the sheet comprises a close-up view of typical flower buds, developing flowers, open flowers and the upper and lower surfaces of typical leaves of 'Bodtrubur'.

**DETAILED BOTANICAL DESCRIPTION**

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'Bodtrubur'. These characteristics in combination distinguish 'Bodtrubur' as a new and distinct cultivar:

1. Mounded and trailing plant habit.
2. Freely branching habit.
3. Numerous large purple-colored flowers.

Compared to plants of the female parent, plants of the new *Petunia* differ in flower color, have a more mounded habit and have larger flowers. Compared to plants of the male

The aforementioned photographs and following observations and measurements describe plants grown in Lompoc, Calif., under commercial practice during the summer in a polycarbonate-covered greenhouse with day temperatures about 21 to 27° C., night temperatures about 16 to 18° C. and light levels about 5,000 to 9,000 foot-candles. Plants were grown with one rooted cutting per 15.25-cm container for about 11 weeks. In the following description, color references are made to The Royal Horticultural Society Colour



Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Petunia*×*hybrida* cultivar Bodtrubur.

Parentage:

*Female parent*.—Proprietary *Petunia* selection identified as 9P5398-1, not patented.

*Male parent*.—Proprietary *Petunia* selection identified as 8P200, not patented.

Propagation:

*Type cutting*.—Vegetative cuttings.

*Time to initiate roots*.—About 7 to 10 days at 27° C.

*Time to develop roots*.—About 28 to 42 days at 18 to 24° C.

*Root description*.—Fine, fibrous, whitish in color.

*Root habit*.—Freely branching.

Plant description:

*Form*.—Annual flowering plant; indeterminate; initially upright, then mounded and outwardly spreading to low trailing; plants eventually becoming roughly hemispherical in shape. Vigorous growth habit. Freely basal branching with about 12 main lateral branches per plant with lateral branches potentially forming at every node.

*Usage*.—Appropriate for hanging baskets, window boxes, patio containers and landscape applications.

*Plant height*.—About 19 cm.

*Plant diameter*.—About 57 cm.

*Lateral branches*.—Length: About 32 cm. Diameter: About 6 mm. Internode length, vegetative shoots: About 1 to 1.5 cm. Internode length, flowering shoots: About 4 cm. Texture: Pubescent. Color: 143C.

*Foliage description*.—Arrangement, before flowering: Alternate, simple. Arrangement, when flowering: Opposite, simple. Length: About 7 cm. Width: About 4.5 cm. Shape: Rounded elliptical. Apex: Broadly acute. Base: Attenuate. Margin: Entire. Texture, upper and lower surfaces: Glandular, viscid; pubescent. Venation pattern: Pinnate, arcuate. Color: Developing foliage, upper surface: 146A. Developing foliage, lower surface: 146B. Fully expanded foliage, upper surface: 147A. Fully expanded foliage, lower surface: 146B. Venation, upper and lower surfaces: 146C. Petiole length: About 1 cm. Petiole diameter: About 6 mm. Petiole color: 144C.

Flower description:

*Flower type and habit*.—Large salverform flowers; flowers face upward or outward; single, axillary. Flowers persistent. Freely flowering, typically more than 100 open flowers and flower buds per plant at one time.

*Natural flowering season*.—Long day responsive; spring until frost in the autumn; flowering continuous during the flowering period. Plants of the new *Petunia* will also flower under short day conditions.

*Flower longevity on the plant*.—About 4 to 5 days.

*Fragrance*.—None detected.

*Flower size*.—Diameter: About 7 cm. Tube length: About 3 cm. Throat diameter, distal end: About 1.4 cm. Tube diameter, proximal end: About 4 mm.

*Flower buds*.—Length: About 4 cm. Diameter: Apex: About 1.2 cm. Base: About 6 mm. Shape: Elongated oblong with ruffled apices. Color: More gray than 90D.

*Corolla*.—Arrangement/appearance: Single whorl of five petals, fused into flared trumpet with distinct clefts between petal lobes. Petal length from throat: About 3 cm. Petal width: About 4 cm. Petal shape: Roughly obovate. Petal apex: Cordate. Petal margin: Entire, slightly ruffled. Petal texture: Smooth, velvety. Color: Petal, upper surface, when opening: More blue than 89A. Petal, lower surface, when opening: 86C. Petal, upper surface, fully opened: Brighter than 77A; color becoming closer to 93A with development. Petal, lower surface, fully opened: 90A. Flower throat (inside): 79A. Flower tube (outside): 90C. Venation, upper petal surface: 86A. Venation, lower petal surface: 86B. Venation, throat: 79A. Venation, tube: 146D.

*Sepals*.—Arrangement/appearance: Single whorl of five sepals fused at base, star-shaped. Length: About 1.7 cm. Width: About 7 mm. Shape: Obovate. Apex: Rounded. Margin: Entire. Texture, upper and lower surfaces: Glandular, viscid. Color, upper surface: 147A. Color, lower surface: 147B.

*Peduncles*.—Length: About 4.2 cm. Width: About 1.25 mm. Angle: About 45° to the stem. Strength: Strong. Texture: Pubescent. Color: 144C.

*Reproductive organs*.—Stamens: Quantity/arrangement: Five, adnate to corolla tube. Anther shape: Ovoid. Anther length: About 2 mm. Anther color: 196C. Pollen amount: Moderate. Pollen color: 196C. Pistils: Quantity: One. Pistil length: About 2.7 cm. Stigma shape: Rounded, flattened. Stigma color: 146A. Style length: About 1.8 cm. Style color: 145C. Ovary color: 145A.

*Fruit/seed*.—Fruit and seed production has not been observed.

Disease/pest resistance: Plants of the new *Petunia* have not been noted to be resistant to pathogens and pests common to *Petunia*.

It is claimed:

1. A new and distinct cultivar of *Petunia* plant named 'Bodtrubur', as illustrated and described.

\* \* \* \* \*



