



US00PP15457P2

(12) **United States Plant Patent**
Brown

(10) **Patent No.:** **US PP15,457 P2**
(45) **Date of Patent:** **Dec. 28, 2004**

(54) **PETUNIA PLANT NAMED 'X00-154-1'**

OTHER PUBLICATIONS

(50) Latin Name: *Petunia*×*hybrida*
Varietal Denomination: **X00-154-1**

<http://armstrong.extension.psu.edu/Horticulture/newsletters/2002%20Winter%20Vol2%20Newsletter.pdf>.*

(75) Inventor: **Graham Noel Brown**, Pennant Hills (AU)

UPOV-ROM GTITM Computer Database, GTI JOUVE Retrieval Software, citation(s) for 'X001541'.*

(73) Assignee: **NuFlora International Pty. Ltd.**, Glenfield (AU)

* cited by examiner

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 285 days.

Primary Examiner—Bruce R. Campell

Assistant Examiner—W C Haas

(74) *Attorney, Agent, or Firm*—C. A. Whealy

(21) Appl. No.: **10/259,963**

(22) Filed: **Sep. 29, 2002**

(57) **ABSTRACT**

(51) **Int. Cl.**⁷ **A01H 5/00**

(52) **U.S. Cl.** **Plt./356**

(58) **Field of Search** **Plt./356**

A new and distinct cultivar of *Petunia* plant named 'X00-154-1', characterized by its compact, mounded and outwardly spreading plant habit; freely and continuous branching habit; small leaf size; numerous small violet-colored flowers; and resistance to Botrytis and Powdery Mildew.

(56) **References Cited**

U.S. PATENT DOCUMENTS

PP12,819 P2 * 7/2002 Brown Plt./356

1 Drawing Sheet

1

2

Botanical classification: *Petunia*×*hybrida* cultivar X00-154-1.

temperature and light intensity without, however, any variance in genotype.

BACKGROUND OF THE INVENTION

The present Invention relates to a new and distinct cultivar of *Petunia* plant, botanically known as *Petunia*×*hybrida*, and hereinafter referred to by the cultivar name X00-154-1.

5 The following traits have been repeatedly observed and are determined to be the unique characteristics of 'X00-154-1'. These characteristics in combination distinguish 'X00-154-1' as a new and distinct cultivar:

The new *Petunia* is a product of a planned breeding program conducted by the Inventor in Cobbitty, New South Wales, Australia. The objective of the breeding program is to create outwardly spreading *Petunias* with numerous small flowers with attractive flower colors.

1. Compact, mounded and outwardly spreading plant habit.
2. Freely branching habit.
3. Small leaf size.
4. Numerous small violet-colored flowers.
5. Resistant to Botrytis and Powdery Mildew.

The new *Petunia* originated from a cross-pollination made by the Inventor in 1999 of a proprietary *Petunia* selection identified as X99.23.9, not patented, as the female, or seed parent, with a proprietary *Petunia* selection identified as X99.27.1, not patented, as the male, or pollen parent. The new *Petunia* was selected as a single plant from the resulting progeny of the cross-pollination by the Inventor in 1999, in Cobbitty, New South Wales, Australia, on the basis of its outwardly spreading habit and numerous small flowers.

15 Compared to plants of the female parent, plants of the new *Petunia* are more mounded, have smaller flowers and differ in flower color. Compared to plants of the male parent, plants of the new *Petunia* are larger, have larger flowers and differ in flower color.

Asexual reproduction of the new cultivar by vegetative cuttings taken in Cobbitty, New South Wales, Australia since 2000 has shown that the unique features of this new *Petunia* are stable and reproduced true to type in successive generations.

20 Plants of the new *Petunia* can be compared to plants of the cultivar MP7, disclosed in U.S. Plant Pat. No. 12,819. In side-by-side comparisons conducted in Cobbitty, New South Wales, Australia, plants of the new *Petunia* differed from plants of the cultivar MP7 in the following characteristics:

1. Plants of the new *Petunia* were larger than plants of the cultivar MP7.
2. Plants of the new *Petunia* had larger flowers than plants of the cultivar MP7.
3. Plants of the new *Petunia* and the cultivar MP7 differed in flower color.

SUMMARY OF THE INVENTION

30

Plants of the cultivar X00-154-1 have not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new cultivar, showing the colors as

true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Petunia*.

The photograph at the top of the sheet comprises a side perspective view of a typical flowering plant of 'X00-154-1' grown in a container.

The photograph at the bottom of the sheet comprises a close-up view of typical flower buds, developing flowers, open flowers and the upper and lower surfaces of typical leaves of 'X00-154-1'.

DETAILED BOTANICAL DESCRIPTION

The aforementioned photographs and following observations and measurements describe plants grown in Lompoc, Calif., under commercial practice during the summer in a polycarbonate-covered greenhouse with day temperatures about 21 to 27° C., night temperatures about 16 to 18° C. and light levels about 5,000 to 9,000 foot-candles. Plants were grown with one rooted cutting per 15.25-cm container for about 11 weeks. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Petunia* × *hybrida* cultivar X00-154-1.

Parentage:

Female parent.—Proprietary *Petunia* selection identified as X99.23.9, not patented.

Male parent.—Proprietary *Petunia* selection identified as X99.27.1, not patented.

Propagation:

Type cutting.—Vegetative cuttings.

Time to initiate roots.—About 14 days at 22° C.

Time to develop roots.—About 28 days at 22° C.

Root description.—Fine, fibrous, whitish in color.

Rooting habit.—Freely branching, dense.

Plant description:

Form.—Annual flowering plant; indeterminate; compact; initially upright, then mounded and outwardly spreading to low trailing; plants eventually becoming hemispherical in shape. Vigorous. Freely basal branching with about 24 main lateral branches per plant with lateral branches potentially forming at every node.

Usage.—Appropriate for hanging baskets, window boxes, patio containers and landscape applications.

Plant height.—About 15 cm.

Plant diameter.—About 62 cm.

Lateral branches.—Length: About 32 cm. Diameter: About 2 mm. Internode length: About 1.9 cm. Texture: Pubescent. Color: 144B.

Foliage description.—Arrangement, before flowering: Alternate, simple. Arrangement, when flowering: Opposite, simple. Length: About 3.2 cm. Width: About 2.2 cm. Shape: Elliptical. Apex: Broadly acute to rounded. Base: Attenuate. Margin: Entire. Texture, upper and lower surfaces: Glandular, viscid; pubescent. Venation pattern: Pinnate. Color: Young foliage, upper surface: 146B. Young foliage, lower surface: 147C. Fully expanded foliage, upper sur-

face: 144A. Fully expanded foliage, lower surface: 146C. Venation, upper surface: 147D. Venation, lower surface: 147C to 147D. Petiole length: About 3.5 mm. Petiole diameter: About 2 mm. Petiole color: 145A.

Flower description:

Flower type and habit.—Small salverform flowers; flowers face mostly upward or outward; single, axillary. Flowers persistent. Freely flowering, typically about 600 open flowers and flower buds per plant.

Natural flowering season.—Long day responsive; spring until frost in the autumn; flowering continuous during the flowering period. Flower longevity on the plant: About 5 to 7 days.

Fragrance.—None detected.

Flower size.—Diameter: About 3.75 cm. Tube length: About 3 cm. Throat diameter, distal end: About 1.1 cm. Tube diameter, proximal end: About 3 mm.

Flower buds.—Length: About 3 cm. Diameter: Apex: About 5 mm. Base: About 3 mm. Shape: Elongated oblong with ruffled apices. Color: 85D.

Corolla.—Arrangement/appearance: Single whorl of five petals, fused into flared trumpet with distinct clefts between petal lobes. Petal length from throat: About 1.6 cm. Petal width: About 1.7 cm. Petal shape: Roughly spatulate or fan-shaped. Petal apex: Rounded. Petal margin: Entire; slightly ruffled. Petal texture: Smooth, velvety. Color: Petal, upper surface, when opening: 80B. Petal, lower surface, when opening: 84D. Petal, upper surface, fully opened: 84A to 85A; color fading towards 85A to 85B with subsequent development. Petal, lower surface, fully opened: 85D. Flower throat (inside): 157B to 157C. Flower tube (outside): 157A. Venation, upper petal surface: 84A. Venation, lower petal surface: 85D. Venation, throat: 145C. Venation, tube: 145A.

Sepals.—Arrangement/appearance: Single whorl of five sepals fused at base, star-shaped. Length: About 1 cm. Width: About 2 mm. Shape: Ligulate. Apex: Rounded. Margin: Entire. Texture, both surfaces: Glandular, viscid. Color: Upper surface: 146A. Lower surface: 146B to 146C.

Peduncles.—Length: About 2.9 cm. Width: About 1.25 mm. Angle: About 45° to the stem. Strength: Moderately strong; wiry. Texture: Pubescent. Color: 144A.

Reproductive organs.—Stamens: Quantity/arrangement: Five, adnate to corolla tube. Anther shape: Ovoid. Anther length: About 1 mm. Anther color: 155A. Pollen amount: Scarce. Pollen color: 155D. Pistils: Quantity: One. Pistil length: About 1.8 cm. Stigma shape: Rounded, flattened. Stigma color: 146A. Style length: About 1.5 cm. Style color: 145D. Ovary color: 145A.

Fruit/seed.—Fruit and seed production has not been observed.

Disease/pest resistance: Plants of the new *Petunia* have been observed to have good resistance to Botrytis and Powdery Mildew. Plants of the new *Petunia* have not been noted to be resistant to pests common to *Petunia*.

It is claimed:

1. A new and distinct cultivar of *Petunia* plant named 'X00-154-1', as illustrated and described.

* * * * *

