



(12) **United States Plant Patent**  
**Hoogendoorn**

(10) **Patent No.: US PP15,986 P2**  
(45) **Date of Patent: Sep. 20, 2005**

(54) **ALSTROEMERIA PLANT NAMED ‘ZALSAFES’**

(50) Latin Name: *Alstroemeria hybrida*  
Varietal Denomination: **Zalsafes**

(75) Inventor: **Cornelis Arie Hoogendoorn**,  
Aarlanderveen (NL)

(73) Assignee: **Van Zanten Plants B.V.**, Rijssenhou  
(NL)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 26 days.

(21) Appl. No.: **10/945,160**

(22) Filed: **Sep. 20, 2004**

(51) **Int. Cl.<sup>7</sup>** ..... **A01H 5/00**

(52) **U.S. Cl.** ..... **Plt./309**

(58) **Field of Search** ..... **Plt./309**

Primary Examiner—Kent Bell  
(74) Attorney, Agent, or Firm—C. A. Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Alstroemeria* plant named  
‘Zalsafes’, characterized by its erect and strong flowering  
stems; vigorous growth habit; intense red purple-colored  
flowers; and good postproduction longevity.

**1 Drawing Sheet**

**1**

Botanical classification/cultivar designation: *Alstroeme-  
ria hybrida* cultivar **Zalsafes**.

**BACKGROUND OF THE INVENTION**

The present Invention relates to a new and distinct culti-  
var of *Alstroemeria* plant, botanically known as *Alstroeme-  
ria hybrida*, commercially used as a cut flower *Alstroemeria*,  
and hereinafter referred to by the name ‘Zalsafes’.

The new *Alstroemeria* is a product of a planned breeding  
program conducted by the Inventor in Hillegom, The Neth-  
erlands. The objective of the breeding program was to  
develop new cut flower *Alstroemeria* cultivars with desir-  
able flower and plant qualities, attractive flower colors and  
excellent postproduction longevity.

The new *Alstroemeria* originated from a cross-pollination  
made by the Inventor in June, 1997 in Hillegom, The  
Netherlands, of a proprietary *Alstroemeria hybrida* selection  
identified as 96177-007, not patented, as the female, or seed,  
parent with a proprietary *Alstroemeria hybrida* selection  
identified as 96130-002, not patented, as the male, or pollen,  
parent. The new *Alstroemeria* was discovered and selected  
by the Inventor as a flowering plant within the progeny of  
the stated cross-pollination in a controlled environment in  
Hillegom, The Netherlands in 1998.

Asexual reproduction of the new cultivar by root divisions  
in a controlled environment in Hillegom, The Netherlands,  
since August, 1998, has shown that the unique features of  
this new *Alstroemeria* are stable and reproduced true to type  
in successive generations of asexual propagation.

**SUMMARY OF THE INVENTION**

Plants of the cultivar **Zalsafes** have not been observed  
under all possible environmental conditions. The phenotype  
may vary somewhat with variations in environment such as  
temperature and light intensity without, however, any vari-  
ance in genotype.

The following traits have been repeatedly observed and  
are determined to be the unique characteristics of ‘Zalsafes’.  
These characteristics in combination distinguish ‘Zalsafes’  
as a new and distinct cultivar:

1. Erect and strong flowering stems.
2. Vigorous growth habit.

**2**

3. Intense red purple-colored flowers.
4. Good postproduction longevity.

Plants of the new *Alstroemeria* can be compared to plants  
of the female parent selection. In side-by-side comparisons  
conducted in Hillegom, The Netherlands, plants of the new  
*Alstroemeria* differed from plants of the female parent  
selection in the following characteristics:

1. Plants of the new *Alstroemeria* had larger flowers than  
plants of the female parent selection.
2. Plants of the new *Alstroemeria* had darker red purple-  
colored flowers than plants of the female parent selec-  
tion.

Plants of the new *Alstroemeria* can be compared to plants  
of the male parent selection. In side-by-side comparisons  
conducted in Hillegom, The Netherlands, plants of the new  
*Alstroemeria* differed from plants of the male parent selec-  
tion in the following characteristics:

1. Plants of the new *Alstroemeria* were shorter than plants  
of the male parent selection.
2. Plants of the new *Alstroemeria* had shorter pedicels  
than plants of the male parent selection.

Plants of the new *Alstroemeria* can also be compared to  
plants of the cultivar **Stalilas**, disclosed in U.S. Plant Pat.  
No. 5,207. In side-by-side comparisons conducted in  
Hillegom, The Netherlands, plants of the new *Alstroemeria*  
differed from plants of the cultivar **Stalilas** in the following  
characteristics:

1. Plants of the new *Alstroemeria* were shorter than plants  
of the cultivar **Stalilas**.
2. Plants of the new *Alstroemeria* had larger flowers than  
plants of the cultivar **Stalilas**.

**BRIEF DESCRIPTION OF THE PHOTOGRAPH**

The accompanying colored photograph illustrates the  
overall appearance of the new *Alstroemeria*, showing the  
colors as true as it is reasonably possible to obtain in colored  
reproductions of this type. Colors in the photograph may  
differ slightly from the color values cited in the detailed  
botanical description which accurately describe the colors of  
the new *Alstroemeria*.

The photograph comprises a side perspective view of a  
typical flowering stem of ‘Zalsafes’.



## DETAILED BOTANICAL DESCRIPTION

The aforementioned photograph and following observations and measurements describe plants of the new *Alstroemeria* grown in Rijsenhout, The Netherlands in a glass-covered greenhouse in ground beds. During the production of the plants, day temperatures ranged from 15 to 25° C., night temperatures ranged from 10 to 15° C. and light levels averaged 5,000 lux. Plants used for the photograph and description were about one year-old. The photograph and the description were taken during August and September. Color references are made to The Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Alstroemeria hybrida* cultivar Zalsafes.

Parentage:

*Female parent*.—Proprietary *Alstroemeria hybrida* selection identified as 96177-007, not patented.

*Male parent*.—Proprietary selection of *Alstroemeria hybrida* identified as 96130-002, not patented.

Propagation:

*Type*.—By root divisions.

*Root description*.—Fibrous, fleshy, thick; white, close to 155D, in color.

*Rooting habit*.—Freely branching.

*Rhizomes*.—Shape: Elongate; rounded. Length: About 10 to 30 cm. Diameter: About 3 to 10 mm. Texture: Smooth. Color: Close to 155D.

Plant description:

*Plant habit*.—Upright; freely branching, bushy appearance. Vigorous growth habit.

*Time from planting to harvest of cut flowers*.—About 80 to 90 days.

*Number of flowering stems produced per year*.—About 200 to 240.

*Plant height*.—About 90 to 120 cm.

*Plant diameter (spread)*.—About 20 to 30 cm.

*Flowering stem description*.—Aspect: Erect. Length: About 75 to 100 cm. Diameter: About 6 to 8 mm. Internode length: About 2 to 4 cm. Strength: Strong. Texture: Glabrous. Color: Close to 144A; glossy.

*Foliage description*.—Leaves asymmetrical; sessile. Length: About 14 to 17 cm. Width: About 2.5 to 4.5 cm. Shape: Linear to lanceolate. Apex: Acute. Base: Attenuate. Margin: Entire. Texture, upper and lower surfaces: Smooth, glabrous. Venation pattern: Parallel. Color: Developing and fully developed foliage, upper surface: Close to 137A to 137B; slightly glossy. Developing and fully developed foliage, lower surface: Close to 137C. Venation: Upper surface, close to 137A to 137B; lower surface, close to 137C.

Flower description:

*Flower type and habit*.—Single cup-shaped flowers arranged in compound umbels. Perianth segments separate. Freely and continuously flowering. Flowers not persistent.

*Natural flowering season*.—Flowering continuous during the spring in The Netherlands.

*Fragrance*.—None detected.

*Flower longevity on the plant*.—About four weeks.

*Flower longevity as a cut flower*.—About 12 to 16 days.

*Flower buds (showing color)*.—Length: About 2.5 to 4.5 cm. Diameter: About 1 to 2 cm. Shape: Roughly ovoid. Color: Greenish yellow.

*Umbel height*.—About 10 to 12 cm.

*Umbel diameter*.—About 15 to 20 cm.

*Number of flowers per umbel*.—About 15 to 20.

*Flower length (height)*.—About 5 to 7 cm.

*Flower diameter*.—About 5.5 to 6.5 cm.

*Flower depth*.—About 6 to 6.5 cm.

*Perianth*.—Arrangement: Six arranged in two whorls, each whorl with two lateral and one median segments. Size, inner perianth: Length, lateral segments: About 4.5 to 6.5 cm. Length, median segment: About 4 to 6 cm. Width, lateral and median segments: About 2 to 2.5 cm. Size, outer perianth: Length, lateral and median segments: About 4.5 to 6.5 cm. Width, lateral and median segments: About 3.5 to 4 cm. Shape, inner perianth, lateral and median segments: Oblanceolate. Shape, outer perianth, lateral and median segments: Obovate. Apex, inner perianth, lateral and median segments: Acute. Apex, outer perianth, lateral and median segments: Bracket-shaped. Base, inner and outer perianths, lateral and median segments: Attenuate. Margin, inner perianth, lateral and median segments: Entire; weakly undulate. Margin, outer perianth, lateral segments: Entire; moderately undulate. Margin, outer perianth, median segment: Entire; weakly undulate. Texture, inner and outer perianths, lateral and median segments: Smooth, glabrous; velvety. Color, inner perianth: When opening and fully opened, lateral segments, upper surface: Towards the apex, 78B; mid-section, 3C; towards the base, 77D; stripes, purplish close to 187A. When opening and fully opened, median segment, upper surface: Close to 78B; stripes, purplish close to 187A. When opening and fully opened, lateral segments, lower surface: Towards the apex, 78B; mid-section, 3C; towards the base, 77C; stripes, purplish close to 187A. When opening and fully opened, median segment, lower surface: Close to 78B. Color, outer perianth: When opening and fully opened, lateral and median segments, upper surface: Center, close to 71A; towards the margins, close to 78B; occasional stripes, purplish close to 187A; tip, greenish. When opening and fully opened, lateral and median segments, lower surface: Close to 71A; towards the margins, close to 78B; tip and venation, greenish.

*Peduncles*.—Length: About 4 to 8 cm. Diameter: About 3 to 4 mm. Strength: Strong. Angle: About 20 to 50° from vertical. Texture: Smooth, glabrous. Color: Close to 137A.

*Pedicels*.—Length: About 2 to 2.5 cm. Diameter: About 2 to 4 mm. Strength: Strong. Angle: About 20 to 50° from vertical. Texture: Smooth, glabrous. Color: Close to 137A.

*Reproductive organs*.—Stamens: Quantity per flower: Six. Anther shape: Elliptical. Anther length: About 8 mm. Anther diameter: About 3 mm. Anther color: Close to 79A. Pollen amount: Abundant. Pollen color: Close to 95A. Pistils: Quantity per flower: One. Style length: About 3.5 to 4.5 cm. Style color: Purple. Stigma color: Purple. Ovary color: Close to 143C.

*Fruit*.—Shape: Globular. Color: Brownish.

Disease/pest resistance: Plants of the new *Alstroemeria* have not been observed to be resistant to pathogens and pests common to *Alstroemerias*.

Temperature tolerance: Plants of the new *Alstroemeria* have been observed to tolerate temperatures from -5 to 40° C. It is claimed:

1. A new and distinct cultivar of *Alstroemeria* plant named 'Zalsafes', as illustrated and described.

\* \* \* \* \*



