



US00PP16057P2

**(12) United States Plant Patent**  
**Westhoff****(10) Patent No.: US PP16,057 P2**  
**(45) Date of Patent: Oct. 25, 2005**(54) *PETUNIA* PLANT NAMED ‘WESPEKING’

(22) Filed: Jan. 16, 2004

(50) Latin Name: *Petunia*×*hybrida*  
Varietal Denomination: **Wespeking**(51) **Int. Cl.<sup>7</sup>** ..... **A01H 5/00**(52) **U.S. Cl.** ..... **Plt./356**(58) **Field of Search** ..... **Plt./356**(75) Inventor: **Heinrich Westhoff**, Südlohn (DE)*Primary Examiner*—Kent Bell(73) Assignee: **Josef + Heinrich Westhoff**  
**Gartenbau-Spezialkulturen,**  
Südlohn-Oeding (DE)(74) *Attorney, Agent, or Firm*—C. A. Whealy(57) **ABSTRACT**

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 98 days.

A distinct cultivar of *Petunia* plant named ‘Wespeking’, characterized by its cascading growth habit; freely branching plant habit; freely flowering habit; single bicolored flowers that are violet in color with white-colored margins; and large sepals.(21) Appl. No.: **10/759,606****1 Drawing Sheet****1**Botanical classification/cultivar designation: *Petunia*×*hybrida* cultivar *Wespeking*.**BACKGROUND OF THE INVENTION**The present Invention relates to a new and distinct cultivar of *Petunia* plant, botanically known as *Petunia*×*hybrida*, and hereinafter referred to by the name ‘Wespeking’.The new *Petunia* is a product of a planned breeding program conducted by the Inventor in Südlohn-Oeding, Germany. The new *Petunia* originated from a cross-pollination made by the Inventor of a proprietary *Petunia* seedling selection, not patented, as the female, or seed parent, identified as code number 99P003 with a proprietary *Petunia* seedling selection not patented, as the male, or pollen parent, identified as code number 99P193. The new *Petunia* was selected by the Inventor in 2000 in a controlled environment in Südlohn-Oeding, Germany.Asexual reproduction of the new cultivar by terminal cuttings taken in Südlohn-Oeding, Germany since 2001, has shown that the unique features of this new *Petunia* are stable and reproduced true to type in successive generations.**SUMMARY OF THE INVENTION**Plants of the cultivar *Wespeking* have not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature and light intensity without, however, any variance in genotype.The following traits have been repeatedly observed and are determined to be the unique characteristics of ‘Wespeking’. These characteristics in combination distinguish ‘Wespeking’ as a new and distinct *Petunia* cultivar:

1. Cascading growth habit.
2. Freely branching plant habit.
3. Freely flowering habit.
4. Single bicolored flowers that are violet in color with white-colored margins.
5. Large sepals.

Plants of the new *Petunia* have less pronounced petal venation and darker blue violet-colored flowers than plants of the female parent. Plants of the new *Petunia* are more**2**

cascading in growth habit and have a narrower lateral branch diameter than plants of the male parent.

Plants of the cultivar *Wespeking* can be compared to plants of the *Petunia* cultivar *Brevt*, disclosed in U.S. Plant Pat. No. 12,679. However, in side-by-side comparisons conducted in Südlohn-Oeding, Germany, plants of the new *Petunia* and the cultivar *Brevt* differed in the following characteristics:

1. Plants of the new *Petunia* had shorter internodes than plants of the cultivar *Brevt*.
2. Plants of the new *Petunia* had shorter leaf petioles than plants of the cultivar *Brevt*.
3. Plants of the new *Petunia* had larger sepals than plants of the cultivar *Brevt*.
4. Flower color of the new *Petunia* was lighter than flower color of the cultivar *Brevt*.
5. Throats of flowers of the new *Petunia* were darker in color than throats of flowers of the cultivar *Brevt*.

Plants of the cultivar *Wespeking* can also be compared to plants of the *Petunia* cultivar *Bresh*, disclosed in U.S. Plant patent application Ser. No. 09/592,379, now abandoned. However in side-by-side comparisons conducted in Südlohn-Oeding, Germany, plants of the new *Petunia* and the cultivar *Bresh* differed in the following characteristics:

1. Plants of the new *Petunia* had shorter internodes than plants of the cultivar *Bresh*.
2. Plants of the new *Petunia* had smaller leaves than plants of the cultivar *Bresh*.
3. Flowers of the new *Petunia* were smaller than flowers of the cultivar *Bresh*.
4. Flowers of the new *Petunia* and the cultivar *Bresh* differed in color.
5. Plants of the new *Petunia* had larger sepals than plants of the cultivar *Bresh*.

**BRIEF DESCRIPTION OF THE PHOTOGRAPHS**

The accompanying colored photographs illustrate the overall appearance of the new cultivar, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical



description that follows, which accurately describe the colors of the new *Petunia*.

The photograph comprises a side perspective view of a typical plant of 'Wespeking' grown in a container.

#### DETAILED BOTANICAL DESCRIPTION

In the following description, color references are made to The Royal Horticultural Society Colour Chart, 2001 Edition, except where general terms of ordinary dictionary significance are used. Plants used for the aforementioned photographs and the description were grown in 12-cm containers during the spring and summer for about 20 weeks in a glass-covered greenhouse and under conditions that closely approximate commercial production conditions in Südlohn-Oeding, Germany. During the production of the plants, day temperatures were about 20 to 25° C., night temperatures were about 16 to 18° C. and light levels ranged from 3,000 to 50,000 lux.

Botanical classification: *Petunia*×*hybrida* cultivar Wespeking.

Parentage:

*Female parent*.—Proprietary *Petunia*×*hybrida* selection identified as code number 99P003, not patented.

*Male parent*.—Proprietary *Petunia*×*hybrida* selection identified as code number 99P193, not patented.

Propagation:

*Type cutting*.—Terminal vegetative cuttings.

*Time to initiate roots*.—About 18 days at 20° C.

*Time to develop roots*.—About 20 to 28 days at 20° C.

*Root description*.—Numerous, fine, fibrous and well-branched.

Plant description:

*Form*.—Annual flowering plant; cascading plant habit. Viscid, glandular pubescent. Freely and continuous basal branching with lateral branches potentially forming at every node.

*Usage*.—Appropriate for hanging baskets, window boxes and patio containers.

*Plant height (from soil level to top of plant plane)*.—About 12 cm.

*Plant diameter*.—About 60 to 70 cm.

*Stem description*.—Main branches, length: About 65 to 70 cm. Main branches, diameter: About 5 mm. Lateral branches, length: About 30 to 40 cm. Lateral branches, diameter: About 2 mm. Internode length: About 2.5 cm. Texture: Densely pubescent. Color: 146A to 146B.

*Foliage description*.—Arrangement: Alternate; simple. Length: About 4.8 cm. Width: About 2.6 cm. Shape: Ovate. Apex: Slightly acute to rounded. Base: Attenuate. Margin: Entire. Aspect: Flat. Texture, upper and lower surfaces: Leathery, pubescent. Venation pattern: Pinnate. Color: Developing foliage, upper surface: 146A. Developing foliage, lower surface: 146B. Fully expanded foliage, upper surface: 147A. Fully expanded foliage, lower surface: 147B. Venation, upper surface: 146A. Venation, lower surface: 146B. Petiole length: About 4 mm. Petiole diameter: About 2 mm. Petiole color: 147A to 147B.

Flower description:

*Flower type and habit*.—Single salverform flowers; flowers face upward and outward; single, axillary. Freely flowering habit.

*Natural flowering season*.—Long-day responsive; flowering from April until frost in the autumn in Germany; flowering continuous during this period.

*Fragrance*.—None detected.

*Flower longevity on the plant*.—About one week.

*Flower size*.—Diameter: About 6.4 cm. Depth (height): About 3 cm. Tube length: About 2.6 cm. Throat diameter, distal end: About 1.1 cm. Tube diameter, proximal end: About 4 mm.

*Flower buds*.—Length: About 3.5 cm. Diameter: About 6 mm. Shape: Oblong. Color, towards apex: 83B to 83C; towards the margins, 144D. Color, midsection: 144B, becoming closer to N77A with development. Color, towards base: N77A.

*Petals*.—Arrangement/appearance: Single whorl of five petals, fused into flared trumpet. Length from throat: About 2.8 cm. Width: About 2.9 cm. Shape: Obtuse. Apex: Rounded. Margin: Entire, somewhat undulate. Texture, upper and lower surfaces: Smooth, satiny. Color: When opening, upper and lower surfaces: N86A; towards the margins, 155D. Fully opened, upper surface: 86B; towards the margins, 155D. Fully opened, lower surface: 86B to 86C; towards the margins, 155D. Flower throat (inside): N187A. Flower tube (outside): 79A. Venation, upper surface: N187A. Venation, lower surface: N92A. Venation, throat: Not veined. Venation, tube: Not veined.

*Sepals*.—Arrangement/appearance: Single whorl of five sepals, fused at base; star-shaped. Length: About 2.3 cm. Width: About 8 mm. Shape: Elliptic to obovate. Apex: Rounded, obtuse. Margin: Entire. Texture, upper and lower surfaces: Leathery; pubescent. Color, upper surface: 146A. Color, lower surface: 146B.

*Peduncles*.—Length: About 3.1 cm. Width: About 1.6 to 2 mm. Strength: Wiry, strong. Texture: Rough; pubescent. Color: 146B.

*Reproductive organs*.—Stamens: Quantity: About five per flower. Anther shape: Four-parted, reniform. Anther length: About 2.1 mm. Anther width: About 2 mm. Anther color: 91B overlain with 86C. Pollen amount: Moderate. Pollen color: 91B. Pistils: Quantity: One per flower. Pistil length: About 2.1 cm. Stigma shape: Ovate. Stigma color, immature: 137A. Stigma color, mature: 137A. Style length: About 1.6 cm. Style color: 144D. Ovary color: 144B. Seed/fruit: Seed and fruit production have not been observed.

Disease/pest resistance: Plants of the new *Petunia* have not been noted to be resistant to pathogens or pests common to *Petunia*.

Temperature tolerance: Plants of the new *Petunia* have been observed to be tolerant to temperatures from 2 to 30° C. It is claimed:

1. A new and distinct cultivar of *Petunia* plant named 'Wespeking', as illustrated and described.

\* \* \* \* \*



