

US00PP16427P2

(12) United States Plant Patent

Boeder

(10) Patent No.: US PP16,427 P2

(45) **Date of Patent:**

Apr. 11, 2006

(54) CHRYSANTHEMUM PLANT NAMED 'SIZZLENESS CREAM'

(50) Latin Name: *Chrysanthemum morifolium* Varietal Denomination: **Sizzleness Cream**

(75) Inventor: Mark Roland Boeder, The Hague

(NL)

(73) Assignee: Chrysanthemum Breeders Association

N.V., Aalsmeer (NL)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 86 days.

(21) Appl. No.: 10/979,189

(22) Filed: Nov. 3, 2004

(51) Int. Cl.

A01H 5/00 (2006.01)

(52) U.S. Cl. Plt./287

See application file for complete search history.

Primary Examiner—Anne Marie Grunberg
Assistant Examiner—June Hwu

(74) Attorney, Agent, or Firm-Steptoe & Johnson LLP

(57) ABSTRACT

A *Chrysanthemum* plant named 'Sizzleness Cream' characterized by its medium size decorative inflorescences with elongated quilled purple/light yellow ray-florets, with a response time of 52 days.

3 Drawing Sheets

1

RELATED CULTIVARS

'Sizzleness Cream' is related to 'Sizzleness' (U.S. Plant patent application Ser. No. 10/782,856), of which plant it is a color sport.

BACKGROUND OF THE INVENTION

'Sizzleness Cream' is a product of a breeding and selection program which had the objective of finding color mutants of 'Sizzleness'. The new plant of the present invention comprises a new and distinct cultivar of *chrysan-themum* plant that is a natural occurring sport of a parent *chrysanthemum* named 'Sizzleness'. A comparison with Parent *chrysanthemum* 'Sizzleness' is also made in this application. The new cultivar was discovered as a sport in 2002 by Mark Roland Boeder in a controlled environment (greenhouse) in Rijsenhout, Holland. The first act of asexual reproduction of 'Sizzleness Cream' was accomplished when vegetative cuttings were from the initial selection in 2002 in Rijsenhout, Holland.

SUMMARY OF THE INVENTION

The present invention is a new and distinct variety of *chrysanthemum* bearing medium sized decorative blooms with elongated quilled bicolored purple/light yellow ray-florets and a green center.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention of a new and distinct variety of *chrysanthemum* is shown in the accompanying drawings, the color being as nearly true as possible with color photographs 35 of this type.

FIG. 1 shows a plant of the cultivar in full bloom.

FIG. 2 shows the various stages of bloom of the new cultivar.

FIG. 3 shows the foliage of the new cultivar.

2

DESCRIPTION OF THE INVENTION

This new variety of *chrysanthemum* is of the botanical classification *Chrysanthemum morifolium* L. The observations and measurements were gathered from plants grown in April/May in a greenhouse in Rijsenhout Holland in a photo-periodic controlled crop under conditions generally used in commercial practice. The greenhouse temperatures during this crop were at day-time between 18° C. and 25° C. and at night 20° C. After a long day period of 14 days the photo-periodic response time in this crop was 52 days. After the long day period to flowering growth retardants were applied 2 to 3 times in an average dose of 2.5 gram/liter water. No tests were done on disease or insect resistance or susceptibility. No tests were done on cold or drought resistance. This new variety produces medium sized blooms with quilled purple/light yellow ray-florets and blooming on the plant for 5 weeks. This new variety of *chrysanthemum* has been found to retain its distinctive characteristics throughout successive propagations however the phenotype may vary significantly with variations in environment such as light intensity and temperature. To show the phenotype as described 'Sizzleness Cream' can be planted without assimilation lightning (high pressure sodium lamps) between week 1 and week 35 year under greenhouse conditions in Holland. With assimilation light (minimum level 2500 lux) it can be planted year round under greenhouse conditions in Holland.

From the cultivars known to inventor the most similar existing cultivars in comparison to 'Sizzleness Cream' is the parent 'Sizzleness', and 'Sizzleness Yellow'. When 'Sizzleness Cream', 'Sizzleness Yellow' (U.S. Plant Pat. No. 15,525) and 'Sizzleness' are being compared the following differences and similarities are noticed: The difference of 'Sizzleness', and its sports 'Sizzleness Cream' and 'Sizzleness Yellow' is (1) Color ray florets. The color is for 'Sizzleness' purple and cream, while it is purple and bright yellow for 'Sizzleness Yellow' and purple and light yellow for 'Sizzleness Cream'. For which characteristics 'Sizzleness Cream' has been selected out of 'Sizzleness'. All other characteristics of 'Sizzleness' and 'Sizzleness Cream' are similar.

The following is a description of the plant and characteristics that distinguish 'Sizzleness Cream' as a new and distinct variety. The color designations are taken from the plant itself. Accordingly, any discrepancies between the color designations and the colors depicted in the photographs are due to photographic tolerances. The color chart used in this description is: The Royal Horticultural Society Color Chart, edition 1995.

TABLE 1

TABLE 1				
Botanical Description of cultivar 'Sizzleness Cream'				
Bud				
Size	Medium, cross-section 0.6 cm, height 0.6 cm			
Outside color	Yellow-green 145B			
Involucral bracts	2 rows, length 7 mm, width 3 mm			
Involucral bracts among disc-florets Involucral bracts color	Not present Green 138B			
Inflorescence	Gleen 130D			
Type	Decorative			
Height	3 cm			
Size Fully Expanded	Medium 6 cm			
Peduncle length	Near the top 7 cm, near the middle			
1 0 d d d d d d d d d d d d d d d d d d	10 cm, near the bottom 15 cm.			
Peduncle color	Green 138B			
Number of inflorescences per stem	Average of 20			
Performance on the plant	5 weeks			
Seeds (if crossed)	Produced in small quantities, oval shaped, grey-brown 199A, 2 mm			
	in length.			
Fragrance	Typical chrysanthemum			
Color				
Center of the flower	Immature Yellow-green 149B			
Color of the ray-florets	Mature Yellow-green 154C Upper surface Greyed-red 182C			
Color of the ray morets	blending to Yellow 4B at edges			
	Lower surface Greyed-red 182D			
	blending to Yellow 4B at edges			
Tonality from Distance	A spray mum with purple/light			
Color of the upper surface of the	yellow flowers and a green disc Greyed-red 182C and Yellow 4B at			
ray florets after aging of the plant	edges			
Ray florets	cages			
Texture	Upper and under side smooth			
Number	100 Florgated quilled			
Shape Longitudinal axis of majority	Elongated quilled Straight			
Length of corolla tube	Long; 2 cm			
Ray-floret margin	Entire			
Ray-floret length	2.5 cm			
Ray-floret width	0.2 cm			
Ratio length/width Shape of tip	High Rounded			
Disc florets	Rounded			
Disc diameter	0.8 cm			
Distribution of disc florets	Few, only visible in mature stage			
Shape	of flowering. Tubular			
Color	Yellow-green 154C			
Receptacle shape	Domed raised			
Reproductive Organs				
Stamen (present in disc florets only)	Thin			
Stamen color	Yellow-green 144B			
Pollen color	Produced in small quantity Yellow-orange 14A			

Yellow-orange 14A

Thick

Pollen color

florets)

Styles (present in both ray and disc

TABLE 1-continued

Botanical Description of cultivar 'Sizzleness Cream'				
Style color	Yellow-green 150C			
Style Length	4 mm			
Stigma color	Yellow-green 145D			
Stigma Width	1 mm			
Ovaries	Enclosed in perianth			
Plant	-			
Form	A spray mum meant for erect			
	culture			
Growth habit	Upright			
Growth rate	Medium vigor			
Height	90 cm			
Width	28 cm			
Internode length	2–3.5 cm			
Spray formation	Cylindrical			
Stem Color	Yellow-green 148A with streaks of			
	Greyed-red 182C at base			
Stem Strength	Strong			
Stem Brittleness	Not brittle			
Stem Anthocyanin Coloration	Present			
Flowering Response(photo-periodic	52 Days			
controlled crop, not natural season)	32 Days			
Foliage				
Color immature stage	Upper side Green 141B			
Color miniatare stage	Under side Green 139C			
Color mature stage	Upper side Green 137A			
Color mature stage	Under side Green 13771 Under side Green 138A			
Color midvein				
Color illiavelli	Upper side Yellow-green 145C			
Cias	Under side Yellow-green 148C			
Size	Medium; length 11–13 cm,			
O	width 6 cm			
Quantity (number per single stem)	26–30			
Shape	Elliptic			
Texture upper side	Fleshy and glabrous			
Texture under side	Pubescent			
Venation arrangement	Palmate			
Shape of the margin	Dentate			
Shape of Base of Sinus Between	Diverging			
Lateral Lobes				
Margin of Sinus Between Lateral	Rounded			
Lobes				
Shape of Base	Obtuse to truncate			
Apex	Mucronulate			
-	2 cm			
Petiole length	2 cm			


TABLE 2


Differences with the comparison Varieties				
	'Sizzleness Cream'	'Sizzleness Yellow'	'Sizzleness'	
Color upper side ray florets	Greyed-red 182C and Yellow 4B at edges	•	Purple-violet 80C and Yellow 4D at edges	
Color lower side ray florets	Greyed-red 182D and Yellow 4B at edges	Greyed-red 182C and Greyed-yellow 160B at edges	Purple-violet 80D and Yellow 4D at edges	

I claim:

1. A new and distinct variety of *chrysanthemum* plant as described and illustrated.

* * * * *








FIG. 3