



US00PP17117P2

(12) **United States Plant Patent**
Sanders

(10) **Patent No.:** **US PP17,117 P2**
(45) **Date of Patent:** **Sep. 26, 2006**

(54) **AGERATUM PLANT NAMED 'AGALIB'**

(50) Latin Name: *Ageratum houstonianum*
Varietal Denomination: **Agalib**

(75) Inventor: **Monica Maria Adelheid Sanders,**
Grootebroek (NL)

(73) Assignee: **Syngenta Seeds B.V.,** Enkhuizen (NL)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 1 day.

(21) Appl. No.: **11/206,428**

(22) Filed: **Aug. 18, 2005**

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(52) **U.S. Cl.** **Plt./263**

(58) **Field of Classification Search** Plt./263
See application file for complete search history.

Primary Examiner—Kent Bell

Assistant Examiner—June Hwu

(74) *Attorney, Agent, or Firm*—Bruce Vrana

(57) **ABSTRACT**

A new *Ageratum* plant, characterized particularly as to
novelty by large light violet blue flowers, early flowering,
freely branching plant habit and vigorous growth.

1 Drawing Sheet

1

Latin name of the genus and species of the plant claimed:
Ageratum houstonianum.

Varietal denomination: 'Agalib'.

BACKGROUND OF THE NEW PLANT

The present invention comprises a new distinct cultivar of
Ageratum, botanically known as *Ageratum houstonianum*.
The new cultivar is propagated from cuttings resulting from
the cross in October 1999 of 'U 43-2' as female parent and
'T393-3' as male parent. 'U 43-2' is not commercially
available and has not been patented. 'T393-3' is not com-
mercially available and has not been patented.

As a result of this cross, present cultivar was created in
August 2000 in Enkhuizen, Netherlands and has been
repeatedly asexually reproduced by cuttings in Enkhuizen,
Netherlands, in Gilroy, Calif., and in Sarrians, France over
a three-year period. The distinctive characteristics of this
new *Ageratum* are stable and reproduced true to type in
successive generations of asexual reproduction. It takes 8 to
10 weeks to produce a finished plant, depending on the
temperature.

This new *Ageratum* plant is an annual in most climatical
zones in the U.S., only in zones 9 and 10 it is a perennial
plant.

SUMMARY OF THE INVENTION

The following traits have been repeatedly observed and
are determined to be the unique characteristics of 'Agalib'.
These characteristics in combination distinguish 'Agalib' as
a new and distinct *Ageratum* cultivar:

1. Vigorous, upright and mounded growth habit.
2. Freely branching habit.
3. Freely flowering habit with large capitula in compound
umbels.
4. Light violet blue capitula on green coloured leaves.

Plants of the new *Ageratum* differ primarily from the
plants of the female parent selection in the following char-
acteristics:

Plants of the new *Ageratum* have light violet blue
coloured capitula whereas plants of the female parent selec-
tion have white and blue capitula. Plants of the new *Agera-*

2

tum have a good branching habit, whereas the plants of the
female parent have a less branching habit.

Plants of the new *Ageratum* differ primarily from the male
plant selection in the following characteristics:

Plants of the new *Ageratum* have light violet blue
coloured capitula whereas plants of the male parent selection
have white capitula. Plants of the new *Ageratum* have a
vigorous habit with large leaves, whereas the plants of the
male parent have a compact habit.

DESCRIPTION OF THE DRAWING

This new *Ageratum* plant is illustrated by the accompa-
nying photographic drawing which shows blooms, buds and
foliage of the plant in full color, the color shown being as
true as can be reasonably obtained by conventional photo-
graphic procedures.

DESCRIPTION OF THE NEW CULTIVAR

The following detailed descriptions set forth the distinc-
tive characteristics of this new *Ageratum*. The data which
defines these characteristics were collected from asexual
reproductions carried out in Enkhuizen, Netherlands. The
plant history was taken on 20 weeks old plants, blossomed
under natural light in the field.

Color readings were taken in the greenhouse under ambi-
ent light. Color references are primarily to The R.H.S.
Colour Chart of The Royal Horticultural Society of London.

TABLE 1

Differences between the new cultivar 'Agalib' and similar cultivars

	'Agalib'	'Agetis' (P.P. 15,627)	'Agapel'
Flower color	Light violet blue	Violet blue	Near white
Size of capitulum	16–22 mm	16–21 mm	16–22 mm
Plant height	20–27 cm	20–25 cm	20–25 cm
Diameter of plant	32–48 cm	35–40 cm	32–40 cm

The plant:

Classification.—Botanical: *Ageratum houstonianum*.

Parentage.—Female parent: Proprietary *Ageratum houstonianum* selection identified as code number 'U 43-2,' not patented. Pollen parent: Proprietary *Ageratum houstonianum* selection identified as code number 'T393-3,' not patented.

Growth habit.—Ascending, well branched.

Plant height.—20–27 cm.

Spreading area of plant.—32–48 cm.

Growth rate.—Vigorous.

Strength.—Very good.

Branching character.—Freely branching and lateral branching at every node.

Blooming period.—Year round.

The stem:

Stem length.—5–22 cm.

Diameter.—4–7 mm.

Shape.—Round.

Color.—RHS 146D.

Anthocyan pigmentation.—A little bit on the stems.

Length of internode.—20–70 mm, depending on the light where the plant is propagated.

Pubescence.—Slightly pubescent.

The foliage:

Phyllotaxis.—Opposite, decussate and alternate.

Shape of blade.—Cordate.

Texture.—Upper side: Slightly pubescent. Lower side: Slightly pubescent.

Venation.—Reticulate.

Leaf margin.—Serrate.

Leaf base.—Subcordate.

Leaf apex.—Acute.

Length.—3–6 mm.

Width.—3–5.5 mm.

Colour.—Upper side: Dark green RHS 137A. Lower side: Medium green RHS 137C.

Pubescence.—Some pubescence is present.

Length of petiole.—1.2–3.0 mm.

Diameter of petiole.—1–3 mm.

Color of petiole.—RHS 146C Light green.

Petiole surface texture.—Slightly pubescent.

Inflorescence:

Inflorescence.—Compound umbel of capitula.

Number of inflorescence per plant.—70–90.

Umbel size.—3.5–6 cm.

Umbel depth.—2–4 cm.

Length of peduncle.—5–20 mm.

Diameter of peduncle.—1–3 mm.

Color of peduncle.—RHS 137B.

Length of pedicel.—5–25 mm.

Diameter of pedicel.—1–2 mm.

Color of pedicel.—RHS 137D.

Number of capitula per inflorescence.—10–20.

Number of disc florets per capitulum.—50–85.

Capitulum in bud stage.—Round, flat capitulum, showing unopened florets from the start.

Number of ray florets.—0.

Shape of the corolla of the disk floret.—Actinomorphic.

Number of lobes.—5.

Length of disk floret.—3–4 mm.

Diameter of disk floret.—1 mm.

Color of disk floret upper side.—RHS 91D with tip RHS 72A.

Color of disk floret lower side.—RHS 154B.

Number of phyllaries per capitulum.—25–35.

Length of phyllaries.—4–6 mm.

Diameter of phyllaries.—0.5–1.5 mm.

Color of phyllaries.—Upper side: RHS 137B with tip RHS 72A. Inner side: RHS 137C with tip RHS 72A.

Diameter of capitulum at beginning of flowering.—6–10 mm.

Depth of capitulum.—5–10 mm.

Color of capitulum at beginning of flowering.—RHS 88D.

Diameter of capitulum at full flowering.—16–22 mm.

Color of capitulum at full flowering.—RHS 92B.

Reproductive organs:

Number of pistils.—1.

Shape of pistils.—Style with two filiform branches.

Length of stigma and style.—7–9 mm.

Color of stigma.—RHS 94B.

Inferior ovary.—5 ribbed.

Pappus.—Short.

Number of anthers.—5, connate in a tube, filaments free.

Shape of anthers.—Calcarate.

Pollen.—A little pollen is present.

Color of pollen.—RHS 155B.

Fragrance.—No fragrance.

Lastingness of the bloom.—The capitula of one umbel open over a period of 3 to 4 weeks.

Seedset.—No seedset.

Roots:

Type of roots.—Fibrous. Roots start to grow on every part of the stem that contacts the soil, so not only at the nodes.

Physiological and ecological characteristics: Good tolerance to heat and cold, but no frost tolerance. Strong resistance to pests and diseases.

What is claimed is:

1. A new and distinct cultivar of *Ageratum houstonianum* plant named 'Agalib,' as substantially illustrated and described herein.

* * * * *

