



US00PP17403P3

(12) **United States Plant Patent**  
**Stemkens**

(10) **Patent No.:** **US PP17,403 P3**

(45) **Date of Patent:** **Feb. 13, 2007**

(54) **GAURA PLANT NAMED 'GAUDWWHI'**

(50) Latin Name: *Gaura lindheimeri*  
Varietal Denomination: **Gaudwwhi**

(75) Inventor: **Henricus G. W. Stemkens**, Hoorn (NL)

(73) Assignee: **Syngenta Seeds B.V.**, Enkhuizen (NL)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 245 days.

(21) Appl. No.: **11/003,112**

(22) Filed: **Dec. 3, 2004**

(65) **Prior Publication Data**

US 2006/0123523 P1 Jun. 8, 2006

(51) **Int. Cl.**  
**A01H 5/00** (2006.01)

(52) **U.S. Cl.** ..... **Plt./263**

(58) **Field of Classification Search** ..... Plt./263  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

PP14,557 P2 \* 2/2004 Kataoka ..... Plt./226

OTHER PUBLICATIONS

UPOV ROM GTITM Comptuer Database, GTI Jouve Retrieval Software 2005/03 Citations for 'Gaudwwhi'.\*

\* cited by examiner

*Primary Examiner*—Kent Bell

*Assistant Examiner*—W C Haas

(74) *Attorney, Agent, or Firm*—Bruce Vrana

(57) **ABSTRACT**

A new and distinct *Gaura* plant named 'Gaudwwhi', characterized by its big, white flowers, upright growth habit, and dark green foliage.

**1 Drawing Sheet**

**1**

Latin name of the genus and species of the plant claimed:  
*Gaura lindheimeri*.

Varietal denomination: 'Gaudwwhi'.

**BACKGROUND OF THE NEW PLANT**

The present invention comprises a new and distinct *Gaura* plant, botanically known as *Gaura lindheimeri*, and herein-after referred to by the cultivar name 'Gaudwwhi.'

The new cultivar was developed by the inventor in a controlled breeding program during 1998, at Enkhuizen, The Netherlands. The objective of the breeding program was the development of *Gaura* cultivars with a well-branched, compact habit, continuous flowering, dark green foliage and early to flower.

The female (seed) parent of 'Gaudwwhi' was 'A77-1', an unpatented proprietary inbredline that is not known by any synonyms. The male (pollen) parent of 'Gaudwwhi' was 'A55-1', also an unpatented proprietary inbredline that is not known by any synonyms.

'Gaudwwhi' was selected in May 1999 as a single flowering plant from within the progeny of the above stated cross and was initially designated 'B4-2'.

Asexual reproduction of the new cultivar at Enkhuizen, The Netherlands and Sarriens, France was carried out by the use of terminal stem cuttings, and has demonstrated that the *Gaura* reproduces true to type and the characteristics as herein described are firmly fixed and retained through successive generations of such asexual propagation.

**SUMMARY OF THE INVENTION**

It was found that the cultivar of the present invention:

- a) Exhibits big, white flowers;
- b) Forms foliage of a dark green color; and
- c) Exhibits an upright, very well-branched growth habit.

**2**

**DESCRIPTION OF THE DRAWING**

This new *Gaura* plant is illustrated by the accompanying photographic drawing which shows blooms, buds and foliage of the plant in full color, the color shown being as true as can be reasonably obtained by conventional photographic procedures.

**DESCRIPTION OF THE NEW CULTIVAR**

The following detailed descriptions set forth the distinctive characteristics of this new *Gaura*. The data that define these characteristics were collected from asexual reproductions carried out in Enkhuizen, Netherlands. The plant history was taken on 16 week old plants, blossomed under natural light in a greenhouse and grown in a 13 cm container. Colour readings were taken in the greenhouse under ambient light. Colour references are primarily to The R.H.S. Colour Chart of The Royal Horticultural Society of London.

**TABLE 1**

Difference between the new cultivar 'Gaudwwhi', its parents and a similar cultivar

	'Gaudwwhi'	'A77-1'	'A55-1'	'Wirling Butterflies'
Flower color	White	White	Rose	White
Height	90 cm	120 cm	50 cm	60 cm
Branching	Good	Good	Poor	Poor

The most resembling variety 'Wirling Butterflies' is not patented.

The plant:

*Classification.*—Botanical: *Gaura*. Species: *lindheimeri*.

*Parentage*.—Female parent: A seedling named ‘A77-1’ is one of our seedlings from our A-generation of plants bred in 1998. Pollen parent: A seedling named ‘A55-1’ is one of our seedlings from our A-generation of plants bred in 1998.

*Growth habit*.—Upright.

*Plant height*.—80–100 cm.

*Spreading area of plant*.—25–40 cm.

*Strength*.—Very resistant to hot and cold weather.

*Branching character*.—Freely branching and lateral branching at every node.

*Blooming period*.—From May until November.

*Propagation*.—Vegetative stem cuttings.

*Sexuality*.—Hermaphrodite.

*Time to initiate roots*.—Approximately 12 days at temperatures of 22 degrees centigrade is needed to produce rooted cuttings.

*Root system*.—Fibrous, branching, the color is N157D.

The stem:

*Diameter*.—2–4 mm.

*Length*.—60–100 cm.

*Shape*.—Round.

*Anthocyanin pigmentation*.—Present, color 180D.

*Color of the stem*.—138B.

*Length of internode*.—20–60 mm, depending on the light where the plant is propagated.

*Pubescence*.—Slightly pubescent.

The foliage:

*Phyllotaxis*.—Alternate.

*Shape of blade*.—Lanceolate to oblanceolate.

*Attachment*.—Sessile.

*Texture*.—Upper side: Slightly pubescent. Lower side: Slightly pubescent.

*Venation*.—Pinnate.

*Leaf margin*.—Entire to very slightly dentate.

*Leaf base*.—Attenuate.

*Leaf apex*.—Acute.

*Length*.—20–80 mm.

*Width*.—10–18 mm.

*Depth of incision*.—Less than 1 mm.

*Color*.—Upper side: N134A. Lower side: 138A.

*Color of venation*.—Upper side: 143C. Lower side: 143C.

The bud:

*Pedicel length*.—3–10 mm.

*Pedicel diameter*.—1 mm.

*Pedicel color*.—141C.

*Pedicel surface*.—Slightly hairy.

*Stipule length*.—1–4 mm.

*Stipule width*.—1–2 mm.

*Stipule shape*.—Lanceolate.

*Stipule color*.—Upper side: 47C. Lower side: 47D.

*Bud size*.—Diameter: 2 mm. Length: 3–6 mm.

*Bud shape*.—Tubular.

*Bud color*.—From 150C with 47C veins (bottom) to 143C (top).

*Bud surface*.—Pubescent.

*Sepals*.—Color (upper side): N155C. Color (lower side): N155C. Form: Upright. Surface: Pubescent. Number: 4, fused at tip. Length: 8–12 mm. Width: 1–2 mm. Shape: Tubular. Apex: Acute. Base: Subcordate. Margin: Entire.

The flower:

*Type of inflorescence*.—Spicate raceme.

*Flower shape*.—Single, cruciform.

*Flower color*.—Upper side: N155A. Lower side: N155A.

*Flower size*.—Height: 22–25 mm. Width: 24–28 mm.

*Petals, number*.—4 non-overlapping.

*Petal shape*.—Oblanceolate.

*Petal margin*.—Entire.

*Petal apex*.—Acute to obtuse.

*Petal base*.—Attenuate.

*Petal length*.—12–14 mm.

*Petal width*.—7–9 mm.

*Petal texture*.—Smooth.

*No. of flowers per inflorescence*.—35–50.

*Length of inflorescence (end)*.—35–60 cm.

*Fragrance*.—No fragrance.

*Bloom time of one inflorescence*.—New florets continue to open in one inflorescence over a period of 30 days.

*Lastingness of one flower*.—3–4 days.

*Number of flowers open at one time in one inflorescence*.—2–3.

Reproductive organs:

*Androecium*.—Stamens quantity: 8. Stamen length: 12 mm. Stamen color: N155A. Anther shape: Elongated. Anther length: 0.8 mm. Anther width: 0.2 mm. Anther color: 22A. Pollen amount: Plentiful pollen. Pollen color: 22A.

*Gynoecium*.—Pistils quantity: 1. Pistil length: 14 mm. Stigma color: 4D. Stigma shape: Lobed. Number of lobes: 4. Style color: N155A. Ovary color: 141C. Ovary position: Inferior. Ovary shape: Elongated. Ovary dimensions: 0.2 mm in width and 0.8 mm in length.

Seeds: One seed is formed per flower.

*Seed size*.—Length: 4 mm. Width: 1–2 mm.

*1000 seeds weight*.—4.5 grams.

*Seed color*.—166C.

*Seed texture*.—Smooth.

Disease resistance: Resistance to pathogens has not been observed.

Hardiness zone: ‘Gaudwwhi’ is hardy in zones eight (8) and above.

What is claimed is:

1. A new and distinct *Gaura lindheimeri* plant named ‘Gaudwwhi’, substantially as illustrated and described herein.

\* \* \* \* \*

