



US00PP18116P2

(12) **United States Plant Patent**
Danziger(10) **Patent No.:** US PP18,116 P2
(45) **Date of Patent:** Oct. 9, 2007

- (54) **SUTERA PLANT NAMED 'DANCOP19'**
- (50) Latin Name: *Sutera cordata*
Varietal Denomination: **DANCOP19**
- (75) Inventor: **Gabriel Danziger**, Moshav Nir-Zvi (IL)
- (73) Assignee: **Danziger "Dan" Flower Farm**, Post
Beit Dagan (IL)
- (*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.
- (21) Appl. No.: **11/392,499**
- (22) Filed: **Mar. 30, 2006**
- (51) **Int. Cl.**
A01H 5/00 (2006.01)
- (52) **U.S. Cl.** **Plt./263**
- (58) **Field of Classification Search** Plt./263
See application file for complete search history.

- (56) **References Cited**
- PUBLICATIONS
- European Union Community Plant Variety Office (CPVO)—
for Application No. 2005/2050 filed Oct. 26, 2005—documents
include Dec. 15, 2005 print out from CPVO Official
Gazette verifying application information (1 pg.) and Technical
Questionnaire (5 pgs.).
- Primary Examiner*—Kent Bell
Assistant Examiner—S. B. McCormick-Ewoldt
(74) *Attorney, Agent, or Firm*—Foley & Lardner, LLP

(57) **ABSTRACT**

A new and distinct *Sutera* plant named 'DANCOP19' particularly characterized by 5-petalled flowers, measuring about 1.8 cm in diameter and purple in color with a yellow-orange colored throat; vigorous growth which maintains a trailing compact growth habit; early flowering response, suitable for use with hanging basket planters, combination planters and ground cover under full sunlight and slight shade.

2 Drawing Sheets

1

Latin name of the genus and species of the claimed plant:
Sutera cordata.

Variety denomination: 'DANCOP19'.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of *Sutera* plant, botanically known as *Sutera cordata*, hereinafter referred to by the cultivar name 'DANCOP19'.

Sutera, of the Scrophulariaceae family, consists of annuals which are grown in most climate zones in the U.S., and only in zones 9 and 10 if it is a perennial plant. 10

The new *Sutera* cultivar is a product of a planned breeding program conducted by the inventor, Gabriel Danziger, in Moshav Mishmar Hashiva, Israel. The objective of the breeding program is to develop a new *Sutera* variety with large, purple flowers and a trailing, compact growth habit. 15

The new *Sutera* cultivar originated from a cross made in a controlled breeding program by the inventor in 2004, in Moshav Mishmar Hashiva, Israel. The female or seed parent is *Sutera* cultivar designated 'CV-4-3' from our breeding program (unpatented). The male or pollen parent is *Sutera* cultivar designated 'OP19' from our breeding program (unpatented). The new *Sutera* cultivar 'DANCOP19' was discovered and selected by the inventor, Gabriel Danziger, as a single flowering plant within the progeny of the stated cross in a controlled environment in Moshav Mishmar Hashiva, Israel. 20

Asexual reproduction of the new *Sutera* cultivar by vegetative cuttings was first performed in August of 2004 in Moshav Mishmar Hashiva, Israel, and has demonstrated that the combination of characteristics as herein disclosed for the new cultivar are firmly fixed and retained through successive generations of asexual reproduction. The new cultivar reproduces true to type. 25

2

BRIEF SUMMARY OF THE INVENTION

The following traits have been repeatedly observed and are determined to be unique characteristics of 'DANCOP19' which in combination distinguish this *Sutera* as a new and distinct cultivar: 5

1. 5-petalled flowers, measuring about 1.8 cm in diameter and purple in color with a yellow-orange throat;
2. Vigorous growth which maintains a trailing, compact growth habit;
3. Early flowering response; and
4. Suitable for use with hanging basket planters, combination planters and ground cover under full sunlight and slight shade.

Plants of 'DANCOP19' differ from the plants of the female parent, 'CV-04-3' primarily in flower size and growth habit. Plants of 'DANCOP19' produce flowers larger in size (about 1.8 cm in diameter) than plants of 'CV-4-3' (about 1.6 cm in diameter). Plants of 'DANCOP19' have a more compact growth habit (height about 13 cm and spread about 40 cm) than plants of 'CV-4-3' (height about 16 cm and spread about 50 cm). 20

Of the many commercial cultivars known to the inventor, the most similar in comparison to 'DANCOP19' is the *Sutera* cultivar 'DANCOPINK' (allowed, U.S. Plant Pat. No. 16,992). The new cultivar is distinguishable from 'DANCOPINK' in flower color and growth habit. The flower color of 'DANCOP19' is darker (purple, RHS 77B) and its growth habit is more vigorous, whereas 'DANCOPINK' flowers are lighter (violet, RHS 84C) and its growth habit is less vigorous. 25

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying photographic drawings illustrate the overall appearance of the new *Sutera* cultivar 'DANCOP19' 30

showing the colors as true as is reasonably possible with colored reproductions of this type. Colors in the photographs may differ slightly from the color value cited in the detailed botanical description which accurately describe the color of 'DANCOP19'.

FIG. 1 shows a side view perspective of a typical 'DANCOP19' plant in a hanging basket at 3 months.

FIG. 2 shows a close-up of a single flower of 'DANCOP19'.

DETAILED BOTANICAL DESCRIPTION

The new *Sutera* cultivar 'DANCOP19' has not been observed under all possible environmental conditions. The phenotype of the new cultivar may vary significantly with variations in environment such as temperature, light intensity, and day length without any change in the genotype of the plant.

The aforementioned photographs, together with the following observations, measurements and values describe the new *Sutera* cultivar 'DANCOP19' as grown in a greenhouse in Moshav Mishmar Hashiva, Israel, under conditions which closely approximate those generally used in commercial practice.

Color references are made to The Royal Horticultural Society Colour Chart (R.H.S.), 2001 edition, except where general colors of ordinary significance are used. Color values were taken under daylight conditions at approximately 12:00 noon in Moshav Mishmar Hashiva, Israel. The age of the plant described is 2 months.

Classification:

Botanical.—*Sutera cordata*.

Commercial.—*Sutera Scopia™ Dark Pink*.

Parentage:

Female or seed parent.—*Sutera* cultivar designated 'CV-4-3' from our breeding program (unpatented).

Male or pollen parent.—*Sutera* cultivar designated 'OP19' from our breeding program (unpatented).

Optimal growth conditions:

Light intensities.—Full sunlight or slight shade.

Temperature.—Day: 20° C. to 24° C. Night: 16° C. to 20° C.

Temperature tolerance.—Tolerant to a low temperature of about 10° C. and tolerant to a high temperature of about 30° C.

Fertilization.—A balanced fertilizer with a level of 100 ppm Nitrogen.

Growth regulators.—Unnecessary.

Propagation:

Type.—Tip cuttings of side shoots.

Rooting habit and description.—Easy to root.

Time to initiate roots.—About 7 to 10 days at 18° C.

Time to produce a rooted cutting.—About 14 days at 18° C.

Plant:

General appearance and form.—Height: 13 cm. Spread: 40 cm.

Shape.—Trailing, compact growth habit.

Winter hardiness.—Hardy in moderate climate.

Vigor.—Strong.

Strength.—Good.

Crop time.—About 8 to 10 weeks for a flowering pot.

Fragrance.—None.

Branching habit.—Vigorously branched.

Lateral branches.—

TABLE 1

Branch characteristic	Primary	Secondary
Length	40 cm.	15 cm.
Diameter	2 mm.	1 mm.
Internode Length	2.5 cm.	1 cm.
Texture	Slightly rough	Slightly rough
Pubescence	Present	Present
Color	Green, RHS 137C	Green, RHS 137D

Foliage:

Arrangement and attachment.—Opposite, petiolate.

Leaf length.—2.0 cm.

Leaf width.—1.2 cm.

Overall shape of leaf.—Elliptic.

Apex shape.—Acute.

Base shape.—Acute.

Margin.—Dentate.

Texture (both surfaces).—Slightly velvety.

Pubescence (both surfaces).—Slightly present.

Color of upper surface.—Mature leaf: Green, RHS 137A. Immature leaf: Green, RHS 137C.

Color of lower surface.—Mature leaf: Green, RHS 137C. Immature leaf: Green, RHS 137C.

Venation.—Pattern: Pinnate. Color: Upper surface: Green, RHS 137A. Lower surface: Green, RHS 137C.

Petiole.—Length: 6 mm. Diameter: 1 mm. Color: Green, RHS 137A.

Leaf fragrance.—None.

Flower description:

Natural flowering season.—All year round in moderate climate. Flowering occurs year round outdoors in Israel.

Flowering response time.—About 4 weeks from planting.

Flowering longevity.—On the plant: Flowering of a single flower lasts for 7 days.

Flower fragrance.—None.

Quantity of flowers and buds per plant.—Approximately 200.

Flower bud (about 2 days prior to opening).—Shape: Spatulate. Length: 8 mm. Diameter: 3 mm. Texture: Velvety. Color: Purple, RHS 76A.

Flower type.—Solitary, auxillary.

Flower form.—Salverform.

Flower symmetry.—Radial symmetric.

Orientation at opening.—Slanted upward and outward).

Corolla size.—Diameter (spread): 1.8 cm. Diameter at lobes: 18 mm. Overall flower height: 10 mm. Length of corolla tube: 7 mm. Diameter of corolla tube: 1 mm.

Petals.—Quantity: 5. Length: 8 mm. Width: 5 mm. Overall shape: Oval and gamopetalous. Apex: Rounded. Base: Fused. Margin: Entire. Texture (upper & lower surfaces): Slightly velvety. Color: Upper surface, when opening: Purple, RHS 77B. Upper surface, opened flower: Purple, RHS 77B. Lower surface, when opening: Purple, RHS 77C. Lower surface, opened flower: Purple, RHS 77C.

Corolla throat color.—Yellow-orange, RHS 15A.

Calyx.—Sepals: Quantity: 5. Length: 5 mm. Width: 1 mm. Overall shape: Linear. Apex: Acute. Base: Fused. Margin: Entire. Texture: Upper surface: Vel-

US PP18,116 P2

5

vety. Lower surface: Velvety. Upper surface color: Green, RHS 137C. Lower surface color: Green, RHS 137C. Anthocyan pigmentation of calyx limb: Absent.

Pedicel.—Aspect: Slanted upward. Length: 7 mm. Diameter: 1 mm. Angle: About 45°. Texture: Velvety. Color: Green, RHS 146B.

Reproductive organs:

Androecium.—Stamen: Number: 4. Arrangement: Didynamous. Type: Basifixed. Dehiscence of stamens: Extrorse. Color: Yellow-orange, RHS 15B. Anthers: Shape: Cylinder. Length: 1 mm. Filaments: Length: About 9 mm. Color: RHS 155D, white group. Pollen: Amount: Moderate. Color: Yellow-orange, RHS 15B. Pollination requirements: Young flowers, vital pollen, and receptive, open stigma.

Gynoecium.—Pistils: Quantity: 1. Length: About 10 mm. Stigma: Shape: Undulate. Width: About 0.5 mm. Color: Green-Yellow, RHS 1C. Style: Shape: Terete. Length: About 8 mm. Ovary: Shape: Ellipsoid. Position: Superior. Length: About 2 mm. Width: About 1 mm. Color: Yellow-green, RHS 144C.

6

Seeds:

Quantity per fruit.—About 20.
Shape.—Elliptic.
Length.—About 1 mm.
Width.—About 0.5 mm.
Texture.—Rough.
Color.—Greyed-orange, RHS 165C.

Fruit:

Type.—Capsule.
Shape.—Ellipsoid.
Length.—About 4 mm.
Width.—About 2 mm.
Texture.—Rugose.
Color.—Greyed-orange, RHS 165B.

Disease/pest resistance: No information is currently available.

Disease/pest susceptibility: No information is currently available.

I claim:

1. A new and distinct *Sutera* plant named 'DANCOP19', substantially as illustrated and described herein.

* * * * *

FIGURE 1



FIGURE 2

