



US00PP18194P3

(12) **United States Plant Patent**
Danziger

(10) **Patent No.:** **US PP18,194 P3**

(45) **Date of Patent:** **Nov. 13, 2007**

(54) *SUTERA* PLANT NAMED 'DANGUL14'

(56) **References Cited**

(50) Latin Name: *Sutera cordata*
Varietal Denomination: **DANGUL14**

PUBLICATIONS

(75) Inventor: **Gabriel Danziger**, Moshav Nir-Zvi (IL)

European Union Community Plant Variety Office (CPVO)—for Application No. 2005/2052 filed Oct. 26, 2005—documents include Dec. 15, 2005 print out from CPVO Official Gazette verifying application information (1 pg.) and Technical Questionnaire (5 pgs.).

(73) Assignee: **Danziger "Dan" Flower Farm**, Post Beit Dagan (IL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

Primary Examiner—Kent Bell
Assistant Examiner—S. B. McCormick-Ewoldt
(74) *Attorney, Agent, or Firm*—Foley & Lardner LLP

(21) Appl. No.: **11/392,501**

(22) Filed: **Mar. 30, 2006**

(57) **ABSTRACT**

(65) **Prior Publication Data**

US 2007/0234454 P1 Oct. 4, 2007

A new and distinct *Sutera* plant named 'DANGUL14' particularly characterized by having 5-petalled flowers, measuring about 2.7 cm in diameter and white in color with a yellow-orange colored throat; vigorous growth which maintains a trailing, compact growth habit; early flowering response, suitable for use with hanging basket planters, combination planters and ground cover under full sunlight and slight shade.

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(52) **U.S. Cl.** **Plt./263**

(58) **Field of Classification Search** **Plt./263**
See application file for complete search history.

2 Drawing Sheets

1

2

Latin name of the genus and species of the claimed plant:
Sutera cordata.

Variety denomination: 'DANGUL14'.

generations of asexual reproduction. The new cultivar reproduces true to type.

BACKGROUND OF THE INVENTION

BRIEF SUMMARY OF THE INVENTION

The present invention relates to a new and distinct cultivar of *Sutera* plant, botanically known as *Sutera cordata*, hereinafter referred to by the cultivar name 'DANGUL14'.

The following traits have been repeatedly observed and are determined to be unique characteristics of 'DANGUL14', which in combination distinguish this *Sutera* as a new and distinct cultivar:

Sutera, of the *Scrophulariaceae* family, consists of annuals which are grown in most climate zones in the U.S., and only in zones 9 and 10 if it is a perennial plant.

1. 5-petalled flowers, measuring about 2.7 cm in diameter and white in color with a yellow-orange colored throat;
2. Vigorous growth which maintains a trailing, compact growth habit;
3. Early flowering response; and
4. Suitable for use with hanging basket planters, combination planters and ground cover under full sunlight and slight shade.

The new *Sutera* cultivar is a product of a planned breeding program conducted by the inventor, Gabriel Danziger, in Moshav Mishmar Hashiva, Israel. The objective of the breeding program is to develop a new *Sutera* variety with large, white flowers and a trailing, compact growth habit.

The new *Sutera* cultivar originated from a cross made in a controlled breeding program by the inventor in 2003, in Moshav Mishmar Hashiva, Israel. The female or seed parent is a *Sutera* cultivar designated 'CV-3-75' from our breeding program (unpatented). The male or pollen parent is a *Sutera* cultivar designated 'OP43' from our breeding program (unpatented). The new *Sutera* cultivar 'DANGUL14' was discovered and selected by the inventor, Gabriel Danziger, as a single flowering plant within the progeny of the stated cross in a controlled environment in Moshav Mishmar Hashiva, Israel.

Plants of 'DANGUL14' differ from the plants of the female parent, 'CV-3-75' primarily in flower size and growth habit. Plants of 'DANGUL14' produce flowers larger in size (about 2.7 cm in diameter) than plants of 'CV-3-75' (about 2.2 cm in diameter). Plants of 'DANGUL14' have a more compact growth habit (height about 10 cm and spread about 50 cm) than plants of 'CV-3-75' (height about 15 cm and spread about 60 cm).

Asexual reproduction of the new *Sutera* cultivar by vegetative cuttings was first performed in March of 2004 in Moshav Mishmar Hashiva, Israel, and has demonstrated that the combination of characteristics as herein disclosed for the new cultivar are firmly fixed and retained through successive

Of the many commercial cultivars known to the inventor, the most similar in comparison to 'DANGUL14' is the *Sutera* cultivar 'Great White Improved' (unpatented). The new cultivar is distinguishable from 'Great White Improved' in flower size and growth habit. The flower size of 'DANGUL14' is 2.7 cm and its growth habit is compact, whereas 'Great White Improved' flowers are 2.4 cm and it is more vigorous.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying photographic drawings illustrate the overall appearance of the new *Sutera* cultivar 'DANGUL14' showing the colors as true as is reasonably possible with colored reproductions of this type. Colors in the photographs may differ slightly from the color value cited in the detailed botanical description which accurately describe the color of 'DANGUL14'.

FIG. 1 shows a top view perspective of a typical 'DANGUL14' plant in a hanging basket at 3 months.

FIG. 2 shows a close-up view of a single flower of 'DANGUL14' at 3 months.

DETAILED BOTANICAL DESCRIPTION

The new *Sutera* cultivar 'DANGUL14' has not been observed under all possible environmental conditions. The phenotype of the new cultivar may vary significantly with variations in environment such as temperature, light intensity, and day length without any change in the genotype of the plant.

The aforementioned photographs, together with the following observations, measurements and values describe the new *Sutera* cultivar 'DANGUL14' as grown in a greenhouse in Moshav Mishmar Hashiva, Israel, under conditions which closely approximate those generally used in commercial practice.

Color references are made of The Royal Horticultural Society Colour Chart (R.H.S.), 2001 edition, except where general colors of ordinary significance are used. Color values were taken under daylight conditions at approximately 12:00 noon in Moshav Mishmar Hashiva, Israel. The age of the plant described is 2 months.

Classification:

Botanical.—*Sutera cordata*.

Commercial.—*Sutera* Scopia™ Gulliver White.

Parentage:

Female or seed parent.—*Sutera* cultivar designated 'CV-3-75' from our breeding program (unpatented).

Male or pollen parent.—*Sutera* cultivar designated 'OP43' from our breeding program (unpatented).

Optimal growth conditions:

Light intensities.—Full sunlight or slight shade.

Temperature.—Day: 20° C. to 24° C. Night: 16° C. to 20° C.

Temperature tolerance.—Tolerant to a low temperature of about 10° C. and tolerant to a high temperature of about 30° C.

Fertilization.—A balanced fertilizer with a level of 100 ppm Nitrogen.

Growth regulators.—Unnecessary.

Propagation:

Type.—Tip cuttings of side shoots.

Rooting habit and description.—Easy to root.

Time to initiate roots.—About 7 to 10 days at 18° C.

Time to produce a rooted cutting.—About 14 days at 18° C.

Plant:

General appearance and form.—Height: 10 cm. Spread: 50 cm.

Shape.—Trailing, compact growth habit.

Winter hardiness.—Hardy in moderate climate.

Vigor.—Strong.

Strength.—Good.

Crop time.—About 8 to 10 weeks for a flowering pot.

Fragrance.—None.

Branching habit.—Vigorously branched. Lateral branches:

TABLE 1

| Branch characteristic | Primary | Secondary |
|-----------------------|-----------------|-----------------|
| Length | 40 cm. | 18 cm. |
| Diameter | 2 mm. | 1 mm. |
| Internode Length | 2 cm. | 1.5 cm. |
| Texture | Slightly rough | Slightly rough |
| Pubescence | Present | Present |
| Color | Green, RHS 137B | Green, RHS 137B |

Foliage:

Arrangement and attachment.—Opposite, petiolate.

Leaf length.—2.0 cm.

Leaf width.—1.8 cm.

Overall shape of leaf.—Rhomboidal.

Apex shape.—Acute.

Base shape.—Acute.

Margin.—Dentate.

Texture (both surfaces).—Slightly velvety.

Pubescence (both surfaces).—Slightly present.

Color of upper surface.—Mature leaf: Yellow-Green, RHS 147A. Immature leaf: Green, RHS 137B.

Color of lower surface.—Mature leaf: Green, RHS 137B. Immature leaf: Green, RHS 137C.

Venation.—Pattern: Palmate Color: Upper surface: Yellow-Green, RHS 147A. Lower surface: Green, RHS 137B.

Petiole.—Length: 5 mm. Diameter: 1 mm. Color: Yellow-Green, RHS 147A.

Leaf fragrance.—None.

Flower description:

Natural flowering season.—All year round in moderate climate. Flowering occurs year round outdoors in Israel.

Flowering response time.—About 4 weeks from planting.

Flowering longevity.—On the plant: Flowering of a single flower lasts for 7 days.

Flower fragrance.—None.

Quantity of flowers and buds per plant.—Approximately 200.

Flower bud (about 2 days prior to opening).—Shape: Spatulate. Length: 17 mm. Diameter: 8 mm. Texture: Velvety. Color: White, RHS 155C.

Flower type.—Solitary, axillary.

Flower form.—Salverform.

Flower symmetry.—Bilateral.

Orientation at opening.—Slanted upward and outward.

Corolla size.—Diameter (spread): 2.7 cm. Diameter at lobes: 27 mm. Overall flower height: 15 mm. Length of corolla tube: 12 mm. Diameter of corolla tube: 1 mm.

Petals.—Quantity: 5. Length: 10 mm. Width: 10 mm. Overall shape: Rounded and gamopetalous. Apex: Rounded. Base: Fused. Margin: Entire. Texture (upper & lower surfaces): Slightly velvety. Color: Upper & lower surfaces, when opening: White, RHS 155C. Upper & lower surfaces, fully opened: White, RHS 155C. Corolla throat color: Yellow-orange, RHS 17A.

Calyx.—Sepals: Quantity: 5. Length: 5 mm. Width: 1 mm. Overall Shape: Linear. Apex: Acute. Base:

Fused. Margin: Entire. Texture: Upper surface: Velvety. Lower surface: Velvety. Upper surface color: Green, RHS 137C. Lower surface color: Green, RHS 137C. Anthocyan pigmentation of calyx limb: Absent. Pedicel: Aspect: Slanted upward. Length: 10 mm. Diameter: 1 mm. Angle: About 45°. Texture: Velvety. Color: Green, RHS 143A.

Reproductive organs:

Androecium.—Stamen: Number: 4. Arrangement: Didynamous. Type: Basifixed. Dehiscence of stamens: Extrorse. Color: Yellow-orange, RHS 17C. Anthers: Shape: Cylinder. Length: 1 mm. Color: Yellow-orange, RHS 17C. Filaments: Length: About 10 mm. Color: RHS 155C white. Pollen: Amount: Moderate. Color: Yellow-orange, RHS 17C. Pollination requirements: Young flowers, vital pollen, and receptive, open stigma.

Gynoecium.—Pistils: Quantity: 1. Length: About 14 mm. Stigma: Shape: Undulate. Width: About 0.5 mm. Color: Yellow-Green, RHS N144B. Style: Shape: Terete. Length: About 12 mm. Ovary: Shape: Ellipsoid. Position: Superior. Length: About 2 mm. Width: About 1 mm. Color: Green, RHS 137C.

Seeds:

Quantity per fruit.—About 20.

Shape.—Rounded.

Length.—About 0.5 mm.

Width.—About 0.5 mm.

Texture.—Rough.

Color.—Greyed-orange, RHS 164A.

Fruit:

Type.—Capsule.

Shape.—Ellipsoid.

Length.—About 4 mm.

Width.—About 2 mm.

Texture.—Rugose.

Color.—Greyed-orange, RHS 165B.

Disease/pest resistance: No information is currently available.

Disease/pest susceptibility: No information is currently available.

I claim:

1. A new and distinct *Sutera* plant named 'DANGUL14', substantially as illustrated and described herein.

* * * * *

FIGURE 1




FIGURE 2

