



US00PP18582P2

(12) **United States Plant Patent**
Klemm

(10) **Patent No.:** **US PP18,582 P2**
(45) **Date of Patent:** **Mar. 11, 2008**

(54) **NEMESIA PLANT NAMED ‘KLENH05422’**

(50) Latin Name: *Nemesia hybrida*
Varietal Denomination: **KLENH05422**

(75) Inventor: **Nils Klemm**, Stuttgart (DE)

(73) Assignee: **Klemm + Sohn GmbH + Co. KG**,
Stuttgart (DE)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **11/583,691**

(22) Filed: **Oct. 19, 2006**

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(52) **U.S. Cl.** **Plt./263**

(58) **Field of Classification Search** **Plt./263**
See application file for complete search history.

Primary Examiner—Kent Bell

Assistant Examiner—S. B. McCormick-Ewoldt

(74) *Attorney, Agent, or Firm*—C. A. Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Nemesia* plant named
‘KLENH05422’, characterized by its upright, outwardly
spreading and compact growth habit; freely branching and
flowering plant habit; and bright yellow-colored flowers.

1 Drawing Sheet

1

Botanical designation: *Nemesia hybrida*.
Cultivar denomination: ‘KLENH05422’.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *Nemesia*, botanically known as *Nemesia hybrida* and
hereinafter referred to by the name ‘KLENH05422’.

The new *Nemesia* is a product of a planned breeding
program conducted by the Inventor in Stuttgart, Germany.
The objective of the breeding program is to create new
freely-flowering *Nemesia* cultivars with continuous flower-
ing and attractive flower coloration.

The new *Nemesia* originated from a cross-pollination in
June, 2004 in Stuttgart, Germany of a proprietary selection
of *Nemesia hybrida* identified as code number K 002, not
patented, as the female, or seed, parent with a proprietary
selection of *Nemesia hybrida* identified as code number K
003, not patented, as the male, or pollen, parent. The new
Nemesia was discovered and selected by the Inventor as a
single flowering plant within the progeny of the stated
cross-pollination in a controlled environment in Stuttgart,
Germany in January, 2005.

Asexual reproduction of the new *Nemesia* by terminal
cuttings in a controlled environment in Stuttgart, Germany
since February, 2005, has shown that the unique features of
this new *Nemesia* are stable and reproduced true to type in
successive generations.

SUMMARY OF THE INVENTION

The cultivar KLENH05422 has not been observed under
all possible environmental conditions. The phenotype may
vary somewhat with variations in environment and cultural
practices such as temperature, daylength and light intensity
without, however, any variance in genotype.

The following traits have been repeatedly observed and
are determined to be the unique characteristics of
‘KLENH05422’. These characteristics in combination dis-
tinguish ‘KLENH05422’ as a new and distinct cultivar of
Nemesia:

1. Upright, outwardly spreading and compact growth
habit.

2

2. Freely branching and flowering plant habit.
3. Bright yellow-colored flowers.

Plants of the new *Nemesia* differ from plants of the female
parent selection primarily in flower color as plants of the
female parent selection have light yellow-colored flowers. In
addition, plants of the new *Nemesia* have larger flowers than
plants of the female parent selection.

Plants of the new *Nemesia* differ from plants of the male
parent selection primarily in flower color as plants of the
male parent selection have light yellow-colored flowers. In
addition, plants of the new *Nemesia* have smaller flowers
than plants of the male parent selection.

Plants of the new *Nemesia* can be compared to plants of
the cultivar KLENE04146, disclosed in U.S. Plant patent
application Ser. No. 11/343,865. In side-by-side compari-
sons conducted by the Inventor in Stuttgart, Germany, plants
of the new *Nemesia* differed from plants of the cultivar
KLENE04146 in the following characteristics:

1. Plants of the new *Nemesia* were larger than plants of the
cultivar KLENE04146.
2. Plants of the new *Nemesia* and the cultivar
KLENE04146 differed in flower color.

BRIEF DESCRIPTION OF THE PHOTOGRAPH

The accompanying colored photograph illustrates the
overall appearance of the new *Nemesia*, showing the colors
as true as it is reasonably possible to obtain in colored
reproductions of this type. Colors in the photograph may
differ slightly from the color values cited in the detailed
botanical description which accurately describe the colors of
the new *Nemesia*. The photograph comprises a side perspec-
tive view of typical flowering plants of ‘KLENH05422’
grown in a container.

DETAILED BOTANICAL DESCRIPTION

The photograph and following observations, measure-
ments and values describe plants grown in Stuttgart, Ger-
many in containers in a glass-covered greenhouse during the
spring and under conditions which closely approximate
commercial production. During the production of the plants,
day temperatures ranged from 18° C. to 22° C., night

temperatures ranged from 12° C. to 18° C., and maximum light levels were 60,000 lux. Plants were pinched one time and were about eleven weeks old when the photograph and the description were taken. In the description, color references are made to The Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Nemesia caerulea* cultivar KLENH05422.

Parentage:

Female, or seed, parent.—Proprietary selection of *Nemesia hybrida* identified as code number K 002, not patented.

Male, or pollen, parent.—Proprietary selection of *Nemesia hybrida* identified as code number K 003, not patented.

Propagation:

Type.—By terminal cuttings.

Time to initiate roots, summer.—About six days at 25° C.

Time to initiate roots, winter.—About ten days at 25° C.

Time to produce a rooted young plant, summer.—About 14 days at 25° C.

Time to produce a rooted young plant, winter.—About 17 days at 25° C.

Root description.—Fine, fibrous; pale white in color.

Rooting habit.—Freely branching; dense.

Plant description:

Plant and growth habit.—Upright, outwardly spreading and compact growth habit. Freely branching; about 20 to 25 primary branches develop per plant. Moderately vigorous growth habit.

Plant height.—About 14 cm to 17 cm.

Plant diameter.—About 23 cm to 27 cm.

Lateral branch description:

Length.—About 12 cm to 17 cm.

Diameter.—About 2 mm to 4 mm.

Internode length.—About 1 cm to 2 cm.

Strength.—Moderately strong.

Aspect.—Initially upright to outwardly spreading.

Texture.—Smooth, glabrous.

Color.—137B.

Foliage description:

Arrangement.—Opposite, simple; sessile.

Length.—About 4.5 cm.

Width.—About 1 cm.

Shape.—Lanceolate.

Apex.—Acuminate.

Base.—Obtuse.

Margin.—Serrate.

Texture, upper and lower surfaces.—Smooth, glabrous.

Venation pattern.—Pinnate; arcuate.

Color.—Developing foliage, upper surface: 137A.

Developing foliage, lower surface: 137C. Fully expanded foliage, upper surface: 147A; venation, 137C. Fully expanded foliage, lower surface: 137C; venation, 141C.

Flower description:

Flower arrangement and habit.—Zygomorphic solitary flowers arranged on terminal racemes; flowering acropetally towards the apex. Flowers bilabiate. Flowers face mostly outwardly. Flowers last about one week on the plant. Flowers not persistent. Freely

flowering habit with about 16 open flowers and flower buds per raceme.

Fragrance.—None detected.

Natural flowering season.—In Germany, plants flower from May through September; flowering continuous during this period.

Inflorescence height.—About 7 cm.

Inflorescence diameter.—About 3 cm.

Flower diameter.—About 2 cm.

Flower depth.—About 1 cm.

Flower throat diameter.—About 4 mm.

Flower tube length.—About 3 mm.

Flower tube diameter, base.—About 2 mm.

Flower buds.—Shape: Obovate. Length: About 5 mm.

Diameter: About 4 mm. Color: 12C; stripes, 53B.

Petals.—Arrangement: Five petals; four upper petals are fused at base to form an upright lobed and arched banner lip; lower petal modified into a larger lip with convex oval protuberance which serves as a pollinator nectar guide and landing platform. Shape: Obovate. Apex: Obtuse. Margin: Entire. Length: Upper petals: About 8 mm. Lower petal: About 1 cm. Width: Upper petals: About 4 mm. Lower petal: About 1.3 cm. Texture, upper and lower surfaces: Smooth, glabrous; velvety. Color: When opening, upper surface: 7C. When opening, lower surface: 8C. Fully opened, upper surface: 8A; protuberance, close to 17A; throat, 25A. Fully opened, lower surface: 8C; venation, 53D; tube, 25C.

Sepals.—Arrangement: Calyx star-shaped with five sepals fused at the base: Shape: Lanceolate. Apex: Cuspidate. Margin: Entire. Length: About 4 mm. Width: About 1 mm. Texture, upper and lower surfaces: Smooth, glabrous; satiny. Color, upper surface: 137B. Color, lower surface: 137C.

Peduncles.—Length: About 5 cm. Diameter: About 3 mm. Angle: Erect. Strength: Strong. Texture: Smooth, glabrous. Color: 137A.

Pedicels.—Length: About 7 mm. Diameter: About 2 mm. Angle: Erect. Strength: Moderately strong. Texture: Smooth, glabrous. Color: 144A.

Reproductive organs.—Stamens: Quantity/arrangement: Four per flower. Anther shape: Elliptic. Anther length: About 1 mm. Anther color: 157B. Pollen amount: Moderate. Pollen color: 12A. Pistils: Quantity: One per flower. Pistil length: About 2 mm. Style length: About 2 mm. Style color: 137C. Stigma shape: Ovate. Stigma color: 137C. Ovary color: 137C. Seed/fruit: Seed and fruit development have not been observed on plants of the new *Nemesia*.

Pathogen/pest resistance: Plants of the new *Nemesia* have not been observed to be resistant to pests and pathogens common to *Nemesia*.

Garden performance: Plants of the new *Nemesia* have been observed to tolerate wind and rain and have good garden performance.

Temperature tolerance: Plants of the new *Nemesia* have been observed to tolerate temperatures from about 5° C. to about 35° C.

It is claimed:

1. A new and distinct *Nemesia* plant named 'KLENH05422' as illustrated and described.

