

US00PP18619P2

# (12) United States Plant Patent Klemm

(45) Date of Patent:

(10) Patent No.:

US PP18,619 P2

Mar. 18, 2008

(54) CALIBRACHOA PLANT NAMED 'KLECA05116'

(50) Latin Name: *Calibrachoa* 

Varietal Denomination: KLECA05116

(75) Inventor: Nils Klemm, Stuttgart (DE)

(73) Assignee: Klemm + Sohn GmbH + Co. KG,

Stuttgart (DE)

(\*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 11/524,410

(22) Filed: Sep. 20, 2006

(51) Int. Cl.

A01H 5/00 (2006.01)

(52) U.S. Cl. ..... Plt./263

(58) **Field of Classification Search** ....................... Plt./263 See application file for complete search history.

Primary Examiner—Kent Bell

(74) Attorney, Agent, or Firm—C. A. Whealy

(57) ABSTRACT

A new and distinct cultivar of *Calibrachoa* plant named 'KLECA05116', characterized by its compact and outwardly spreading growth habit; mounded plant habit; freely branching habit; freely flowering habit; relatively large dark red-colored flowers; and good garden performance.

1 Drawing Sheet

1

Botanical designation: *Calibrachoa* sp. Cultivar denomination: 'KLECA05116'.

#### BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of *Calibrachoa*, botanically known as *Calibrachoa* sp. and hereinafter referred to by the name 'KLECA05116'.

The new *Calibrachoa* is a product of a planned breeding program conducted by the Inventor in Stuttgart, Germany. The objective of the breeding program is to create new freely-branching *Calibrachoa* cultivars with compact and trailing plant habit, early and freely flowering habit, and unique and attractive flower color.

The new *Calibrachoa* originated from a cross-pollination made by the Inventor during the summer of 2002 in Stuttgart, Germany of a proprietary selection of *Calibrachoa* sp. identified as code number U14, not patented, as the female, or seed, parent with a proprietary selection of *Calibrachoa* sp. identified as code number J 55, not patented, as the male, or pollen, parent. The new *Calibrachoa* was discovered and selected by the Inventor as a single flowering plant within the progeny of the stated cross-pollination in a controlled environment in Stuttgart, Germany in May, 2003.

Asexual reproduction of the new *Calibrachoa* by terminal cuttings in a controlled environment in Stuttgart, Germany since May, 2003, has shown that the unique features of this new *Calibrachoa* are stable and reproduced true to type in <sup>30</sup> successive generations.

#### SUMMARY OF THE INVENTION

The cultivar KLECA05116 has not been observed under 35 all possible environmental conditions. The phenotype may vary somewhat with variations in environment and cultural practices such as temperature and light intensity without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'KLECA05116'. These characteristics in combination dis-

2

tinguish 'KLECA05116' as a new and distinct cultivar of *Calbrachoa:* 

- 1. Compact and outwardly spreading growth habit; mounded plant habit.
- 2. Freely branching habit.
- 3. Freely flowering habit.
- 4. Relatively large dark red-colored flowers.
- 5. Good garden performance.

Plants of the new *Calibrachoa* can be compared to plants of the female parent selection. Plants of the new *Calibrachoa* differ from plants of the female parent selection in the following characteristics:

- 1. Plants of the new *Calibrachoa* are more compact and mounding than plants of the female parent selection.
- 2. Plants of the new *Calibrachoa* are more freely branching than plants of the female parent selection.

Plants of the new *Calibrachoa* can be compared to plants of the male parent selection. Plants of the new *Calibrachoa* differ primarily from plants of the male parent selection in flower color.

Plants of the new *Calibrachoa* can be compared to plants of the cultivar KLEC02073, not patented. In side-by-side comparisons conducted in Stuttgart, Germany, plants of the new *Calibrachoa* differed from plants of the cultivar KLEC02073 in the following characteristics:

- 1. Plants of the new *Calibrachoa* were more compact and mounding than plants of the cultivar KLEC02073.
- 2. Plants of the new *Calibrachoa* and the cultivar KLEC02073 differed in flower color as plants of the cultivar KLEC02073 had darker red-colored flowers.

#### BRIEF DESCRIPTION OF THE PHOTOGRAPH

The accompanying colored photograph illustrates the overall appearance of the new *Calibrachoa*, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photograph may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Calibrachoa*. The photograph comprises a close-up view of typical flowers and leaves of 'KLECA05116'.

3

#### DETAILED BOTANICAL DESCRIPTION

The photograph and following observations, measurements and values describe plants grown in Stuttgart, Germany, under commercial practice during the spring in a glass-covered greenhouse with day and night temperatures ranging from 14° C. to 16° C. and light levels averaging 20,000 lux. Rooted young plants had been growing for about five months when the photograph and description were taken. Plants used for the description were grown in 12-cm containers. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: Calibrachoa sp. cultivar KLECA05116.

#### Parentage:

Female, or seed, parent.—Proprietary selection of Calibrachoa sp. identified as code number U 14, not patented.

Male, or pollen, parent.—Proprietary selection of Calibrachoa sp. identified as code number J 55, not patented.

#### Propagation:

Type.—By terminal cuttings.

Time to produce a rooted young plant, summer.—About three weeks at temperatures of 20° C. to 26° C.

Time to produce a rooted young plant, winter.—About four weeks at temperatures of 20° C.

Root description.—Fine, fibrous; white in color.

Rooting habit.—Freely branching; moderately dense.

## Plant description:

Plant and growth habit.—Compact, outwardly spreading growth habit, mounded plant habit. Freely branching habit with about five primary lateral branches each with multiple secondary lateral branches; pinching is typically not required. Moderately vigorous growth habit.

Plant height.—About 8 cm.

Plant diameter.—About 18 cm.

#### Lateral branch description:

Length.—About 9 cm.

Diameter.—About 2 mm.

Internode length.—About 0.5 cm to 2 cm.

Strength.—Strong.

Aspect.—Initially upright to outwardly spreading.

Texture.—Smooth, glabrous.

*Color.*—145A.

### Foliage description:

Arrangement.—Alternate, simple; sessile.

Length.—About 1 cm to 3 cm.

Width.—About 0.5 cm to 1.5 cm.

Shape.—Lanceolate to elliptical.

Apex.—Acute.

Base.—Attenuate.

Margin.—Entire.

Texture, upper and lower surfaces.—Smooth, glabrous. Venation pattern.—Pinnate; arcuate.

Color.—Developing foliage, upper surface: 138A. Developing foliage, lower surface: 138B. Fully expanded foliage, upper and lower surfaces: 138A; venation, 144B.

4

Flower description:

Flower arrangement and habit.—Relatively large salverform flowers arranged singly arising from leaf axils. Freely flowering habit with usually about 60 open flowers and flower buds developing per lateral branch. Flowers not persistent. Flowers face mostly upright to outwardly.

Fragrance.—None detected.

Natural flowering season.—Plants flower continuously throughout the summer in Germany.

Flower longevity.—Individual flowers last about one week on the plant.

Flower diameter.—About 3 cm.

Flower length (height).—About 4 cm.

Flower throat diameter.—About 8 mm.

Flower tube diameter.—About 2 mm.

Flower tube length.—About 1.5 cm.

Flower bud.—Shape: Elongated oblong. Length: About 1.3 cm. Diameter: About 4 mm. Color: 59C.

Corolla.—Arrangement: Five petals fused at the base and opening into a flared trumpet. Petal length from throat: About 1.3 cm. Petal lobe width: About 1.7 cm. Petal shape: Roughly cordate. Petal apex: Crenate. Petal margin: Entire. Petal texture, upper and lower surfaces: Smooth, glabrous; satiny. Throat and tube texture: Smooth, glabrous. Color: Petal, when opening, upper surface: 46A. Petal, when opening, lower surface: 51A. Petal, fully opened, upper surface: 46B and 46C; venation, 53A. Petal, fully opened, lower surface: 51B; venation, 185B. Throat: 46C; venation, 53A. Tube: 12A; venation, 201A.

Calyx.—Arrangement: One star-shaped calyx tube with five sepals fused at the base per flower. Sepal length: About 1.8 cm. Sepal width: About 6 mm. Sepal shape: Lanceolate to elliptical. Sepal apex: Acute. Sepal margin: Entire. Sepal texture, upper and lower surfaces: Smooth, glabrous. Color, upper surface: 136B. Color, lower surface: 137C.

Peduncles.—Length: About 4 cm. Diameter: About 2 mm. Angle: Erect to about 75° from stem axis. Strength: Moderately strong. Texture: Smooth, glabrous. Color: 144A.

Reproductive organs.—Stamens: Quantity/ arrangement: Six per flower. Anther shape: Elliptic. Anther length: About 1 mm to 2 mm. Anther color: 11B. Pollen amount: Moderate. Pollen color: 11B. Pistils: Quantity: One per flower. Pistil length: About 7 mm. Style length: About 5 mm. Style color: 150A. Stigma shape: Oval. Stigma color: 149A. Ovary color: 154A. Seed/fruit: Seed and fruit development have not been observed on plants of the new Calibrachoa.

Garden performance: Plants of the new *Calibrachoa* have been observed to have good garden performance and tolerate wind, rain and temperatures ranging from about 1° C. to about 50° C.

Pathogen/pest resistance: Plants of the new *Calibrachoa* have not been observed to be resistant to Powdery Mildew. Plants of the new *Calibrachoa* have not been observed to be resistant to pests and other pathogens common to *Calibrachoa*.

It is claimed:

1. A new and distinct *Calibrachoa* plant named 'KLECA05116' as illustrated and described.

\* \* \* \* \*



Mar. 18, 2008