

US00PP19343P3

(12) **United States Plant Patent**
Danziger

(10) **Patent No.:** **US PP19,343 P3**
(45) **Date of Patent:** **Oct. 21, 2008**

(54) *SUTERA* PLANT NAMED ‘DANCOP24’
(50) Latin Name: *Sutera cordata*
Varietal Denomination: **Dancop24**
(75) Inventor: **Gabriel Danziger**, Moshav Nir-Zvi (IL)
(73) Assignee: **Danziger “Dan” Flower Farm**, Post
Beit Dagan (IL)
(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.
(21) Appl. No.: **11/717,522**
(22) Filed: **Mar. 13, 2007**
(65) **Prior Publication Data**
US 2008/0229467 P1 Sep. 18, 2008
(51) **Int. Cl.**
A01H 5/00 (2006.01)

(52) **U.S. Cl.** **Plt./485**; Plt./263
(58) **Field of Classification Search** Plt./485,
Plt./263
See application file for complete search history.
Primary Examiner—Annette H Para
Assistant Examiner—S. B. McCormick-Ewoldt
(74) *Attorney, Agent, or Firm*—Foley & Lardner LLP

(57) **ABSTRACT**
A new and distinct *Sutera* plant named ‘DANCOP24’ par-
ticularly characterized 5-petalled flowers, measuring about
3.0 cm in diameter and lavender in color with a yellow-
orange colored throat; trailing, compact growth habit; early
flowering response; and suitable for use with hanging basket
planters, combination planters and ground cover under full
sunlight-and slight shade.
2 Drawing Sheets

1

Latin name of the genus and species of the claimed plant:
Sutera cordata.
Variety denomination: ‘DANCOP24’.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *Sutera* plant, botanically known as *Sutera cordata*), here-
inafter referred to by the cultivar name ‘DANCOP24’.
Sutera, of the *Scrophulariaceae* family, consists of
annuals, which are grown in most climate zones in the U.S.,
and only in zones 9 and 10 if it is a perennial plant.
The new *Sutera* cultivar is a product of a planned breeding
program conducted by the inventor, Gabriel Danziger, in
Moshav Mishmar Hashiva, Israel. The objective of the
breeding program is to develop a new *Sutera* variety with
large, lavender flowers and trailing, compact growth habit.
The new *Sutera* cultivar originated from open pollination
in a controlled breeding program by the invention in 2004, in
Moshav Mishmar Hashiva, Israel. Open pollination of the
seed parent, an unpatented *Sutera* cultivar designated ‘CV-
04-66’, by an unknown *Sutera* cultivar, took place in a con-
trolled breeding program in Moshav Mishmar Hashiva,
Israel. The new *Sutera* cultivar ‘DANCOP24’ was discov-
ered and selected by the inventor, Gabriel Danziger, as a
single flowering plant within the progeny of the stated cross
in a controlled environment in Moshav Mishmar Hashiva,
Israel.
Asexual reproduction of the new *Sutera* cultivar by veg-
etative tip cuttings was first performed in December of 2004
in Moshav Mishmar Hashiva, Israel, and has demonstrated
that the combination of characteristics as herein disclosed
for the new cultivar are firmly fixed and retained through
successive generations of asexual reproduction. The new
cultivar reproduces true to type.

2

BRIEF SUMMARY OF THE INVENTION

The following traits have been repeatedly observed and
are determined to be unique characteristics of
‘DANCOP24’, which in combination distinguish this *Sutera*
as a new and distinct cultivar:
1. 5-petalled flowers, measuring about 3.0 cm in diameter
and lavender in color with a yellow-orange colored
throat;
2. Trailing, compact growth habit;
3. Early flowering response; and
4. Suitable for use with hanging basket plants, combina-
tion planters and ground cover under full sunlight-and
slight shade.
Plants of the new *Sutera* cultivar ‘DANCOP24’ differ
from plants of the parental cultivar, ‘CV-04-66’
(unpatented), in the characteristics described in Table 1.

TABLE 1

Characteristic	New Cultivar ‘DANCOP24’	Parental Cultivar ‘CV-04-66’ (unpatented)
Flower size	Extra large, about 3 cm	Large, about 2.1 cm
Growth habit	Trailing	Semi upright
Leaf size (width)	Large, about 2 cm	Medium, about 1.3 cm

Of the many commercial cultivars known to the present
inventor, the most similar in comparison to the new *Sutera*
cultivar ‘DANCOP24’ is the *Sutera* cultivar ‘DANGUL14’
patented (U.S. Plant Pat. No. 18,194), in the characteristics
described in Table 2.

TABLE 2

Characteristic	New Cultivar 'DANCOP24'	Comparison Cultivar 'DANGUL14' Patented, U.S.P.P.18,194
Flower size	Extra large, about 3 cm	Extra large, about 2.7 cm
Growth intensity	Vigorous	Compact
Flower color	Lavender	White
Plant Spread	About 60 cm	About 50 cm

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying photographic drawings illustrate the overall appearance of the new *Sutera* cultivar 'DANCOP24' showing the colors as true as is reasonably possible with colored reproductions of this type. Colors in the photographs may differ slightly from the color value cited in the detailed botanical description which accurately describe the color of 'DANCOP24'.

FIG. 1 shows a side view perspective of a typical flowering plant of 'DANCOP24' in a hanging planter at 3 months of age.

FIG. 2 shows a close-up view of a typical flowers and buds of 'DANCOP24' at 3 months of age.

DETAILED BOTANICAL DESCRIPTION

The new *Sutera* cultivar 'DANCOP24' has not been observed under all possible environmental conditions. The phenotype of the new cultivar may vary with variations in environment such as temperature, light intensity, and day length without any change in the genotype of the plant.

The aforementioned photographs, together with the following observations, measurements and values describe the new *Sutera* cultivar 'DANCOP24' as grown in a greenhouse in Moshhav Mishmar Hashiva, Israel, under conditions which closely approximate those generally used in commercial practice.

Color references are made to The Royal Horticultural Society Colour Chart (R.H.S.), 2001 edition, except where general colors of ordinary significance are used. Color values were taken under daylight conditions at approximately 12:00 noon in Moshhav Mishmar Hashiva, Israel. The age of the plant described is 3 months.

Classification:

Botanical.—*Sutera cordata*.
Commercial.—Bacopa Scopia™ Gulliver Lilac.

Parentage:

Female or seed parent.—*Sutera* cultivar designated 'CV-04-66' (unpatented).
Male or pollen parent.—Open pollination; unknown *Sutera* cultivar.

Optimal growth conditions:

Light intensities.—Full sunlight or slight shade.
Temperature.—Day: 20° C. to 24° C. Night: 16° C. to 20° C.
Temperature tolerance.—Tolerant to a low temperature of about 10° C. and tolerant to a high temperature of about 30° C.
Fertilization.—A balanced fertilizer with level of 100 ppm Nitrogen.
Growth regulators.—Unnecessary.

Propagation:

Type.—Tip cuttings of side shoots.
Rooting habit and description.—Easy to root; fine, fibrous roots.

Time to initiate roots.—About 7 to 10 days at 18° C.
Time to produce a rooted cutting.—About 14 days at 18° C.

Plant:

General appearance and form.—Height: About 10 cm.
Spread: About 60 cm.
Shape.—Trailing, vigorous growth habit.
Winter hardiness.—Hardy in moderate climate.
Vigor.—Strong.
Crop time.—About 8 to 10 weeks for a flowering pot.
Fragrance.—None.
Branching habit.—Vigorously branched. Lateral branches.

TABLE 3

Branch characteristic	Primary	Secondary
Length	About 50 cm.	About 35 cm.
Diameter	About 2 mm.	About 1 mm.
Internode Length	About 2.5 cm.	About 2 cm.
Texture	Slightly rough	Slightly rough
Pubescence	Present	Present
Color	Yellow-Green, RHS 146A	Yellow-Green, RHS 146B

Foliage:

Arrangement and attachment.—Opposite, petiolate.
Leaf length.—About 2.5 cm.
Leaf width.—About 2.2 cm.
Overall shape of leaf.—Cordate.
Apex shape.—Acute.
Base shape.—Acute.
Margin.—Dentate.
Texture (both surfaces).—Slightly velvety.
Pubescence (both surfaces).—Slightly present.
Color of upper surface.—Mature leaf: Yellow-Green RHS 147A. Immature leaf: Green, RHS 137A.
Color of lower surface.—Mature leaf: Green, RHS 137B. Immature leaf: Green, RHS 137C.
Venation.—Pattern: Palmate. Color: Upper surface: Green, RHS 137B. Lower surface: Green, RHS 137C.
Petiole.—Length: About 6 mm. Diameter: About 1 mm. Color: Green RHS 137A.
Leaf fragrance.—None. Flower description:
Natural flowering season.—All year round in moderate climate. Flowering occurs between January and December outdoors in Israel.
Flowering response time.—About 4 weeks from planting.
Flowering longevity.—On the plant: Flowering of a single flower lasts for 7 days.
Flower fragrance.—None.
Quantity of flowers and buds per plant.—Approximately 200.
Flower bud (about 2 days prior to opening).—Shape: Spatulate. Length: About 12 mm. Diameter: About 6 mm. Texture: Velvety. Color: Violet-Blue, RHS 91C.
Flower type.—Solitary, auxillary.
Flower form.—Salverform.
Flower symmetry.—Radial symmetric.
Orientation at opening.—Slanted upward and outward.
Corolla size.—Diameter (spread): About 3 cm. Diameter at lobes: About 30 mm. Overall flower height: About 14 mm. Length of corolla tube: About 12 mm. Diameter of corolla tube: About 2 mm.

Petals.—Quantity: 5. Length: About 10 mm. Width: About 12 mm. Overall shape: Rounded and gameopetalous. Apex: Rounded. Base: Fused. Margin: Entire. Texture (upper & lower surfaces): Slightly velvety. Color: Upper surface, when opening: Lavender, RHS 91B of violet-purple group. Upper surface, opened flower: Lavender, RHS 91B of violet-purple group. Lower surface, when opening: Lavender, RHS 91D of violet-purple group. Lower surface, opened flower: Lavender, RHS 91D of violet-purple group. Corolla throat color: Yellow-orange, RHS 17A.

Calyx.—Sepals: Quantity: 5. Length: About 6 mm. Width: About 1 mm. Overall shape: Linear. Apex: Acute. Base: Fused. Margin: Entire. Texture: Upper surface: Velvety. Lower surface: Velvety. Upper surface color: Green, RHS 137C. Lower surface color: Green, RHS 137C. Anthocyanin pigmentation of calyx limb; Absent. Pedicel: Aspect: Slanted upward. Length: About 5 mm. Diameter: About 1 mm. Angle: About 45°. Texture: Velvety. Color: Green, RHS 137C.

Reproductive organs:

Androecium.—Stamen: Number: 4. Arrangement: Didynamous. Type: Basifixed. Dehiscence of stamens: Extrorse. Color: Yellow-Orange, RHS 21B. Anthers: Shape: Cylinder. Length: About 1 mm. Color: Yellow-Orange, RHS 21B. Filaments: Length: About 10 mm. Color: Green-Yellow, RHS 1D. Pollen: Amount: Moderate. Color: Yellow-

Orange, RHS 21B. Pollination requirements: Young flowers, active pollen, and receptive, open stigma.

Gynoecium.—Pistils: Quantity: 1. Length: About 11 mm. Stigma: Shape: Undulate. Width: About 0.5 mm. Color: Yellow-Green, RHS N144B. Style: Shape: Terete. Length: About 10 mm. Ovary: Shape: Ellipsoid. Position: Superior. Length: About 2 mm. Width: About 1 mm. Color: Green, RHS 143A.

Seeds:

Quantity per fruit.—About 20.

Shape.—Rounded.

Length.—About 0.5 mm.

Width.—About 0.5 mm.

Texture.—Rough.

Color.—Greyed-orange, RHS 167D.

Fruit:

Type.—Capsule.

Shape.—Ellipsoid.

Length.—About 4 mm.

Width.—About 2 mm.

Texture.—Rugose.

Color.—Greyed-orange, RHS 164A.

Disease/pest resistance: No information is currently available.

Disease/pest susceptibility: No information is currently available.

I claim:

1. A new and distinct *Sutera* plant named 'DANCOP24', substantially as illustrated and described herein.

* * * * *

FIG. 1




FIG. 2

