



US00PP19682P2

(12) **United States Plant Patent**
Iwaki et al.(10) **Patent No.:** US PP19,682 P2
(45) **Date of Patent:** Feb. 10, 2009(54) **PETUNIA PLANT NAMED ‘SUNSURFKURI’**(50) Latin Name: *Petunia×hybrida*
Varietal Denomination: Sunsurfuri(75) Inventors: Kazunari Iwaki, Kanagawa (JP);
Takeshi Kanaya, Shiga (JP); Yasuko Isobe, Shiga (JP)

(73) Assignee: Suntory Flowers Limited, Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: 12/077,220

(22) Filed: Mar. 17, 2008

(51) **Int. Cl.**
A01H 5/00 (2006.01)(52) **U.S. Cl.** Plt./356
(58) **Field of Classification Search** Plt./356
See application file for complete search history.

Primary Examiner—Annette H Para

(74) Attorney, Agent, or Firm—C. A. Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Petunia* plant named ‘Sunsurfuri’, characterized by its trailing plant habit; vigorous growth habit; freely branching and flowering plant habit; long flowering period; medium-sized white-colored flowers; and good garden performance.

1 Drawing Sheet**1**

Botanical designation: *Petunia×hybrida*.
Cultivar denomination: ‘Sunsurfuri’.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of *Petunia*, botanically known as *Petunia×hybrida* and hereinafter referred to by the name ‘Sunsurfuri’.

The new *Petunia* is a product of a planned breeding program conducted by the Inventors in Higashiomni, Shiga, Japan. The objective of the breeding program is to create new *Petunia* cultivars with attractive foliage and flower coloration.

The new *Petunia* originated from a cross-pollination made by the Inventors in October, 2003 in Higashiomni, Shiga, Japan of the *Petunia×hybrida* cultivar Falcon White, not patented, as the female, or seed, parent with a proprietary selection of *Petunia×hybrida* identified as code number P55h5, not patented, as the male, or pollen, parent. The new *Petunia* was discovered and selected by the Inventors as a single flowering plant within the progeny of the stated cross-pollination in a controlled environment in Higashiomni, Shiga, Japan.

Asexual reproduction of the new *Petunia* by terminal cuttings in a controlled environment in Higashiomni, Shiga, Japan since September, 2005, has shown that the unique features of this new *Petunia* are stable and reproduced true to type in successive generations.

SUMMARY OF THE INVENTION

The cultivar Sunsurfuri has not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment and cultural practices such as temperature, daylength and light intensity without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of ‘Sunsurfuri’. These characteristics in combination distinguish ‘Sunsurfuri’ as a new and distinct cultivar of *Petunia*:

2

1. Trailing plant habit.
2. Vigorous growth habit.
3. Freely branching and flowering plant habit.
4. Long flowering period.
5. Medium-sized white-colored flowers.
6. Good garden performance.

Plants of the new *Petunia* can be compared to plants of the female parent, the cultivar Falcon White. Plants of the new *Petunia* differ from plants of the cultivar Falcon White in the following characteristics:

1. Plants of the new *Petunia* are more trailing than and not as upright as plants of the cultivar Falcon White.
2. Plants of the new *Petunia* have smaller flowers than plants of the cultivar Falcon White.

Plants of the new *Petunia* can be compared to plants of the male parent selection. Plants of the new *Petunia* differ from plants of the male parent selection in the following characteristics:

1. Plants of the new *Petunia* have thicker stems than plants of the male parent selection.
2. Plants of the new *Petunia* have larger leaves than plants of the male parent selection.
3. Plants of the new *Petunia* have larger flowers than plants of the male parent selection.

Plants of the new *Petunia* can also be compared to plants of the cultivar Revolution White, disclosed in U.S. Plant Pat. No. 8,768. In side-by-side comparisons conducted in Higashiomni, Shiga, Japan, plants of the new *Petunia* and the cultivar Revolution White differed in the following characteristics:

1. Plants of the new *Petunia* were not as broad as plants of the cultivar Revolution White.
2. Plants of the new *Petunia* had thinner stems than plants of the cultivar Revolution White.
3. Plants of the new *Petunia* had shorter internodes than plants of the cultivar Revolution White.
4. Plants of the new *Petunia* had smaller leaves than plants of the cultivar Revolution White.
5. Plants of the new *Petunia* had smaller flowers than plants of the cultivar Revolution White.

6. Flowers of plants of the new *Petunia* and the cultivar Revolution White differed slightly in color as flowers of plants of the cultivar Revolution White had red purple-colored venation.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new *Petunia*, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Petunia*.

The photograph at the top of the sheet comprises a top perspective view of a typical flowering plant of 'Sunsurfkuri' grown in a container.

The photograph at the bottom of the sheet is a close-up view of typical flowers of 'Sunsurfkuri'.

DETAILED BOTANICAL DESCRIPTION

The aforementioned photographs and following observations, measurements and values describe plants grown in Higashiomi, Shiga, Japan, under commercial practice during the summer in an outdoor nursery day temperatures averaging 23° C. and night temperatures averaging 13° C. Plants had been growing for about four months when the photographs and description were taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 2001 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Petunia* × *hybrida* cultivar Sunsurfkuri.

Parentage:

Female, or seed, parent.—*Petunia* × *hybrida* cultivar Falcon White, not patented.

Male, or pollen, parent.—Proprietary selection of *Petunia* × *hybrida* identified as code number P55h5, not patented.

Propagation:

Type.—By terminal cuttings.

Time to initiate roots.—About one week at temperatures of 20° C. to 25° C.

Time to produce a rooted young plant.—About three weeks at temperatures of 20° C. to 25° C.

Root description.—Fine, fibrous, fleshy; light brown in color.

Rooting habit.—Freely branching.

Plant description:

Plant and growth habit.—Trailing plant habit. Freely branching habit with about seven lateral branches developing per plant; pinching enhances lateral branch development. Vigorous growth habit.

Plant height.—About 20.2 cm.

Plant diameter.—About 42.2 cm.

Lateral branch description:

Length.—About 28.1 cm.

Diameter.—About 1.9 mm.

Internode length.—About 2.3 cm.

Strength.—Strong, flexible.

Aspect.—Decumbent.

Texture.—Pubescent.

Color.—Close to 144A.

Foliation description:

Arrangement.—Before flowering, alternate, simple; after flowering, opposite, simple.

Length.—About 3.4 cm.

Width.—About 1.9 cm.

Shape.—Broadly elliptic.

Apex.—Obtuse.

Base.—Cuneate.

Margin.—Entire.

Texture, upper and lower surfaces.—Pubescent.

Venation pattern.—Pinnate; reticulate.

Color.—Developing and fully expanded foliage, upper surface: Close to 137C; venation, close to 144B. Developing and fully expanded foliage, lower surface: Close to 138B; venation, close to 144B.

Petiole.—Length: About 7 mm. Diameter: About 1.8 mm. Texture, upper and lower surfaces: Sparsely pubescent. Color, upper and lower surfaces: Close to 144B.

Flower description:

Flower arrangement and habit.—Single salverform flowers arising from leaf axils. Freely flowering habit with usually about 45 open flowers per plant. Flowers face upright or outwardly. Flowers not fragrant.

Natural flowering season.—Plants of the new *Petunia* initiate and develop flowers about three to four weeks after planting. Long flowering period; flowering commences naturally during the spring and plants flower continuously throughout the summer until late autumn in Japan. Flowers not persistent.

Flower longevity.—Individual flowers last about seven to ten days on the plant.

Flower diameter.—About 5.6 cm.

Flower length (depth).—About 3.8 cm.

Throat diameter.—About 9.5 mm.

Tube diameter, base.—About 2.1 mm.

Tube length.—About 2.4 cm.

Flower bud.—Shape: Cylindrical. Length: About 3 cm. Diameter: About 7 mm. Color: Close to 145B.

Corolla.—Arrangement: Five petals fused at the base and opening into a flared trumpet. Petal length from throat: About 2.3 cm. Petal width: About 2.4 cm. Petal shape: Spatulate. Petal apex: Obtuse with truncate tendencies. Petal margin: Entire; slightly undulate. Petal texture, upper and lower surfaces: Smooth, glabrous; velvety. Throat texture: Smooth, glabrous. Tube texture: Sparsely pubescent. Color: Petal, when opening and fully opened, upper surface: Close to 155C; venation, close to N144B. Petal, when opening and fully opened, lower surface: Close to 155C; venation, close to N144D. Throat: Close to 155C; venation, close to N144D. Tube: Close to 150D; venation, close to N144D.

Calyx.—Arrangement: One star-shaped calyx tube with five sepals fused at the base per flower. Sepal length: About 1.1 cm. Sepal width: About 3 mm. Sepal shape: Elliptic. Sepal apex: Obtuse. Sepal margin: Entire. Sepal texture, upper and lower surfaces: Pubescent. Color, upper surface: Close to 137C. Color, lower surface: Close to 137D.

Peduncles.—Length: About 1.5 cm. Diameter: About 1.2 mm. Strength: Strong. Texture: Sparsely pubescent. Color: Close to 144B.

Reproductive organs.—Stamens: Quantity/arrangement: Five per flower. Stamen length: About 1.6 cm to 2 cm. Anther shape: Ellipsoidal. Anther

US PP19,682 P2

5

size: About 1.6 mm by 2.4 mm. Anther color: Close to 2D. Pollen amount: Moderate. Pollen color: Close to 4D. Pistils: Quantity: One per flower. Pistil length: About 1.9 cm. Style color: Close to 145C. Stigma shape: Transversely ellipsoidal. Stigma color: Close to 145A. Ovary color: Close to 143B. Seed/fruit: Seed and fruit development have not been observed on plants of the new *Petunia*.

Garden performance: Plants of the new *Petunia* have been observed to have good garden performance and to tolerate

6

rain, wind and temperatures ranging from about 5° C. to about 35° C.

Pathogen/pest resistance: Plants of the new *Petunia* have not been observed to be resistant to pests and pathogens common to *Petunia*.

It is claimed:

1. A new and distinct *Petunia* plant named ‘Sunsurfkuri’ as illustrated and described.

* * * * *

