



US00PP19800P2

(12) **United States Plant Patent**
Dümmen

(10) **Patent No.:** **US PP19,800 P2**
(45) **Date of Patent:** **Mar. 10, 2009**

(54) **BEGONIA PLANT NAMED 'BBTAM'**

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(50) Latin Name: *Begonia*×*hiemalis*
Varietal Denomination: **BBTAM**

(52) **U.S. Cl.** **Plt./348**

(75) Inventor: **Tobias Gunter Dümmen**, Rheinberg (DE)

(58) **Field of Classification Search** **Plt./348**
See application file for complete search history.

(73) Assignee: **Begonia Breeders Association B.V.**,
Rijsenhout (NL)

Primary Examiner—Kent L Bell
(74) *Attorney, Agent, or Firm*—C. A. Whealy

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(57) **ABSTRACT**

A new and distinct cultivar of *Begonia* plant named 'BBTAM', characterized by its compact, upright and mounded plant habit; freely branching habit; numerous double flowers that are salmon pink in color and held above the foliage; and good postproduction longevity.

(21) Appl. No.: **12/074,614**

1 Drawing Sheet

(22) Filed: **Mar. 5, 2008**

1

2

Botanical designation: *Begonia*×*hiemalis*.
Cultivar denomination: 'BBTAM'.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of *Begonia* plant, botanically known as *Begonia*×*hiemalis*, commercially known as *Elatior Begonia*, and hereinafter referred to by the name 'BBTAM'.

The new *Begonia* is a naturally-occurring whole plant mutation of the *Begonia*×*hiemalis* cultivar *Netja Dark*, not patented. The new *Begonia* was discovered and selected by the Inventor from within a population of plants of the cultivar *Netja Dark* in a controlled environment in Rijsenhout, The Netherlands during the summer of 2005.

Asexual reproduction of the new *Begonia* by cuttings in a controlled environment in a greenhouse in Rijsenhout, the Netherlands since the summer of 2005, has shown that the unique features of this new *Begonia* are stable and reproduced true to type in successive generations.

SUMMARY OF THE INVENTION

The cultivar BBTAM has not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature, daylength and light intensity, without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'BBTAM'. These characteristics in combination distinguish 'BBTAM' as a new and distinct cultivar of *Begonia*:

1. Compact, upright and mounded plant habit.
2. Freely branching habit.
3. Numerous double flowers that are salmon pink in color and held above the foliage.
4. Good postproduction longevity.

Plants of the new *Begonia* differ primarily from plants of the parent, the cultivar *Netja Dark*, in flower form and flower color as plants of the cultivar *Netja Dark* have fewer tepals per flower and have dark reddish pink-colored tepals.

Plants of the new *Begonia* can also be compared to plants of the cultivar BBDRA, disclosed in U.S. Plant Patent application Ser. No. 11/787,684. In side-by-side comparisons conducted in Rijsenhout, The Netherlands, plants of the new *Begonia* differed from plants of the cultivar BBDRA in the following characteristics:

1. Plants of the new *Begonia* had more tepals per flower than plants of the cultivar BBDRA.
2. Plants of the new *Begonia* and the cultivar BBDRA differed in flower color as plants of the cultivar BBDRA had light red-colored flowers.

BRIEF DESCRIPTION OF THE PHOTOGRAPH

The accompanying colored photograph illustrates the overall appearance of the new *Begonia*, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photograph may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Begonia*. The photograph comprises a side perspective view of a typical flowering plant of 'BBTAM' grown in a container.

DETAILED BOTANICAL DESCRIPTION

In the following description, color references are made to The Royal Horticultural Society Colour Chart, 2001 Edition, except where general terms of ordinary dictionary significance are used. Plants used for the aforementioned photograph and following observations and measurements were grown in Rijsenhout, The Netherlands in 13-cm containers and under commercial practice in a glass-covered greenhouse during the spring and summer. During the production of the plants, day and night temperatures ranged from 15° C. to 20° C. and light levels were about 18,000 lux. Plants used for the photograph and the description were about three months from planting.

Botanical classification: *Begonia*×*hiemalis* cultivar BBTAM.

Commercial classification: *Elatior Begonia*.

Parentage:

Naturally-occurring whole plant mutation of the *Begoniaxhiemalis* cultivar Netja Dark, not patented.

Propagation:

Type.—By terminal vegetative cuttings.

Time to initiate roots.—About two weeks at temperatures of about 20° C.

Time to produce a rooted young plant.—About three to five weeks at temperatures of about 20° C.

Root description.—Fine, fibrous; plants of the new *Begonia* have not been observed to form tubers.

Rooting habit.—Freely branching.

Plant description:

Plant form.—Compact, upright and mounded plant habit, inverted triangle; freely branching with good stem and stem base strength. Flowers are double and abundant. Moderate growth rate.

Plant height.—About 20 cm to 25 cm.

Plant width.—About 25 cm to 30 cm.

Basal branch description.—Quantity: Freely basal branching with about five to six basal branches developing per plant. Length: About 9 cm to 13 cm. Diameter: About 1 cm to 3 cm. Texture: Smooth, glabrous. Color: 144B.

Leaf description.—Arrangement: Simple, alternate. Length: About 8 cm to 9 cm. Width: About 5 cm to 6 cm. Shape: Roughly deltoid. Apex: Acute. Base: Cordate to oblique. Margin: Serrate. Texture, upper and lower surfaces: Smooth, glabrous; velvety. Venation pattern: Palmate. Color: Developing and fully expanded leaves, upper surface: 136A; venation, 139B. Developing and fully expanded leaves, lower surface: 139A; venation, 139B. Petiole length: About 4 cm to 6 cm. Petiole diameter: About 4 mm. Petiole texture, upper and lower surfaces: Smooth, glabrous. Petiole color, upper and lower surfaces: 136B.

Flower description:

Flowering habit.—Double flowers with numerous tepals arranged in axillary cymes. Usually five to six open flowers per cyme. Many cymes in flower simultaneously. Flowers positioned upright and outwardly above the foliage. Flowers not fragrant.

Natural flowering season.—Plants will flower continuously year round in the greenhouse, however plants

flower earlier and more abundantly during the summer in The Netherlands. Good postproduction longevity, flowers last about four weeks on the plant. Flowers persistent.

Cyme height.—About 6 cm to 8 cm.

Cyme diameter.—About 6 cm to 7 cm.

Flowers.—Shape: Oval; rose-like. Diameter: About 4 cm to 5 cm. Depth (height): About 1 cm.

Flower buds.—Shape: Ovoid. Length: About 1 cm to 1.5 cm. Diameter: About 2 cm. Color: Close to 39A.

Tepals.—Arrangement: Rosette. Quantity per flower: Usually about 10 to 15 per flower. Length: About 2 cm to 3 cm. Width: About 3 cm to 4 cm. Shape: Obovate to rounded. Apex: Rounded, obtuse. Base: Cordate. Margin: Entire, undulate. Texture, upper and lower surfaces: Smooth, glabrous; satiny. Color: When opening, upper and lower surfaces: 39A. Fully opened, upper and lower surfaces: 39A.

Flower bracts.—Quantity/arrangement: Two, opposite. Shape: Broadly ovate. Apex: Obtuse. Margin: Entire. Texture, upper and lower surfaces: Glabrous, smooth. Color, upper and lower surfaces: Close to 144B.

Peduncles.—Angle: Erect to about 30° to 45° from vertical. Length: About 4 cm to 5 cm. Diameter: About 3 mm to 4 mm. Texture: Smooth, glabrous. Color: 144B.

Pedicels.—Angle: About 30° to 45° from the peduncle. Length: About 2 cm to 3 cm. Diameter: About 2 mm to 3 mm. Texture: Smooth, glabrous. Color: Close to 146C.

Reproductive organs.—Stamens: None observed. Pistils: None observed.

Seed/fruit.—Seed and fruit production have not been observed.

Disease/pest resistance: Resistance to pathogens and pests common to *Begonia* has not been observed.

Temperature tolerance: Plants of the new *Begonia* have been observed to tolerate temperatures from about 10° C. to about 35° C.

It is claimed:

1. A new and distinct *Begonia* plant named 'BBTAM' as illustrated and described.

* * * * *

