



US00PP20115P2

(12) **United States Plant Patent**
Klemm

(10) **Patent No.:** **US PP20,115 P2**
(45) **Date of Patent:** **Jun. 23, 2009**

(54) **PETUNIA PLANT NAMED ‘KLEPH07138’**

(50) Latin Name: *Petunia hybrid*
Varietal Denomination: **KLEPH07138**

(75) Inventor: **Nils Klemm**, Stuttgart (DE)

(73) Assignee: **Klemm+Sohn GmbH & Co. KG**,
Stuttgart (DE)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **12/082,029**

(22) Filed: **Apr. 7, 2008**

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(52) **U.S. Cl.** **Plt./356**

(58) **Field of Classification Search** Plt./356
See application file for complete search history.

Primary Examiner—Susan B McCormick Ewoldt
(74) *Attorney, Agent, or Firm*—Jondle & Associates, P.C.

(57) **ABSTRACT**

A new cultivar of *Petunia* particularly characterized by dark
violet flowers, very rich, early and continuous bloom, and a
compact and mounding growth habit, is disclosed.

1 Drawing Sheet

1

Genus and species: *Petunia* hybrid.
Variety denomination: ‘KLEPH07138’.

BACKGROUND OF THE NEW PLANT

The present invention comprises a new and distinct culti-
var of *Petunia*, botanically known as *Petunia* hybrid, and
hereinafter referred to by the cultivar name ‘KLEPH07138’.
‘KLEPH07138’ was discovered as a seedling resulting from
a cross conducted in summer 2004 in Stuttgart, Germany
between the proprietary female *Petunia* parent, ‘J 003’
(unpatented) and the proprietary male *Petunia* parent, ‘J
010’ (unpatented). A single plant selection was subsequently
chosen for further evaluation and for asexual propagation.

The new cultivar was created in summer 2004 in Stuttgart,
Germany and has been asexually reproduced repeatedly by
vegetative cuttings and in vitro propagation in Stuttgart, Ger-
many for more than 40 generations. ‘KLEPH07138’ has
been found to retain its distinctive characteristics through
successive asexual propagations.

SUMMARY OF THE INVENTION

The following are the most outstanding and distinguishing
characteristics of this new cultivar when grown under nor-
mal commercial practices in a greenhouse in Stuttgart, Ger-
many.

1. Dark violet flowers;
2. Very rich, early and continuous bloom; and
3. A compact and mounding growth habit.

DESCRIPTION OF THE PHOTOGRAPH

This new *Petunia* plant is illustrated by the accompanying
photograph which shows a close-up of the mature flower,
buds and foliage; the colors shown are as true as can be
reasonably obtained by conventional photographic proce-
dures. The photograph is of a plant about 5-months old and
grown from rooted cuttings in an 11-cm pot in a greenhouse
(glasshouse) in Stuttgart, Germany under conditions which
approximate those generally used in commercial practice.

2

DESCRIPTION OF THE NEW CULTIVAR

The following detailed descriptions set forth the distinc-
tive characteristics of ‘KLEPH07138’. The data which
define these characteristics were collected from asexual
reproductions carried out in Stuttgart, Germany. The plant
history was taken on 5-month old plants in 11-cm pots that
were pinched once approximately one week after potting
and grown in a greenhouse in January through May. The
color readings were determined under natural light. Color
references are to the R.H.S. Colour Chart of The Royal Hor-
ticultural Society of London (R.H.S.) (2001).

DESCRIPTION OF THE NEW PLANT

Classification:

Family.—Solanaceae.

Genus and species.—*Petunia* hybrid.

Common name.—*Petunia*.

Parentage:

Female parent.—The proprietary *Petunia* ‘J 003’
(unpatented).

Male parent.—The proprietary *Petunia* ‘J 010’
(unpatented).

Plant:

Form.—Compact.

Habit.—Mounding.

Height (from top of soil).—12 cm.

Width (horizontal plant diameter).—14 cm.

Propagation.—Terminal tip cuttings.

Time to produce a finished flowering plant.—11 weeks.

Time to initiate and develop roots.—16 days.

Root description.—Dense and freely branching, fibrous
white roots.

Stems:

Average number (basal).—6.

*Length of basal branches (from the base of the stem to
the tip)*.—9.0 cm.

Internode length.—0.3 cm to 2.0 cm.

Diameter of branches (from midpoint).—1.5 cm to 5.0
cm.

Stem color.—RHS 137C.

Anthocyanin.—Absent.

Texture.—Smooth.

Leaves:

Arrangement.—Alternate.

Size.—Length: 0.5 cm to 3.0 cm. Width: 0.3 cm to 2.5 cm.

Shape.—Elliptic.

Margin.—Very weak undulation.

Apex.—Acute.

Base.—Obtuse.

Color, immature leaf.—Upper surface: RHS 138A. Lower surface: RHS 138C.

Color, mature leaf.—Upper surface: RHS 146A. Lower surface: RHS 146B.

Texture.—Smooth.

Venation.—Pinnate.

Venation color.—Upper surface: RHS 145A. Lower surface: RHS 146B.

Petioles.—Length: 0.2 cm to 2.5 cm. Diameter: 0.3 cm.

Color (both the upper and lower parts): RHS 138B.

Texture: Smooth.

Flower bud:

Shape.—Irregular, oblong.

Size.—Length: 3.5 cm. Diameter: 1.0 cm.

Color at tight bud.—RHS 76C.

Immature flower color.—RHS 83A.

Inflorescence:

Blooming habit (flowering season).—Continuous flowering during the summer.

Inflorescence type.—Single flower.

Number of flowers per node.—1.

Lastingness of individual blooms on the plant.—7 days.

Fragrance.—Absent.

Pedicels.—Color: RHS 137C. Length: 1.8 cm. Diameter: 0.3 cm.

Texture.—Smooth.

Flowers:

Shaped.—Cup-shaped.

Size.—Diameter (flower face): 4.5 cm. Depth (total length of flower): 3.5 cm. Funnel: Length: 2.5 cm. Diameter (at opening): 1.0 cm. Outside texture: Moderate.

Mature flower.—Face/Margin Color: Upper surface: RHS 83A. Lower surface: RHS 83D. Corolla: Shape:

Cup-shaped. Color inside (throat): RHS 83A. Color outside: RHS 83D. Petals: Apex: Rounded to emarginate. Base: Reniform. Margin: Undulating. Waviness: Very weak. Lobation: Weak. Texture: Moderate.

Calyx arrangement.—One star-shaped calyx tube with five sepals fused at the base per flower.

Sepals.—Number: 5. Color: RHS 138A. Length: 2.0 cm. Width: 0.5 cm. Shape: Lanceolate to elliptic. Apex: Obtuse Base: Fused. Margin: Entire. Texture: Smooth.

Reproductive organs:

Stamens.—Quantity: 5. Shape: Needle-like with an elliptic head. Filament: Color: RHS 150A. Length: 0.5 cm. Diameter: 0.1 cm. Anther: Shape: Elliptic. Color: RHS 4D. Length: 0.2 cm. Diameter: 0.2 cm. Pollen: Color: RHS 4D. Amount: Abundant.

Pistils.—Number: 1. Length: 0.6 cm. Diameter: 0.1 cm. Stigma: Color: RHS 150A. Shape: Oval. Length: 1.8 cm. Diameter: 0.1 cm. Style: Color: RHS 150C. Length: 2.0 cm. Diameter: 0.1 cm. Texture: Fibrous.

Fruit and seed set: None observed.

Disease and insect resistance: Not observed.

COMPARISON WITH PARENTAL AND
COMMERCIAL CULTIVARS

‘KLEPH07138’ differs from the female parent, the proprietary *Petunia* ‘J 003’ (unpatented) in that ‘KLEPH07138’ has a compact and mounding growth habit, while ‘J 003’ has a non-compact, semi-trailing growth habit.

‘KLEPH07138’ differs from the male parent, the proprietary *Petunia* ‘J 010’ (unpatented) in that ‘KLEPH07138’ has a compact and mounding growth habit, while ‘J 010’ has a compact and upright growth habit.

‘KLEPH07138’ differs from the commercial comparison variety ‘Famous Blue’, also known as ‘KLEPH01037’ (unpatented) in that ‘KLEPH07138’ produce flowers earlier than ‘Famous Blue’.

I claim:

1. A new and distinct cultivar of *Petunia* plant as shown and described herein.

* * * * *

