



US00PP20202P2

(12) **United States Plant Patent**
Klemm

(10) **Patent No.:** **US PP20,202 P2**
(45) **Date of Patent:** **Aug. 4, 2009**

(54) **CALIBRACHOA PLANT NAMED**
‘KLECA07145’

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(50) Latin Name: ***Calibrachoa* hybrid**
Varietal Denomination: **KLECA07145**

(52) **U.S. Cl.** **Plt./413**

(58) **Field of Classification Search** **Plt./263,**
Plt./413

(75) Inventor: **Nils Klemm**, Stuttgart (DE)

See application file for complete search history.

(73) Assignee: **Klemm+Sohn GmbH & Co. KG**,
Stuttgart (DE)

Primary Examiner—Susan B McCormick Ewoldt

(74) *Attorney, Agent, or Firm*—Jondle & Associates, P.C.

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(57) **ABSTRACT**

A new *Calibrachoa* plant particularly distinguished by its
red flowers and compact, mounding plant habit is disclosed.

(21) Appl. No.: **12/082,050**

(22) Filed: **Apr. 7, 2008**

1 Drawing Sheet

1

Genus and species: *Calibrachoa* hybrid.
Variety denomination: ‘KECA07145’.

BACKGROUND OF THE NEW PLANT

The present invention comprises a new and distinct culti-
var of *Calibrachoa*, botanically known as *Calibrachoa*
hybrid, and hereinafter referred to by the cultivar name
‘KLECA07145’. The new cultivar originated from an open
pollinization made in summer of 2004 in Stuttgart, Ger-
many. The female parent was the dark-red-flowered propri-
etary *Calibrachoa* plant ‘X 446’ (unpatented), while the
male parent was an unknown *Calibrachoa* plant
(unpatented).

The new cultivar was first propagated in May 2005 in
Stuttgart, Germany and has been asexually reproduced by
vegetative cuttings and in vitro propagation in Stuttgart, Ger-
many over 40 generations. The present invention has been
found to retain its distinctive characteristics through succes-
sive asexual propagations.

Plant Breeder’s Rights for this cultivar were applied for in
Canada on Apr. 11, 2007 and in Switzerland on Jul. 6, 2007.
‘KLECA07145’ has not been made publicly available more
than one year prior to filing of this application.

SUMMARY OF THE INVENTION

The following are the most outstanding and distinguishing
characteristics of this new cultivar when grown under nor-
mal horticultural practices in a greenhouse in Stuttgart, Ger-
many.

1. Red flowers; and
2. Compact, mounding plant habit.

DESCRIPTION OF PHOTOGRAPH

This new *Calibrachoa* plant is illustrated by the accompa-
nying photograph which shows overall plant habit including
blooms, buds, and foliage of the plant; the colors shown are
as true as can be reasonably obtained by conventional photo-
graphic procedures. The photograph is of a five-month-old
Calibrachoa plant grown in a greenhouse in Stuttgart,
Germany, between January and May 2007.

2

DESCRIPTION OF THE NEW CULTIVAR

The following detailed descriptions set forth the distinc-
tive characteristics of ‘KLECA07145’. The data which
defines these characteristics were collected from asexual
reproductions carried out in Stuttgart, Germany. The plant
history was taken on five-month-old plants which were
planted as rooted cuttings in 11-cm pots between January
and May 2007 and then grown in a greenhouse. The plants
had one terminal pinch one week after potting. Color read-
ings were taken under natural light. Color reference are pri-
marily to the R.H.S. Colour Chart of The Royal Horticul-
tural Society of London (R.H.S.) (2001).

**DETAILED BOTANICAL DESCRIPTION OF THE
NEW PLANT**

Classification:

Family.—Solanaceae.

Botanical.—*Calibrachoa* hybrid.

Common name.—*Calibrachoa*.

Parents:

Female.—Dark-red-flowered proprietary *Calibrachoa*
plant ‘X 446’ (unpatented).

Male.—An unknown individual *Calibrachoa* plant
(unpatented).

Growth:

Form.—Compact.

Habit.—Mounding.

Height (measured from the top of the soil).—8.0 cm.

Width (horizontal plant diameter).—16.0 cm.

Time to produce a finished flowering plant.—12 weeks.

Outdoor plant performance.—Average.

Time to initiate and develop roots.—16 to 18 days.

Root description.—Moderate density, freely branching,
white roots.

Stems:

Length of basal branches.—7.0 cm.

Internode length.—0.7 cm to 1.3 cm.

Diameter of branches (from midpoint).—2.0 cm to 5.5
cm.

Stem color.—RHS145A.

Texture.—Smooth.

Anthocyanin.—A reddish-brown anthocyanin is sometimes present.

*Pedice*l.—Color: RHS 144B. Length: 1.4 cm. Diameter: 0.2 cm. Texture: Smooth.

Leaves:

Arrangement.—Alternate.

Size.—Length: 0.8 cm to 3.0 cm. Width: 0.4 cm to 1.2 cm.

Shape.—Lanceolate to elliptic.

Apex.—Acute.

Base.—Attenuate.

Margin.—Entire.

Color (both immature and mature).—Upper surface: RHS 137A. Lower surface: RHS 137C.

Texture (both surfaces).—Smooth.

Venation.—Pinnate.

Venation color (both surfaces).—RHS 144A.

Petioles.—Absent.

Flower bud:

Shape.—Irregular to oblong.

Size.—Length: 1.8 cm. Diameter: 0.3 cm.

Color at tight bud.—RHS 46D.

Inflorescence:

Blooming habit.—Continuous flowering.

Inflorescence type.—Single.

Floret type.—Funnel-shaped.

Lastingness of individual blooms on the plant.—5 days.

Fragrance.—Absent.

Flowers:

Immature flower.—Diameter: Horizontal: 2.3 cm. Vertical: 2.3 cm. Color: Upper surface: RHS 46A. Lower surface: RHS 179A.

Mature flower.—Diameter: Horizontal: 2.4 cm. Vertical: 2.4 cm. Color: Upper surface: RHS 46A. Lower surface: RHS 179A.

Corolla tube.—Color inside: RHS 12B. Color outside: RHS 160C. Tube length: 1.4 cm. Outside texture: Smooth.

Petals.—Apex: Obverse. Base: Fused into the corolla tube. Margin: Entire. Waviness of petals: Weak. Lobation: Weak. Texture (both surfaces): Smooth.

Sepals.—Calyx form: Rosette. Shape: Lanceolate to elliptic. Apex: Acute. Base: Fused. Margin: Entire. Length: 1.2 cm. Width: 0.2 cm. Color: Upper surface: RHS 138A. Lower surface: RHS 138B. Texture (both surfaces): Smooth.

Reproductive organs:

Stamens.—Number: 5. Filament color: RHS 154A. Filament length: 0.8 cm. Filament diameter: 0.1 cm.

Pollen color: RHS 11A. Pollen quantity: Moderate.

Pistils.—Number: 1. Length: 0.2 cm. Diameter: 0.2 cm. Stigma color: RHS 149A. Style color: RHS 149A.

Fruit and Seed Set: No seed set observed.

Disease and insect resistance: No particular resistance or susceptibility has been observed.

COMPARISON WITH PARENTAL AND COMMERCIAL CULTIVARS

‘KLECA07145’ differs from the female parent ‘X 446’ (unpatented) by having a red flower color, while ‘X 446’ has a dark red flower color.

‘KLECA07145’ differs from the commercial cultivar ‘MF Dark Red U 11’ (unpatented) by having a less compact plant habit than ‘MF Dark Red U 11’.

I claim:

1. A new and distinct cultivar of *Calibrachoa* plant as shown and described herein.

* * * * *

