



(12) **United States Plant Patent**
Steenland

(10) **Patent No.:** **US PP20,520 P2**
(45) **Date of Patent:** **Dec. 1, 2009**

(54) **COPROSMA PLANT NAMED ‘LEMON AND LIME’**

(50) Latin Name: ***Coprosma***
Varietal Denomination: **Lemon and Lime**

(75) Inventor: **Ron Steenland**, Boskoop (NL)

(73) Assignee: **Growing Spectrum Ltd.**, Kihi Kihi,
Walkato (NZ)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **12/229,714**

(22) Filed: **Aug. 26, 2008**

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(52) **U.S. Cl.** **Plt./226**

(58) **Field of Classification Search** Plt./263.1,
Plt./226
See application file for complete search history.

(56) **References Cited**

OTHER PUBLICATIONS

UPOV-ROM GTITM, Plant Variety Database, 2009/01, GTI Jouve
Retrieval Software, citation for ‘Lemon and Lime’.*

* cited by examiner

Primary Examiner—Susan B McCormick Ewoldt
(74) *Attorney, Agent, or Firm*—Mark P. Bourgeois

(57) **ABSTRACT**

A new cultivar of *Coprosma* plant named ‘Lemon and Lime’
that is characterized by leaves that are yellow with green
margins during the Summer and orange with green margins
during the Winter.

1 Drawing Sheet

1

Botanical classification: *Coprosma*.
Variety denomination: ‘Lemon and Lime’.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *Coprosma* plant botanically known as *Coprosma* and here-
inafter referred to by the cultivar name ‘Lemon and Lime’.

The new cultivar was discovered in a cultivated area of
Boskoop, The Netherlands in 2007. ‘Lemon and Lime’ was
discovered as a naturally occurring branch mutation of
Coprosma ‘Evening Glow’ (not patented).

Asexual reproduction by tip cuttings of the new cultivar
‘Lemon and Lime’ was first performed in 2007 in Boskoop,
The Netherlands. Since that time, under careful observation,
the unique characteristics of the new cultivar have been uni-
form, stable and reproduced true to type in successive gen-
erations of asexual reproduction.

SUMMARY OF THE INVENTION

The following represent the distinguishing characteristics
of the new *Coprosma* cultivar ‘Lemon and Lime’.

1. *Coprosma* ‘Lemon and Lime’ exhibits leaves that are
yellow with green margins during the Summer and
orange with green margins during the Winter.

The closest comparison cultivar is the parent plant
Coprosma ‘Evening Glow’. The new cultivar ‘Lemon and
Lime’ is distinguishable from ‘Evening Glow’ by the follow-
ing characteristics:

1. ‘Lemon and Lime’ has leaves that are orange with green
margins in the winter. The leaves of ‘Evening Glow’ are
green with tinges of orange, red and yellow in the winter.
2. ‘Lemon and Lime’ has leaves that are yellow with green
margins in the summer. The leaves of ‘Evening Glow’
are red with dark green to purple margins in the summer.

2

BRIEF DESCRIPTION OF THE DRAWING

The accompanying photograph illustrates the distinguish-
ing traits of *Coprosma* ‘Lemon and Lime’. The plant in the
5 photograph shows an overall view of a 12 month old plant.
The photograph was taken using conventional techniques and
although colors may appear different from actual colors due
to light reflectance it is as accurate as possible by conven-
tional photographic techniques.

BOTANICAL DESCRIPTION OF THE PLANT

The following is a detailed description of the new
Coprosma cultivar named ‘Lemon and Lime’. Data was col-
15 lected in Waikato, New Zealand from 12 month old outdoor
grown plants in 2.5 liter containers. The time of year was
summer in the Southern Hemisphere and the average tem-
perature range was 12 to 22 degrees Centigrade during the
day and 4 to 16 degrees Centigrade at night. No photoperiodic
20 treatments or growth retardants were used. Color determina-
tions are in accordance with The Royal Horticultural Society
Colour Chart 2001 edition, except where general color terms
of ordinary dictionary significance are used. The growing
requirements are similar to the species. ‘Lemon and Lime’
25 has not been tested under all possible conditions and pheno-
typic differences may be observed with variations in environ-
mental, climatic, and cultural conditions, however, without
any variance in genotype.

Botanical classification: *Coprosma* ‘Lemon and Lime’.
30 Use: Ornamental perennial, evergreen shrub.
Parentage: ‘Lemon and Lime’ is a naturally occurring branch
mutation of *Coprosma* ‘Evening Glow’.
Vigor: Moderate.
Growth rate: Slow.
35 Plant shape: Broad upright inverted triangle.
Growth habit: Freely branching, dense, bushy habit.
Hardiness: Tolerant to –3 degrees Centigrade.
Suitable container size.—2 to 4.5 liter container.

Height: Average 1 m in height.
Width: Average 1 m in width.
Propagation: Tip cuttings.
Root system: Fine and fibrous.
Lateral branches:
 Quantity.—Approximately 20.
 Length.—Average 15 cm.
 Diameter.—Average 3 mm.
 Internode length.—10 mm.
 Color (mature).—Orange 165C.
 Strength.—Strong.
 Pinching.—Yes.
Foliage:
 Texture.—Smooth, glossy.
 Leaf arrangement.—Opposite.
 Leaf attachment.—Sessile.
 Compound or single.—Single.
 Leaf shape.—Obovate.
 Leaf apex.—Rounded.
 Leaf base.—Rounded.
 Leaf length.—Average 30 mm in length.
 Leaf width.—12 mm in width.

Pubescence.—Absent.
Leaf margin.—Entire.
Summer leaf color (upper surface).—3B with an inner margin 140B and an outer margin 141C.
5 *Summer leaf color (lower surface)*.—3B with an inner margin 140B and an outer margin 141C.
Winter leaf color (upper surface).—33B with an inner margin 144B and an outer margin 141A.
10 *Winter leaf color (lower surface)*.—33B with an inner margin 144B and an outer margin 141A.
Vein pattern.—Pinnate.
Vein color.—165B.
Durability of foliage to stress.—Moderate to high.
Stipules.—Absent.
15 Flowers: Flowers have not been observed to date.
Disease and insect resistance: Plants of the new *Coprosma* have not been observed for disease or insect resistance.
The invention claimed is:
20 1. A new and distinct variety of *Coprosma* plant named ‘Lemon and Lime’ as described and illustrated.

* * * * *

