



US00PP20586P2

(12) **United States Plant Patent**  
**Mehring-Lemper**(10) **Patent No.:** US PP20,586 P2  
(45) **Date of Patent:** Dec. 15, 2009(54) **BEGONIA PLANT NAMED 'BEGH 03897'**(50) Latin Name: *Begonia parvifolia* × *Begonia*  
Varietal Denomination: BEGH 03897(75) Inventor: **Manfred Mehring-Lemper**, Münden  
(DE)(73) Assignee: **Ernst Benary Samenzucht GmbH**,  
Hann. Münden (DE)(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.(21) Appl. No.: **12/284,877**(22) Filed: **Sep. 22, 2008**(51) **Int. Cl.**  
**A01H 5/00** (2006.01)(52) **U.S. Cl.** ..... **Plt./343**(58) **Field of Classification Search** ..... Plt./343  
See application file for complete search history.(56) **References Cited****OTHER PUBLICATIONS**

UPOV ROM GTITM Computer Database, GTI Jouve Retrieval Software 2008/06 Citation for 'BEGH 03897'.\*

\* cited by examiner

Primary Examiner—Wendy C Haas

(74) Attorney, Agent, or Firm—C. A. Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Begonia* plant named 'BEGH 03897', characterized by its compact and mounded plant habit; freely branching habit; dense and bushy growth habit; relatively small dark brown-colored leaves; and numerous sterile flowers that are pale pink in color.

**1 Drawing Sheet****1**Botanical designation: *Begonia parvifolia* × *Begonia semperflorens*.

Cultivar denomination: 'BEGH 03897'.

**BACKGROUND OF THE INVENTION**

The present invention relates to a new and distinct cultivar of *Begonia* plant, botanically known as *Begonia parvifolia* × *Begonia semperflorens* and hereinafter referred to by the name 'BEGH 03897'.

The new *Begonia* plant is a product of a planned breeding program conducted by the Inventor in Hann. Münden, Germany. The objective of the breeding program was to develop new freely branching hybrid *Begonia* cultivars with attractive leaves and flowers.

The new *Begonia* plant originated from a cross-pollination made by the Inventor in 2003 of a proprietary selection of *Begonia parvifolia* identified as code number PAH 1/681, not patented, as the female, or seed, parent with a proprietary selection of *Begonia semperflorens* identified as code number GQ 1/495, not patented, as the male, or pollen, parent. The new *Begonia* was discovered and selected by the Inventor as a single plant from within the progeny of the stated cross-pollination in a controlled greenhouse environment in Hann. Münden, Germany in July, 2004.

Asexual reproduction of the new *Begonia* plant by terminal vegetative cuttings in a controlled greenhouse environment in Hann. Münden, Germany since February, 2005, has shown that the unique features of this new *Begonia* plant are stable and reproduced true to type in successive generations.

**SUMMARY OF THE INVENTION**

Plants of the new *Begonia* have not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature and light intensity, without, however, any variance in genotype.

**2**

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'BEGH 03897'. These characteristics in combination distinguish 'BEGH 03897' as a new and distinct cultivar of *Begonia*:

1. Compact and mounded plant habit.
2. Freely branching habit; dense and bushy growth habit.
3. Relatively small dark brown-colored leaves.
4. Numerous sterile flowers that are pale pink in color.

Plants of the new *Begonia* differ from plants of the female parent selection in the following characteristics:

1. Plants of the new *Begonia* are more mounded than and not as upright as plants of the female parent selection.
2. Leaves of plants of the new *Begonia* are smaller and darker in color than leaves of plants of the female parent selection.
3. Flowers of plants of the new *Begonia* are sterile whereas flowers of plants of the female parent selection are fertile.

Plants of the new *Begonia* differ from plants of the male parent selection in the following characteristics:

1. Plants of the new *Begonia* are more mounded than and not as upright as plants of the male parent selection.
2. Leaves of plants of the new *Begonia* are smaller than leaves of plants of the male parent selection.
3. Stems of plants of the new *Begonia* are red in color whereas stems of plants of the male parent selection are bronze in color.
4. Flowers of plants of the new *Begonia* are pale pink in color whereas flowers of plants of the male parent selection are red in color.
5. Flowers of plants of the new *Begonia* are sterile whereas flowers of plants of the male parent selection are fertile.

Plants of the new *Begonia* can also be compared to plants of the *Begonia* 'Cocktail Gin', not patented. In side-by-side comparisons conducted in Hann. Münden, Germany, plants of the new *Begonia* differed from plants of 'Cocktail Gin' in the following characteristics:

1. Plants of the new *Begonia* were larger and more vigorous than plants of 'Cocktail Gin'.
  2. Flowers of plants of the new *Begonia* were sterile whereas flowers of plants of 'Cocktail Gin' were fertile.
- 5

#### BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new *Begonia*, showing the colors as true as it is reasonably possible to obtain in colored reproductions <sup>10</sup> of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Begonia* plant.

The photograph at the bottom of the sheet comprises a side <sup>15</sup> perspective view of a typical flowering plant of 'BEGH 03897' grown in a container.

The photograph at the top of the sheet is a close-up view of typical flowers and leaves of 'BEGH 03897'. <sup>20</sup>

#### DETAILED BOTANICAL DESCRIPTIONS

Plants used for the aforementioned photographs and following observations and measurements were grown in Loudon, N.H. in 10-cm containers and under commercial practice <sup>25</sup> in a polyethylene-covered greenhouse during the spring. During the production of the plants, day temperatures ranged from 18° C. to 22° C. and night temperatures ranged from 16° C. to 18° C. Plants used for the photographs and the description were seven weeks from planting and were pinched one time. In the following description, color references are made <sup>30</sup> to The Royal Horticultural Society Colour Chart, 2001 Edition, except where general terms of ordinary dictionary significance are used.

*Botanical classification:* *Begonia parvifolia* × *Begonia semperflorens* 'BEGH 03897'. <sup>35</sup>

#### Parentage:

*Female, or seed, parent.*—Proprietary selection of *Begonia parvifolia* identified as code number PAH 1/681, <sup>40</sup> not patented.

*Male, or pollen, parent.*—Proprietary selection of *Begonia semperflorens* identified as code number GQ 1/495, not patented. <sup>45</sup>

#### Propagation:

*Type.*—By terminal vegetative cuttings.

*Time to initiate roots, summer.*—About 10 days at temperatures of about 20° C. <sup>45</sup>

*Time to initiate roots, winter.*—About 14 days at temperatures of about 20° C.

*Time to produce a rooted young plant, summer.*—About three weeks at temperatures of about 20° C. <sup>50</sup>

*Time to produce a rooted young plant, winter.*—About four weeks at temperatures of about 20° C.

*Root description.*—Fine, fibrous; white in color. Plants of the new *Begonia* have not been observed to form tubers. <sup>55</sup>

*Rooting habit.*—Moderate branching; moderately dense.

#### Plant description:

*Plant form.*—Compact and mounded plant habit; freely branching with about five branches per plant; dense and bushy growth habit. Vigorous habit and moderate growth rate. <sup>60</sup>

*Plant height.*—About 12 cm.

*Plant width.*—About 26 cm by 30 cm.

*Branch description.*—Length: About 20 cm. Diameter: About 6 mm. Internode length: About 3.8 cm. Texture: Smooth, glabrous. Color: Close to 199A.

*Leaf description.*—Arrangement: Simple, alternate. Length: About 8.7 cm. Width: About 7.2 cm. Shape: Roughly cordate to reniform. Apex: Acute. Base: Cordate. Margin: Irregularly crenate and sinuate; ciliate. Texture, upper and lower surfaces: Smooth, glabrous. Venation pattern: Palmate; reticulate. Color: Developing leaves, upper surface: Darker than 147A. Developing leaves, lower surface: Close to 177B. Fully expanded leaves, upper surface: Close to 200A; venation, close to N137A. Fully expanded leaves, lower surface: Close to 177A; venation, close to 146B. Petiole length: About 2 cm. Petiole diameter: About 3 mm. Petiole texture, upper and lower surfaces: Smooth, glabrous. Petiole color, upper and lower surfaces: Close to 146B.

#### Flower description:

*Flowering habit.*—Rounded flowers in axillary clusters of two to three. Freely flowering habit with about 22 flowers and flower buds per plant. Flowers outwardly drooping and arising from below the foliage.

*Fragrance.*—None detected.

*Natural flowering season.*—Plants flower continuously during the spring in Germany. Flowers last about four to five days on the plant; flowers not persistent.

*Flowers size.*—Diameter: About 1.5 cm by 1.8 cm. Depth (height): About 1.5 cm.

*Flower buds.*—Shape: Flattened oval. Length: About 1 cm. Diameter: About 8 mm. Color: Close to N155D.

*Tepals.*—Arrangement: Rosette. Quantity per flower: Usually about six per flower arranged in a one to two whorls. Length: About 1 cm. Width: About 7 mm. Shape: Obovate. Apex: Rounded, obtuse. Base: Acute. Margin: Entire. Texture, upper and lower surfaces: Smooth, glabrous; velvety. Color: When opening, upper surface: Close to 69C. When opening, lower surface: Close to 69D. Fully opened, upper surface: Close to 65B to 65C; color does not fade with development. Fully opened, lower surface: Close to 65D; color does not fade with development.

*Flower bracts.*—Quantity/arrangement: Three in a single whorl. Length: About 5 mm. Diameter: About 5 mm. Shape: Ovate. Apex: Erose. Base: Acute. Margin: Entire. Texture, upper and lower surfaces: Smooth, glabrous. Color, upper surface: Close to 159C. Color, lower surface: Close to 159D.

*Peduncles.*—Angle: About 45° from the stem axis. Length: About 8 mm. Diameter: About 1 mm. Texture: Smooth, glabrous. Color: Close to N170D.

*Reproductive organs.*—Stamens: None observed. Pistils: Pistil length: About 1.3 cm. Style length: About 1 mm. Style color: Close to 145C. Stigma color: Close to 153C. Ovary color: Close to 193C.

*Seed/fruit.*—Seed and fruit production have not been observed.

*Disease/pest resistance:* Resistance to pathogens and pests common to *Begonia* has not been observed.

*Temperature tolerance:* Plants of the new *Begonia* have been observed to tolerate temperatures from about 5° C. to about 35° C.

*It is claimed:*

1. A new and distinct *Begonia* plant named 'BEGH 03897' as illustrated and described.

