



US00PP20776P2

(12) **United States Plant Patent**
Brown

(10) **Patent No.:** **US PP20,776 P2**
(45) **Date of Patent:** **Feb. 23, 2010**

(54) **MANDEVILLA PLANT NAMED ‘GINGER’**

(50) Latin Name: *Mandevilla hybrida*
Varietal Denomination: **Ginger**

(75) Inventor: **Graham Noel Brown**, Pennant Hills
(AU)

(73) Assignees: **Floraquest Pty. Ltd.**, Pennant Hills,
NSW (AU); **Protected Plant**
Promotions Australia Pty. Ltd.,
Macquarie Fields, NSW (AU)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **12/291,390**

(22) Filed: **Nov. 7, 2008**

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(52) **U.S. Cl.** **Plt./232**

(58) **Field of Classification Search** **Plt./232**
See application file for complete search history.

Primary Examiner—Kent L Bell

(74) *Attorney, Agent, or Firm*—C. A. Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Mandevilla* plant named ‘Gin-
ger’, characterized by its compact, upright and mounded
plant habit; strong stems; freely branching habit; freely flow-
ering habit; and intense pink-colored flowers.

1 Drawing Sheet

1

Botanical designation: *Mandevilla hybrida*.
Cultivar denomination: ‘Ginger’.

CROSS-REFERENCED TO CLOSELY RELATED
APPLICATIONS

Title: *Mandevilla* Plant Named ‘Audrey’.
Applicant: Graham Noel Brown.
Filed: U.S. Plant patent application Ser. No. 12/291,395.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *Mandevilla*, botanically known as *Mandevilla hybrida* and
hereinafter referred to by the name ‘Ginger’.

The new *Mandevilla* plant is a product of a planned breed-
ing program conducted by the Inventor in New South Wales,
Australia. The objective of the breeding program is to create
new compact shrub-type *Mandevilla* cultivars with strong
stems and numerous attractive flowers.

The new *Mandevilla* plant originated from a cross-pollina-
tion made by the Inventor in Pennant Hills, New South Wales,
Australia in December, 2003, of a proprietary selection of
Mandevilla hybrida identified as code number X02.5, not
patented, as the female, or seed parent with *Mandevilla*
hybrida ‘Sunmandecrim’, disclosed in U.S. Plant Pat. No.
15,539, as the male, or pollen, parent. The new *Mandevilla*
was discovered and selected by the Inventor as a single flow-
ering plant from within the progeny of the stated cross-pollina-
tion in a controlled greenhouse environment in Macquarie
Fields, New South Wales, Australia in November, 2005.

Asexual reproduction of the new *Mandevilla* plant by cut-
tings in Macquarie Fields, New South Wales, Australia, since
December, 2005, has shown that the unique features of this
new *Mandevilla* plant are stable and reproduced true to type
in successive generations.

SUMMARY OF THE INVENTION

Plants of the new *Mandevilla* have not been observed under
all possible environmental conditions. The phenotype may

2

vary somewhat with variations in environment such as tem-
perature and light intensity without, however, any variance in
genotype.

The following traits have been repeatedly observed and are
determined to be the unique characteristics of ‘Ginger’. These
characteristics in combination distinguish ‘Ginger’ as a new
and distinct cultivar:

1. Compact, upright and mounded plant habit.
2. Strong stems.
3. Freely branching habit.
4. Freely flowering habit.
5. Intense pink-colored flowers.

Plants of the new *Mandevilla* can be compared to plants of
the female parent selection. Plants of the new *Mandevilla*
differ from plants of the female parent selection in the fol-
lowing characteristics:

1. Plants of the new *Mandevilla* have smaller flowers than
plants of the female parent selection.
2. Plants of the new *Mandevilla* and the female parent
selection differ in flower color as plants of the female
parent selection have darker pink-colored flowers.

Plants of the new *Mandevilla* can be compared to plants of
the male parent, ‘Sunmandecrim’. Plants of the new *Mandev-
illa* differ from plants of ‘Sunmandecrim’ in the following
characteristics:

1. Plants of the new *Mandevilla* are more compact than
plants of ‘Sunmandecrim’.
2. Plants of the new *Mandevilla* and ‘Sunmandecrim’ differ
in flower color as plants of ‘Sunmandecrim’ have deep
red-colored flowers.

Plants of the new *Mandevilla* can be compared to plants of
Mandevilla hybrida ‘Audrey’, disclosed in U.S. Plant patent
application Ser. No. 12/291,395. Plants of the new *Mandev-
illa* differ primarily from plants of ‘Audrey’ in flower color as
plants of ‘Audrey’ have deep red-colored flowers. In addition,
plants of the new *Mandevilla* have a tighter (less open) plant
form than plants of ‘Audrey’.

Plants of the new *Mandevilla* can also be compared to
plants of *Mandevilla splendens* ‘Red Riding Hood’, not pat-

ented. Plants of the new *Mandevilla* differ from plants of 'Red Riding Hood' in the following characteristics:

1. Plants of the new *Mandevilla* are more compact than plants of 'Red Riding Hood'.
2. Plants of the new *Mandevilla* and 'Red Riding Hood' differ in flower color as plants of 'Red Riding Hood' have darker pink-colored flowers.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new *Mandevilla* plant, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the actual colors of the new *Mandevilla* plant.

The photograph at the bottom of the sheet comprises a side perspective view of a typical flowering plant of 'Ginger' grown in a container.

The photograph at the top of the sheet is a close-up view of typical flowers and flower buds of 'Ginger'.

DETAILED BOTANICAL DESCRIPTION

The aforementioned photographs and following observations, measurements and values describe plants grown in Bonsall, Calif., under commercial practice during the summer in a polyethylene-covered greenhouse. During the production of the plants, day temperatures ranged from 18° C. to 35° C. and night temperatures ranged from 13° C. to 24° C. Plants were pinched one time and had been growing for 14 weeks when the description and photographs were taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 2001 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Mandevilla hybrida* 'Ginger'.

Parentage:

Female, or seed, parent.—Proprietary selection of *Mandevilla hybrida* identified as code number X02.5, not patented.

Male, or pollen, parent.—*Mandevilla hybrida* 'Sunmandecrim', disclosed in U.S. Plant Pat. No. 15,539.

Propagation:

Type.—By cuttings.

Time to produce a rooted young plant.—About one month.

Root description.—Fleshy, thick; white in color.

Rooting habit.—Moderate branching; moderately dense.

Plant description:

Plant habit.—Compact, upright and mounding.

Growth habit.—Vigorous.

Plant height.—About 29.5 cm.

Plant diameter.—About 39.5 cm.

Lateral branch description.—Branching habit: Freely branching with about five to six primary lateral branches per plant. Length: About 28 cm. Diameter: About 3.5 mm. Internode length: About 2.3 cm. Strength: Strong. Texture: Smooth, glabrous. Color: Close to 144A.

Foliage description:

Arrangement.—Opposite, simple.

Length.—About 6.6 cm.

Width.—About 4.8 cm.

Shape.—Elliptical.

Apex.—Acuminate.

Base.—Obtuse.

Margin.—Entire.

Texture, upper and lower surfaces.—Smooth, glabrous; leathery.

Venation pattern.—Pinnate, arcuate.

Color.—Developing leaves, upper and lower surfaces: Close to 146A. Fully expanded leaves, upper surface: Close to 139A; venation, close to 146A. Fully expanded leaves, lower surface: Close to 147B; venation, close to 145C.

Petioles.—Length: About 1.8 cm. Diameter: About 2 mm. Texture, upper and lower surfaces: Smooth, glabrous. Color, upper surface: Close to 146C. Color, lower surface: Close to 146D.

Flower description:

Flower type and habit.—Salverform flowers arranged in loose and open racemes. Flowers face upright or outwardly. Freely flowering habit, about 15 open flowers and flower buds per lateral branch.

Natural flowering season.—Long flowering period; plants flower from year-round in the greenhouse and from spring to late autumn in California; flowering continuous during this period. Plants initiate flower development about six weeks after planting.

Flower longevity on the plant.—About three to four days; flowers not persistent.

Fragrance.—Faint; floral-like, pleasant.

Inflorescence height.—About 11 cm.

Inflorescence diameter.—About 6 cm.

Flowers.—Appearance: Flared trumpet, corolla fused, five-parted; petals imbricate; flowers roughly star-shaped. Diameter: About 6 cm. Depth (length): About 6.4 cm. Throat diameter: About 1.5 cm. Tube length: About 6.4 cm. Tube diameter, mid-section: About 1.6 cm. Tube diameter, base: About 3 mm.

Flower buds.—Height: About 7 cm. Diameter: About 1.5 cm. Shape: Elongated oblong. Color: Close to 63B to 63C.

Corolla.—Arrangement/appearance: Single whorl of five petals, fused into flared trumpet; petals imbricate. Petal lobe length: About 3.2 cm. Petal lobe width: About 2.8 cm. Petal shape: Roughly elliptical. Petal apex: Acute. Petal margin: Entire. Petal texture, upper and lower surfaces: Smooth, glabrous; velvety. Color: Petal lobe, when opening, upper surface: Close to 58B. Petal lobe, when opening, lower surface: Close to 59D. Petal lobe, fully opened, upper surface: Close to 58B to 58C; color does not fade with development. Petal lobe, fully opened, lower surface: Close to 63B to 63C; color does not fade with development. Tube: Towards the apex, close to 62B; mid-section, close to 145C to 145D; towards the base, close to 182A. Throat: Close to 21B.

Sepals.—Arrangement/appearance: Five per flower fused in a single whorl. Length: About 6 mm. Width: About 2 mm. Shape: Lanceolate. Apex: Acute. Margin: Entire. Texture, upper and lower surfaces: Smooth, glabrous. Color, upper and lower surfaces: Close to 145D.

Peduncles.—Length: About 5.2 cm. Diameter: About 2 mm. Texture: Smooth, glabrous. Strength: Flexible, but strong. Color: Close to 144A.

Pedicels.—Length: About 8 mm. Diameter: About 1.5 mm. Texture: Smooth, glabrous. Strength: Flexible, but strong. Color: Close to 144A.

Reproductive organs.—Stamens: Quantity per flower: Typically five. Filament length: About 2 mm. Filament color: Close to 11B. Anther shape: Lanceolate. Anther size: About 2 mm by 9 mm. Anther color: Close to 18A. Pollen amount: Scarce. Pollen color: Close to 158D. Pistils: Quantity per flower: Typically one. Pistil length: About 2.4 cm. Stigma shape: Rounded. Stigma color: Close to 144C. Style length: About 1.6 cm. Style color: Close to 145C. Ovary color: Close to 145A.

Seed/fruit.—Seed and fruit production has not been observed.

Disease/pest resistance: Plants of the new *Mandevilla* have not been noted to be resistant to pathogens and pests common to *Mandevilla*.

Temperature tolerance: Plants of the new *Mandevilla* have been observed to tolerate temperatures from about 4° C. to about 35° C.

It is claimed:

1. A new and distinct *Mandevilla* plant named ‘Ginger’ as illustrated and described.

* * * * *

