



US00PP22617P2

(12) **United States Plant Patent**
Blom

(10) **Patent No.:** **US PP22,617 P2**
(45) **Date of Patent:** **Apr. 3, 2012**

(54) **CHRYSANTHEMUM PLANT NAMED**
'ZANMUGLOW'

(50) Latin Name: *Chrysanthemum*×*morifolium* Ramat.
Varietal Denomination: **Zanmuglow**

(75) Inventor: **Wilhelmus Bernardus Blom,**
Leimuiden (NL)

(73) Assignee: **Chrysanthemum Breeders Association**
Research B.V., Valkenburg Z-H (NL)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **12/926,547**

(22) Filed: **Nov. 24, 2010**

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(52) **U.S. Cl.** **Plt./294**

(58) **Field of Classification Search** **Plt./294**
See application file for complete search history.

Primary Examiner — Annette Para

(74) *Attorney, Agent, or Firm* — Steptoe & Johnson LLP

(57) **ABSTRACT**

A *chrysanthemum* plant named 'Zanmuglow' characterized
by its medium sized blooms with white ray florets and prolific
branching; natural season flower date August 24 (week 35);
blooming for a period of 5 weeks.

3 Drawing Sheets

1

Botanical designation: *Chrysanthemum*×*morifolium*
Ramat.

Cultivar denomination: 'Zanmuglow'.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *chrysanthemum* plant, botanically known as *Chrysante-*
mum×*morifolium* Ramat., commercially known as a garden
mum, and hereinafter referred to by the cultivar denomination
'Zanmuglow'. 'Zanmuglow' is a product of a breeding and
selection program for outdoor pot mums (garden mums)
which had the objective of creating new cultivars with a
double type inflorescence, a natural season flower date
around August 24 (week 35), blooming for a period of 5
weeks. 'Zanmuglow' is a seedling resulting from a cross of
the female parent id 9288 with the male parent id 15007.
Plants of the new cultivar 'Zanmuglow' differ from plants of
the female parent in color of the ray florets. Color of the ray
florets of the female parent is yellow, while it is white in the
seedling. Plants of the new cultivar 'Zanmuglow' differ from
plants of the male parent in plant size. Plants of the male
parent are smaller than those of the seedling.

The new and distinct cultivar was discovered and selected
as a flowering plant by Wilhelmus Bernardus Blom on a
cultivated field in Rijsenhout, The Netherlands in 2005. The
first act of asexual production of 'Zanmuglow' was accom-
plished when vegetative cuttings from the initial selection in
2005 were propagated further in a controlled environment in
Rijsenhout, The Netherlands. The new cultivar has been
found to retain its distinctive characteristics through succes-
sive propagations.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention of a new and distinct variety of
chrysanthemum is shown in the accompanying drawings, the
color being as nearly true as possible with color photographs
of this type.

2

FIG. 1 shows a plant of the cultivar in full bloom.

FIG. 2 shows the various stages of bloom of the new cul-
tivar.

FIG. 3 shows the various stages of foliage of the new
cultivar.

DESCRIPTION OF THE INVENTION

The observations and measurements were gathered from
plants grown out door in Rijsenhout, The Netherlands under
natural day length and temperature and planted in week 23 in
2009. The natural blooming date of this crop was August 24
(week 35). The average height of the plants was 23 cm. No
growth retardants were used. No tests were done on disease or
insect resistance or susceptibility. No tests were done on cold
or drought tolerance. This new variety produces medium
sized blooms with white ray florets blooming for a period of
5 weeks.

From the cultivars known to inventor the most similar
existing cultivar in comparison to 'Zanmuglow' is 'Zanmus-
pen' (U.S. Plant Pat. No. 21,205). When 'Zanmuspen' and
'Zanmuglow' are being compared the following difference is
noticed: plant size of 'Zanmuspen' is larger than that of 'Zan-
muglow'.

The following is a description of the plant and character-
istics that distinguish 'Zanmuglow' as a new and distinct
variety.

The color designations are taken from the plant itself.
Accordingly, any discrepancies between the color designa-
tions and the colors depicted in the photographs are due to
photographic tolerances. The color chart used in this descrip-
tion is: The Royal Horticultural Society Colour Chart, edition
2001.

TABLE 1

Botanical Description of *Chrysanthemum xmorifolium*
Ramat. 'Zanmuglow'

Bud

Size Small; cross-section 5 mm, height 3 mm
Shape Round

TABLE 1-continued

Botanical Description of <i>Chrysanthemum xmorifolium</i> Ramat. 'Zanmuglow'	
Texture	Pubescent
Outside Color	Greyed-green 191A
Phyllaries	
Number	22-24, arranged in 3 rows
Shape	Elliptic
Apex	Acute
Base	Truncate
Margin	Entire
Color	Upper surface: Green N138B
Length and width	5 mm; 2 mm
Texture	Pubescent
Inflorescence	
Type	Double
Height	2 cm
Diameter	5 cm
Peduncle length	7 cm
Peduncle color	Green 139B
Peduncle diameter	1.8 mm
Peduncle texture	Pubescent
Number per branch	Approx 5 inflorescences
Duration of flowering	5 weeks
Seeds	Produced in small quantities, ovate, Greyed-brown 199A, length 1.5 mm, diameter 0.5 mm
Fragrance	Faint <i>chrysanthemum</i> odor
Color	
Center of inflorescence (disc florets)	Immature stage: Yellow 4B Mature stage: Yellow 7A
Color of upper surface of the ray-florets	White 155D
Color of the lower surface of the ray-florets	White 155D
Tonality from Distance	A gardenmum with white flowers and a cream center
Color of the ray-florets after aging of the plant	White 155D
Ray florets	
Texture	Upper and lower surface smooth
Number	Ca 70
Shape	Elliptic
Apex	Rounded
Base	Attenuate
Cross-section	Flat
Longitudinal axis of majority	Straight
Length of corolla tube	2-3 mm
Ray-floret margin	Entire
Ray-floret length	2-2.5 cm
Ray-floret width	5-6 mm
Ratio length/width	Medium
Disc florets	
Disc diameter	3 mm
Distribution of disc florets	Few, only visible in mature inflorescence
Shape	Tubular
Color	Yellow-green 145C at base to Green Yellow 1D at top
Length	4 mm
Receptacle	
Color	Yellow-green 145D
Shape	Domed raised
Height	2 mm
Diameter	3 mm
Reproductive Organs	
Androecium	Present on only disc florets
Stamen length	3 mm

TABLE 1-continued

Botanical Description of <i>Chrysanthemum xmorifolium</i> Ramat. 'Zanmuglow'		
5	Stamen color	Yellow-green 144A
	Anther color	Yellow 6D
	Pollen	Present
	Pollen color	Yellow 13A
	Gynoecium	Present on both ray and disc florets
	Style color	Yellow-green 154C
10	Style Length	3 mm
	Stigma color	Yellow 7A
	Stigma Width	1 mm
	Ovary	Enclosed in calyx
	Plant	
15	Form	Grown as a spray type pot <i>mum</i> , outdoor raised and mounded
	Growth habit	Spherical shape
	Growth rate	Moderate
	Height	22-25 cm
	Width	35-40 cm
	Stem Color	Greyed-brown 199A
20	Stem Strength	Strong
	Stem Brittleness	Not brittle
	Stem Anthocyanin Coloration	Not observed
	Internode length	1-1.5 cm
	Length of lateral branch	From top to bottom 12 cm
	Lateral branch color	Green 137 C
25	Lateral branch, attachment	Strong
	Lateral branch diameter	2 mm
	Branching (average number of lateral branches)	Prolific with 8 breaks after pinching
	Natural season blooming date	August 24 (week 35)
	Foliage	
30	Leaf color	Upper side: Green 137A Lower side: Green 137D
	Color midvein	Upper side: Yellow-green 147D Lower side: Yellow-green 148D
	Size	Small; length 3.5-5 cm, width 2.5-3.5 cm
35	Quantity (number per lateral branch)	Ca.14
	Shape	Elliptic
	Texture upper side	Sparsely pubescent
	Texture under side	Pubescent
	Venation arrangement	Palmate
40	Shape of the margin	Serrated
	Shape of Base of Sinus	Rounded
	Between Lateral Lobes	
	Margin of Sinus Between Lateral Lobes	Diverging
	Shape of Base	Truncate
45	Apex	Mucronulate
	Petiole length	4-5 mm
	Petiole diameter	2 mm
	Petiole color	Yellow-green 147D

TABLE 2

Differences with the comparison variety (when grown side to side)		
	'Zanmuglow'	'Zanmuspen'
55	Plant height	22-25 cm
	Plant width	35-40 cm
		25 cm
		40 cm

I claim:

60 1. A new and distinct *chrysanthemum* plant named 'Zanmuglow' as described and illustrated.




FIG. 1




FIG. 2




FIG. 3