

US00PP22936P2

(12) United States Plant Patent Dümmen

PETUNIA PLANT NAMED 'DUESURSTABU'

(10) Patent No.:(45) Date of Patent:

US PP22,936 P2

Aug. 7, 2012

(50) Latin Name: *Petunia*×*hybrida*Varietal Denomination: **Duesurstabu**

(75) Inventor: **Tobias Dümmen**, Rheinberg (DE)

(73) Assignee: Capital Green Investments Ltd., Grand

Cayman (KY)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 33 days.

(21) Appl. No.: 12/930,272

(22) Filed: Dec. 31, 2010

(51) Int. Cl. A01H 5/00 (2006.01) (52) U.S. Cl. Plt./356.21

(58) **Field of Classification Search** Plt./356.21 See application file for complete search history.

Primary Examiner — Susan McCormick Ewoldt (74) Attorney, Agent, or Firm — C. A. Whealy

(57) ABSTRACT

A new and distinct cultivar of *Petunia* plant named 'Duesurstabu', characterized by its mounding and outwardly spreading to trailing plant habit; freely branching habit; early and freely flowering habit; large light pink-colored flowers with red purple-colored venation; and good garden performance.

1 Drawing Sheet

1

Botanical designation: *Petunia*×*hybrida*. Cultivar denomination: 'DUESURSTABU'.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of *Petunia* plant, botanically known as *Petunia*×*hybrida* and hereinafter referred to by the name 'Duesurstabu'.

The new *Petunia* plant is a product of a planned breeding program conducted by the Inventor in Rheinberg, Germany. The objective of the breeding program is to create new trailing *Petunia* plants with numerous unique and attractive flowers.

The new *Petunia* plant originated from a cross-pollination made by the Inventor in July, 2007 in Rheinberg, Germany of a proprietary selection of *Petunia*×*hybrida* identified as code number T05-0840-016, not patented, as the female, or seed, parent with a proprietary selection of *Petunia*×*hybrida* identified as code number F-22-1822, not patented, as the male, or pollen, parent. The new *Petunia* plant was discovered and selected by the Inventor as a single flowering plant within the progeny of the stated cross-pollination in a controlled greenhouse environment in Rheinberg, Germany in May, 2009.

Asexual reproduction of the new *Petunia* plant by terminal cuttings in a controlled greenhouse environment in Rhein- 25 berg, Germany since May, 2009 has shown that the unique features of this new *Petunia* plant are stable and reproduced true to type in successive generations.

SUMMARY OF THE INVENTION

Plants of the new *Petunia* have not been observed under all possible environmental conditions and cultural practices. The phenotype may vary somewhat with variations in environment such as temperature and light intensity without, howards ever, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'Duesurstabu'. These characteristics in combination distinguish 'Duesurstabu' as a new and distinct *Petunia* plant:

1. Mounding and outwardly spreading to trailing plant habit.

2

- 2. Freely branching habit.
- 3. Early and freely flowering habit.
- 4. Large light pink-colored flowers with red purple-colored venation.
- 5. Good garden performance.

Plants of the new *Petunia* can be compared to plants of the female parent selection. Plants of the new *Petunia* differ primarily from plants of the female parent selection in flower color as plants of the new *Petunia* have more pinkish-colored flowers. In addition, plants of the new *Petunia* flower earlier than plants of the female parent selection.

Plants of the new *Petunia* can be compared to plants of the male parent selection. Plants of the new *Petunia* differ primarily from plants of the male parent selection in flower color as plants of the new *Petunia* have more pinkish-colored flowers. In addition, plants of the new *Petunia* are more vigorous than plants of the male parent selection.

Plants of the new *Petunia* can be compared to plants of the *Petunia*×*hybrida* 'Famous Hot Rose Morn', not patented. In side-by-side comparisons conducted in Rheinberg, Germany, plants of the new *Petunia* differed primarily from plants of 'Famous Hot Rose Morn' in the following characteristics:

- 1. Plants of the new *Petunia* were more compact and had shorter internodes than plants of 'Famous Hot Rose Morn'.
- 2. Plants of the new *Petunia* had smaller leaves than plants of 'Famous Hot Rose Morn'.
- 3. Plants of the new *Petunia* and 'Famous Hot Rose Morn' differed in flower color as plants of 'Famous Hot Rose Morn' had darker pink-colored flowers.
- 4. Plants of the new *Petunia* had shorter peduncles than plants of 'Famous Hot Rose Morn'.

BRIEF DESCRIPTION OF THE PHOTOGRAPH

The accompanying colored photograph illustrates the overall appearance of the new *Petunia* plant showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photograph may differ slightly

30

50

55

60

65

from the color values cited in the detailed botanical description which accurately describe the colors of the new *Petunia* plant.

The photograph comprises a close-up view of typical flowers, flower buds and leaves of 'Duesurstabu'.

DETAILED BOTANICAL DESCRIPTION

The aforementioned photograph and following observations, measurements and values describe plants grown during 10 the summer in 10.5-cm containers in a glass-covered greenhouse in Rheinberg, Germany and under commercial production practices. During the production of the plants, day and night temperatures averaged 18° C. and light levels averaged 15 4,500 lux. Plants were pinched one time three weeks after planting and were 16 weeks old when the photograph and description were taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of 20 ordinary dictionary significance are used.

Botanical classification: *Petunia*×*hybrida* 'Duesurstabu'. Parentage:

Female, or seed, parent.—Proprietary selection of Petunia×hybrida identified as code number T05-0840- 25 016, not patented.

Male, or pollen, parent.—Proprietary selection of Petunia×hybrida identified as code number F-22-1822, not patented.

Propagation:

Type.—By terminal cuttings.

Time to initiate roots, summer.—About five days at temperatures of 20° C.

Time to initiate roots, winter.—About seven days at temperatures of 20° C.

Time to produce a rooted young plant, summer.—About three weeks at temperatures of 20° C.

Time to produce a rooted young plant, winter.—About four weeks at temperatures of 20° C.

Root description.—Fine, fibrous; white in color.

Rooting habit.—Freely branching; dense. Plant description:

Plant and growth habit.—Mounding and outwardly spreading to trailing plant habit; freely branching habit with about eight to ten lateral branches devel- 45 oping after pinching; moderately vigorous growth habit.

Plant height.—About 12 cm.

Plant diameter.—About 25 cm.

Lateral branch description:

Length.—About 12 cm.

Diameter.—About 4 mm.

Internode length.—About 1.7 cm.

Strength.—Moderately strong.

Aspect.—Initially upright to outwardly spreading.

Texture.—Pubescent.

Color.—Close to 144A to 144B.

Foliage description:

Arrangement.—Before flowering, alternate, simple; after flowering, opposite, simple.

Length.—About 4.2 cm.

Width.—About 1.9 cm.

Shape.—Spatulate.

Apex.—Obtuse.

Base.—Attenuate.

Margin.—Entire.

Texture, upper and lower surfaces.—Pubescent; leathery.

Venation pattern.—Pinnate; arcuate.

Color.—Developing and fully expanded leaves, upper surface: Close to 137C; venation, close to 144A to 144B. Developing and fully expanded leaves, lower surface: Close to 137D; venation, close to 144A to 144B.

Petioles.—Length: About 5 mm. Diameter: About 3.4 mm. Texture, upper and lower surfaces: Pubescent. Color, upper and lower surfaces: Close to 144B.

Flower description:

Flower arrangement and habit.—Large salverform flowers; single flowers arising from leaf axils; freely flowering habit with usually about 25 to 30 open flowers and flower buds per plant; flowers face mostly upright to outwardly.

Fragrance.—None detected.

Natural flowering season.—Plants flower continuously during the spring and summer in Germany; early flowering habit, plants typically beginning flowering about nine weeks after planting.

Flower longevity.—Individual flowers last about five to six days on the plant; flowers persistent.

Flower diameter.—About 6.5 cm.

Flower length (height).—About 3.1 cm.

Flower throat diameter.—About 1 cm.

Flower tube length.—About 2.3 cm.

Flower tube diameter.—About 2 mm.

Flower bud.—Shape: Ovoid. Length: About 4.2 cm. Diameter: About 9.5 mm. Color: Close to 72A.

Corolla.—Arrangement: Five petals fused at the base and opening into a flared trumpet. Petal lobe length (from throat): About 2.8 cm. Petal lobe width: About 3.1 cm. Petal shape: Roughly spatulate. Petal apex: Rounded. Petal margin: Entire. Petal texture, upper and lower surfaces: Rippled, glabrous. Throat texture: Rippled, glabrous. Tube texture: Rippled, pubescent. Color: Petal lobe, when opening and fully opened, upper surface: Close to 73D; venation, close to 67A to 67B; color becoming closer to 75D with development. Petal lobe, when opening and fully opened, lower surface: Close to 69B to 69C; venation, close to 70B. Flower throat: Close to 199B to 199C; venation, close to 199A. Flower tube: Close to 137B; venation, close to 197B.

Calyx.—Arrangement: Five sepals fused at the base forming a star-shaped calyx. Sepal length: About 2.1 cm. Sepal width: About 2.5 mm. Sepal shape: Oblong. Sepal apex: Rounded. Sepal margin: Entire. Sepal texture, upper and lower surfaces: Smooth. Color, immature and mature, upper surface: Close to 137C. Color, immature and mature, lower surface: Close to 137C.

Peduncles.—Length: About 2.9 cm. Diameter: About 1.75 mm. Strength: Moderately strong. Texture: Smooth. Color: Close to 144A.

Reproductive organs.—Stamens: Quantity: Five per flower. Filament length: About 9 mm. Filament color: Close to 155A. Anther shape: Ovate. Anther length: About 1.5 mm. Anther color: Close to 156D. Pollen amount: Abundant. Pollen color: Close to 4D. Pistils: Quantity: One per flower. Pistil length: About 1.9 cm. Style length: About 1.7 cm. Style color: Close to 157A. Stigma shape: Rounded. Stigma color: Close to

5

6

144A. Ovary color: Close to 145A. Seed/fruit: Seed and fruit development have not been observed on plants of the new *Petunia*.

Garden performance: Plants of the new *Petunia* have been observed to have good garden performance and tolerate wind, rain and temperatures ranging from about 5° C. to about 40° C.

Pathogen/pest resistance: Plants of the new *Petunia* have not been observed to be resistant to pathogens and pests common to *Petunia*.

It is claimed:

1. A new and distinct *Petunia* plant named 'Duesurstabu' as illustrated and described.

* * * * *

