



US00PP23037P2

(12) **United States Plant Patent**  
**Klemm et al.**

(10) **Patent No.:** **US PP23,037 P2**  
(45) **Date of Patent:** **Sep. 11, 2012**

(54) **LOBELIA PLANT NAMED 'KLELE10724'**

(50) Latin Name: *Lobelia erinus*  
Varietal Denomination: **KLELE10724**

(75) Inventors: **Nils Klemm**, Stuttgart (DE); **Guido Von Tubeuf**, Stuttgart (DE)

(73) Assignee: **Klemm+Sohn GmbH & Co. KG**, Stuttgart (DE)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 28 days.

(21) Appl. No.: **13/065,792**

(22) Filed: **Mar. 29, 2011**

(51) **Int. Cl.**  
*A01H 5/00* (2006.01)

(52) **U.S. Cl.** ..... **Plt./451**

(58) **Field of Classification Search** ..... **Plt./451**  
See application file for complete search history.

*Primary Examiner* — Susan McCormick Ewoldt

(74) *Attorney, Agent, or Firm* — Jondle & Associates, P.C.

(57) **ABSTRACT**

A new *Lobelia* plant named 'KLELE10724' particularly distinguished by its very round mounding, to half-hanging plants and its dark blue flowers, is disclosed.

**1 Drawing Sheet**

**1**

Genus and species: *Lobelia erinus*.  
Variety denomination: 'KLELE10724'.

**BACKGROUND OF THE NEW PLANT**

The present invention comprises a new and distinct variety of *lobelia*, botanically known as *Lobelia erinus*, and herein-after referred to by the variety name 'KLELE10724'. The new variety resulted from an open-pollination in June 2007 in Stuttgart, Germany, between the proprietary female parent, *Lobelia* plant 'KLELE08623', (U.S. Plant Pat. No. 21,129) and an unknown male. A single plant selection was subsequently chosen for further evaluation and asexual propagation.

The new variety was first propagated via vegetative cuttings and in vitro propagation in May 2008 in Stuttgart, Germany, and has been asexually reproduced repeatedly by vegetative cuttings for more than six generations. 'KLELE10724' has been found to retain its distinctive characteristics through successive asexual propagations via vegetative cuttings.

Plant Breeder's Rights for this variety were applied for in Canada on Mar. 19, 2010. 'KLELE10724' has not been made publicly available more than one year prior to filing of this application.

**SUMMARY OF THE INVENTION**

The following are the most outstanding and distinguishing characteristics of this new cultivar when grown under normal horticultural practices in a glass greenhouse in Stuttgart, Germany.

- 1. Very round mounding to half-hanging; and
- 2. Dark blue flowers.

**DESCRIPTION OF PHOTOGRAPH**

This new *lobelia* plant is illustrated by the accompanying photograph which shows overall plant habit including blooms, buds, and foliage of the plant in full color. The colors shown are as true as can be reasonably obtained by conventional photographic procedures. The photograph was taken in the Spring of 2010 of a 3-month-old *Lobelia* plant grown in a

**2**

10 centimeter pot in a glass greenhouse in Stuttgart, Germany under normal horticultural practices.

**DESCRIPTION OF THE NEW VARIETY**

The following detailed descriptions set forth the distinctive characteristics of 'KLELE10724'. The data which define these characteristics were collected from asexual reproductions carried out in Stuttgart, Germany. The plant history was taken in the Spring of 2010 of 3-month-old plants grown in 10 centimeter pots in a glass greenhouse with a minimum pinch date of eight weeks. Color readings were taken under natural light. Color references are primarily to The R.H.S. Colour Chart of The Royal Horticultural Society of London (R.H.S.), Fifth Edition (2007).

**DETAILED BOTANICAL DESCRIPTION OF THE NEW PLANT**

Classification:

*Botanical.*—*Lobelia erinus*.

*Common name.*—*Lobelia*.

Parentage:

*Female parent.*—The proprietary *Lobelia* plant 'KLELE08623' (U.S. Plant Pat. No. 21,129).

*Male parent.*—Unknown.

Growth:

*Growth and branching habit.*—Semi-trailing.

*Form.*—Rounded.

*Height (measured from the top of the soil, including any flowers).*—12.0 cm.

*Width (horizontal plant diameter, including any flowers).*—25.0 cm.

*Time to produce a finished flowering plant.*—10 weeks.

*Outdoor plant performance.*—Quite good.

*Time to initiate roots.*—3 weeks.

*Root description.*—Fine, white roots, freely branching and dense.

## Leaves:

*Arrangement.*—Alternate.

*Color.*—Immature Leaf: Upper surface: RHS 143B.  
Lower surface: RHS 143C. Mature Leaf: Upper sur-  
face: RHS 137B. Lower surface: RHS 137D. 5

*Length.*—3.0 cm to 4.0 cm.

*Width.*—1.0 cm to 1.2 cm.

*Shape.*—Basal leaves: Elliptical. Upper leaves: Lan-  
ceolate.

*Margin.*—Basal leaves: Serrate. Upper leaves: Entire. 10

*Apex.*—Basal leaves: Obtuse. Upper leaves: Acuminate.

*Base.*—Acute.

*Texture (both upper and lower surfaces).*—Smooth.

*Venation.*—Pinnate.

## Stems:

*Length.*—Approximately 18.0 cm.

*Diameter.*—0.15 cm.

*Internode length.*—2.0 cm to 4.0 cm.

*Texture.*—Smooth.

*Stem anthocyanin.*—Absent. 20

*Peduncle.*—Length: 2.0 cm to 3.0 cm. Diameter: 0.03  
cm to 0.04 cm. Texture: Smooth.

## Flower buds:

*Shape.*—Inverse drop.

*Diameter.*—0.4 cm to 0.6 cm.

*Length.*—1.0 cm to 1.3 cm.

## Inflorescence:

*Blooming habit.*—Continuous.

*Lastingness of individual blooms on plant.*—Approxi-  
mately 1 week. 25

*Fragrance.*—Absent.

*Inflorescence type.*—Raceme.

*Quantity of flowers and buds per flowering branch.*—12  
to 18. 30

## Flowers:

*Flower diameter (horizontal).*—Approximately 1.9 cm.

*Flower height (vertical).*—Approximately 1.6 cm.

*Mature flower.*—Upper lobe: Color: Upper surface:  
Between RHS 95B and RHS 93A. Length: Approxi-  
mately 1.0 cm. Width: Approximately 0.7 cm. Shape: 40

Obovate. Apex: Obtuse. Margin: Entire. Texture (both  
upper and lower surfaces): Smooth. Lower lobes:  
Color: Upper surface: Between RHS 95B and RHS  
93A. Length: Approximately 0.7 cm. Width:  
Approximately 0.2 cm. Shape: Obovate. Apex:  
Obtuse. Margin: Entire. Texture (both upper and  
lower surfaces): Smooth.

*Corolla.*—Color inside: White. Color outside: RHS 95B  
to RHS 93A. Tube length: Approximately 1.0 cm.  
Diameter: 0.3 cm.

*Calyx.*—Length: Approximately 1.0 cm. Diameter:  
Approximately 1.5 cm. Shape: Funnel, star-shaped  
with fused sepals in lower half. Apex: Acute. Texture:  
Smooth.

## 15 Reproductive organs:

*Androecium.*—Number of anthers: 5. Pollen amount:  
Moderate.

*Gynoecium.*—Pistil length: Approximately 0.5 cm.

20 COMPARISON WITH PARENTAL AND  
COMMERCIAL VARIETIES

‘KLELE10724’ differs from the female parent,  
‘KLELE08623’, (U.S. Plant Pat. No. 21,129) in that  
25 ‘KLELE10724’ has medium dark blue flowers, whereas  
‘KLELE08623’ has darker blue flowers.

‘KLELE10724’ differs from the commercial variety  
‘KLELE06114’ (U.S. Plant Pat. No. 19,680) in that  
30 ‘KLELE10724’ has lower vigor, whereas ‘KLELE06114’ has  
higher vigor. ‘KLELE10724’ has a semi-trailing growth  
habit, whereas ‘KLELE06114’ has a trailing growth habit.  
Additionally, ‘KLELE10724’ has a medium early flowering  
date, whereas ‘KLELE06114’ has a later flowering date.

## 35 We claim:

1. A new and distinct *Lobelia* plant named ‘KLELE10724’  
as shown and described herein.

\* \* \* \* \*



