



US00PP24489P3

(12) **United States Plant Patent**
Caster et al.

(10) **Patent No.:** **US PP24,489 P3**
(45) **Date of Patent:** **May 27, 2014**

(54) **BLUEBERRY PLANT NAMED**
'DRISBLUEFIVE'

(65) **Prior Publication Data**
US 2014/0075616 P1 Mar. 13, 2014

(50) Latin Name: *Vaccinium corymbosum* L.
Varietal Denomination: **DrisBlueFive**

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(75) Inventors: **Brian K. Caster**, Salinas, CA (US);
Jennifer K. Izzo, Watsonville, CA (US);
Arlen Draper, Payson, AZ (US); **Paul**
M. Lyrene, Micanopy, FL (US)

(52) **U.S. Cl.**
USPC **Plt./157**

(58) **Field of Classification Search**
USPC **Plt./157**
See application file for complete search history.

(73) Assignees: **Driscoll Strawberry Associates, Inc.**,
Watsonville, CA (US); **Florida**
Foundation Seed Producers, Inc.,
Marianna, FL (US)

Primary Examiner — Annette Para
(74) *Attorney, Agent, or Firm* — Jondle Plant Sciences
division of Swanson & Bratschun, L.L.C.

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 85 days.

(57) **ABSTRACT**
A new and distinct variety of blueberry plant named 'Dris-
BlueFive' particularly distinguished by having a very low
chilling requirement, early harvest season with medium to
high productivity, and firm, sweet berries with aromatic fla-
vor, is disclosed.

(21) Appl. No.: **13/573,335**

2 Drawing Sheets

(22) Filed: **Sep. 11, 2012**

1

2

Genus and species: *Vaccinium corymbosum* L.
Variety denomination: 'DrisBlueFive'.

flowers and leaves. The colors shown are as true as can be
reasonably obtained by conventional photographic proce-
dures. The photographs are of plants that are 13 years old.

BACKGROUND OF THE NEW PLANT

FIG. 1 shows a close-up of the mature flowers.
5 FIG. 2 shows a close-up of the leaves.
FIG. 3 shows a close-up of the whole fruit and a cross-
section of the fruit.

The invention relates to a new and distinct blueberry vari-
ety designated 'DrisBlueFive' and botanically known as *Vac-*
cinium corymbosum L. This new blueberry variety was dis-
covered in Santa Cruz, Calif. in June 1999 and originated
from a cross between the proprietary female parent blueberry
plant 'FL 97-16' (unpatented) and the proprietary male parent
blueberry plant 'Windsor' (U.S. Plant Pat. No. 12,783). The
original seedling of the new variety was first asexually propa-
gated at a nursery in Monterey, Calif. 'DrisBlueFive' was
subsequently asexually propagated and underwent further
testing at a nursery in Santa Cruz, Calif. for thirteen years.
The present invention has been found to be stable and repro-
duce true to type through successive asexual propagations via
softwood cuttings.

DESCRIPTION OF THE NEW CULTIVAR

Plant Breeder's Rights for this variety have not been
applied for. 'DrisBlueFive' has not been made publicly avail-
able or sold more than one year prior to the filing date of this
application.

The following detailed description sets forth the distinctive
characteristics of 'DrisBlueFive.' The data which define these
characteristics is based on observations taken in Santa Cruz,
Calif. from 1999 to 2012. This description is in accordance
with UPOV terminology. Color designations, color descrip-
tions, and other phenotypical descriptions may deviate from
the stated values and descriptions depending upon variation
in environmental, seasonal, climatic and cultural conditions.
'DrisBlueFive' has not been observed under all possible envi-
ronmental conditions. The botanical description of 'Dris-
BlueFive' was taken from 13 year-old plants. Color refer-
ences are primarily to The R.H.S. Colour Chart of The Royal
Horticultural Society of London (R.H.S.) (2007 edition).
Descriptive terminology follows the *Plant Identification Ter-*
minology, An Illustrated Glossary, 2nd edition by James G.
Harris and Melinda Woolf Harris, unless where otherwise
defined.

SUMMARY OF THE INVENTION

DETAILED BOTANICAL DESCRIPTION

The following are the most outstanding and distinguishing
characteristics of this new cultivar when grown under normal
horticultural practices in Santa Cruz, Calif.

1. A very low chilling requirement;
2. Early harvest season with medium to high productivity;
and
3. Firm, sweet berries with aromatic flavor.

Classification:

DESCRIPTION OF THE PHOTOGRAPHS

Family.—Ericaceae.
Botanical.—*Vaccinium corymbosum* L.
Common name.—Blueberry.
Variety name.—'DrisBlueFive'.

This new blueberry plant is illustrated by the accompany-
ing photographs which show fruit of the plant as well as the

Parentage:

Female parent.—The proprietary blueberry plant ‘FL 97-16’ (unpatented).

Male parent.—The proprietary blueberry plant ‘Windsor’ (U.S. Plant Pat. No. 12,783).

Plant:

Size.—Medium.

Height.—126.2 cm.

Width.—157.2 cm.

Length/width ratio.—0.8.

Plant vigor.—Strong.

Growth habit.—Semi-erect.

Productivity.—Medium to high.

Cold hardiness.—Medium.

Chilling requirement.—Very low; 150-250 chilling hours.

Propagation.—Soft wood cuttings.

Time of vegetative bud burst.—Early to medium.

Fruiting type.—Only on one-year-old shoots.

Cane renewal.—Strong.

Internode length (upper half on one-year old shoot).—33.8 mm.

One-year old canes (young canes).—Length: 107.0 cm. Diameter at the base: 9.0 mm. Diameter at the tip: 5.0 mm. Texture: Smooth. Color (One-year old shoot, branch and canes): RHS 144C (Medium yellow-green).

Five-year old canes (mature canes).—Length: 132.0 cm. Diameter at the base: 17.0 mm. Diameter at the tip: 3.8 mm. Texture: Rough. Color: RHS N200B (Medium brown).

Leaves:

Length.—Medium; 4.84 cm.

Width.—Medium; 2.97 cm.

Length/width ratio.—1.6; longer than broad.

Shape.—Elliptic.

Apex.—Acute.

Base.—Cuneate.

Margin.—Entire.

Glossiness.—Medium.

Pubescence.—Glabrous (Absent).

Sheath.—Absent.

Arrangement.—Alternate.

Venation.—Reticulate.

Color.—Upper surface: Dark; RHS 189A (Dark greyed-green). Lower surface: Medium; RHS 191A (Medium greyed-green).

Appearance of leaf bud.—Early.

Internode length (one-year old shoot, upper half).—Medium; 17.58 mm.

Petiole:

Length.—2.5 mm.

Diameter.—1.71 mm.

Color.—RHS N145B (Light yellow-green).

Flowers:

Length (excluding peduncle).—Long; 9.88 mm.

Diameter.—8.08 mm.

Length/width ratio.—1.2.

Color.—RHS 155C (White).

Flower bud.—Length: 8.7 mm. Width: 3.3 mm. Number of flowers per bud: 7. Color on mature buds: RHS 65C (Light red-purple) and RHS 155B (White).

Petal width.—4.74 mm.

Fragrance.—Very faint or absent.

Time of beginning flowering on one-year shoot.—Early.

Time of flowering (50% full bloom).—Early; March 6.

Pedicel.—Length: 8.51 mm. Diameter: 1.09 mm. Color: RHS 145B (Medium yellow-green).

Corolla.—Aperture diameter: 2.62 mm. Shape: Urceolate. Size of corolla tube: Medium. Corolla tube color: Very weak or absent; RHS N155C (White). Ridges on tube: Absent.

Peduncle length.—3.49 cm.

Reproductive organs:

Style length (including stigma).—Medium; 6.51 mm.

Style color.—RHS 144B (Medium yellow-green).

Ovary color.—RHS 189B (Medium greyed-green).

Pollen amount.—Medium to high.

Pollen color.—RHS 9D (Light yellow).

Anther color.—RHS 164A (Medium greyed-orange).

Fruit:

Size.—Medium to large.

Length.—12.46 mm.

Width.—17.09 mm.

Length/width ratio.—0.7.

Fruit pedicel diameter.—1.23 mm.

Weight.—1.8 g.

Number of berries per cluster.—9.

Cluster density.—Medium.

Shape in longitudinal sections.—Oblate.

Intensity of green color (immature fruit with bloom).—Medium; RHS 139C (Medium green).

Color of skin (immature fruit without bloom).—RHS N77A (Dark purple).

Color of skin (mature fruit without bloom).—RHS N186A (Greyed-purple).

Color of skin (mature fruit with bloom).—RHS 107D (Light blue).

Intensity of bloom (mature fruit).—Strong to very strong.

Attitude of sepals.—Incurving and erect.

Calyx.—Diameter of basin: Large; 7.09 mm. Depth of basin: Deep; 4.44 mm. Diameter/depth ratio: 1.6.

Flesh color.—RHS 149C (Light yellow-green).

Firmness.—Firm.

Sweetness.—Medium.

Acidity.—Low.

Time of beginning of fruit ripening (one-year old shoots).—Medium.

Harvest season.—Early.

Harvest interval.—May 4 to July 5.

Seeds:

Length.—1.62 mm.

Width.—1.18 mm.

Length/width ratio.—1.4.

Abundance.—Medium to high.

Color.—RHS 164A (Medium greyed-orange).

Resistance to pests and diseases: Data not available.

COMPARISON WITH PARENTAL AND COMMERCIAL VARIETIES

‘DrisBlueFive’ differs from the male parent blueberry variety ‘Windsor’ (U.S. Plant Pat. No. 12,783) in that ‘DrisBlueFive’ has elliptic shaped leaves with an acute apex and a berry weight of 1.8 grams, whereas ‘Windsor’ has oval to lanceolate shaped leaves with an acuminate apex and a berry weight of 2.48 grams. Additionally, ‘DrisBlueFive’ has a low chilling requirement of 150 to 250 hours, whereas ‘Windsor’ has a higher chilling requirement of about 300 hours.

'DrisBlueFive' differs from the commercial variety 'Dris-BlueOne' (U.S. Plant Pat. No. 20,449) in that 'DrisBlueFive' has leaves with an acute apex and firm berries with low acidity, whereas 'DrisBlueOne' has leaves with a broadly acute apex and very firm berries with medium acidity. Additionally, 'DrisBlueFive' has a very low chilling requirement, whereas 'DrisBlueOne' has a medium chilling requirement.

'DrisBlueFive' differs from the commercial variety 'Dris-BlueTwo' (U.S. Plant Pat. No. 20,488), in that 'DrisBlueFive'

has leaves with an cuneate base and an entire margin, whereas 'DrisBlueTwo' has leaves with a broadly acute base and a serrulate margin. Additionally, 'DrisBlueFive' has oblate shaped berries with low acidity, whereas 'DrisBlueTwo' has nearly spherical shaped berries with medium acidity.

We claim:

1. A new and distinct variety of blueberry plant named 'DrisBlueFive' as shown and described herein.

* * * * *




FIG. 1




FIG. 2




FIG. 3

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : PP24,489 P3
APPLICATION NO. : 13/573335
DATED : May 27, 2014
INVENTOR(S) : Brian K. Caster et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification

In Column 1, Line 9, delete "female" and insert -- male --, therefor.

In Column 1, Line 10, delete "male" and insert -- female --, therefor.

In Column 3, Line 2, delete "Female" and insert -- Male --, therefor.

In Column 3, Line 4, delete "Male" and insert -- Female --, therefor.

In Column 4, Line 59, delete "male" and insert -- female --, therefor.

Signed and Sealed this
Third Day of January, 2017



Michelle K. Lee
Director of the United States Patent and Trademark Office