



US00PP25028P3

(12) **United States Plant Patent**
Blom

(10) **Patent No.:** **US PP25,028 P3**
(45) **Date of Patent:** **Nov. 4, 2014**

(54) **CHRYSANTHEMUM PLANT NAMED**
'ZANMUFLAMINNEON'

(65) **Prior Publication Data**

US 2014/0182027 P1 Jun. 26, 2014

(50) Latin Name: *Chrysanthemum*×*morifolium* Ramat.
Varietal Denomination: **Zanmuflaminneon**

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(71) Applicant: **Chrysanthemum Breeders Association**
Research B.V., Aalsmeer (NL)

(52) **U.S. Cl.**
USPC **Plt./287**

(72) Inventor: **Wilhelmus Bernardus Blom,**
Leimuiden (NL)

(58) **Field of Classification Search**
USPC Plt./287
See application file for complete search history.

(73) Assignee: **Chrysanthemum Breeders Association**
Research B.V., Valkenburg (NL)

Primary Examiner — Anne Grunberg
(74) *Attorney, Agent, or Firm* — Steptoe & Johnson LLP

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(57) **ABSTRACT**

A *chrysanthemum* plant named 'Zanmuflaminneon' charac-
terized by its medium sized blooms with bright purple ray
florets and prolific branching; natural season flowering
August 29 (week 35); blooming for a period of 5 weeks.

(21) Appl. No.: **13/694,698**

3 Drawing Sheets

(22) Filed: **Dec. 26, 2012**

1

2

Botanical designation: *Chrysanthemum*×*morifolium*
Ramat.

Cultivar denomination: 'Zanmuflaminneon'.

FIG. 1 shows a plant of the cultivar in full bloom.

FIG. 2 shows the various stages of blooms of the new
cultivar.

5 FIG. 3 shows the various stages of foliage of the new
cultivar.

RELATED CULTIVARS

The new plant is related to 'Zanmuflamin' (U.S. Plant Pat.
No. 20,589). 'Zanmuflaminneon' is a mutant of 'Zanmu-
flamin'.

DESCRIPTION OF THE INVENTION

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *chrysanthemum* plant, botanically known as *Chrysanthe-*
mum×*morifolium* Ramat., commercially known as a garden
mum, and hereinafter referred to by the cultivar denomination
'Zanmuflaminneon'. 'Zanmuflaminneon' is a product of a
breeding and selection program which had the objective of
finding color mutants from existing parent plants. The new
plant comprises a natural mutant of the parent *chrysanthe-*
mum named 'Zanmuflamin'. Plants from the new cultivar
'Zanmuflaminneon' differ from plants of the female parent in
the color of the ray-florets. The color is bright purple in the
mutant, while it is more subdued in the parent.

10 The observations and measurements were gathered from
plants grown out door in Rijsenhout, The Netherlands, under
natural day length and temperature and planted in week 22 in
2011. The natural blooming date of this crop was August 29
(week 35). The average height of the plants was 29 cm. No
15 growth retardants were used. No tests were done on disease or
insects resistance or susceptibility. No tests were done on cold
or drought resistance. This new variety produces medium
sized blooms with bright purple ray florets blooming for a
period of five weeks.

The new cultivar was discovered as a color mutant in Sep-
tember 2006 by Wilhelmus Bernardus Blom in a controlled
environment (greenhouse) in Rijsenhout, The Netherlands.
The first act of asexual reproduction of 'Zanmuflaminneon'
was accomplished when after planting of the mutant as a
motherplant in Rijsenhout; vegetative cuttings from this
mutant were taken and propagated further. The new cultivar
has been found to retain its distinctive characteristics through
successive propagations.

20 From the cultivars known to inventor the most similar
existing cultivar in comparison to 'Zanmuflaminneon' are
'Zanmuflamin' (U.S. Plant Pat. No. 20,589) and 'Zanmu-
flaminneon' (U.S. Plant Pat. No. 23,367). When 'Zanmu-
flamin', 'Zanmuflaminneon' and 'Zanmuflaminneon' are
25 being compared the following difference is noticed: The ray-
florets of 'Zanmuflaminneon' are more bright purple than of
those of 'Zanmuflamin' and 'Zanmuflaminneon'.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention of a new and distinct variety of
chrysanthemum is shown in the accompanying drawings, the
color being as nearly true as possible with color photographs
of this type.

30 The following is a description of the plant and character-
istics that distinguish 'Zanmuflaminneon' as a new and dis-
tinct variety.

The color designations are taken from the plant itself.
Accordingly, any discrepancies between the color designa-
tions and the colors depicted in the photographs are due to
photographic tolerances. The color chart used in this descrip-
tion is: The Royal Horticultural Society Colour chart, edition
2001.

TABLE 1

Botanical Description of <i>Chrysanthemum x morifolium</i> Ramat. 'Zanmuflaminneon'	
<u>Bud</u>	
Size:	Small; cross-section 8 mm, height 4 mm
Shape:	Round
Texture:	Pubescent
Outside color:	Greyed-green 191A
<u>Phyllaries</u>	
Number:	18, arranged in 3 rows
Shape:	Elliptic
Apex:	Acute
Base:	Truncate
Margin:	Entire
Color:	Upper side: Greyed-green 191B Lower side: Greyed-green 191C
Length and width:	5 mm; 2 mm
Texture:	Pubescent
<u>Inflorescences</u>	
Type:	Double
Height:	1.5-2.5 cm
Diameter:	5 cm
Peduncle length:	10-13 cm
Peduncle color:	Green 138B
Peduncle diameter:	2 mm
Peduncle texture:	Pubescent
Number per branch:	About 5 inflorescences
Duration of flowering:	5 weeks
Seeds:	Produced in small quantities, ovate, Greyed-brown 199A, length 1.5 mm, diameter 0.5 mm
Fragrance:	Faint chrysanthemum odor
<u>Color inflorescences</u>	
Center of inflorescence:	Immature stage: Red-purple 58D; Mature stage: Red-purple 64C
Color of upper side of ray florets:	Red-purple 64D
Color of lower side of ray florets:	Greyed-purple 186D at base to Greyed-purple 186B at apex
Tonality from distance:	A garden mum with bright purple blooms
Color of ray florets after aging of the plant:	Greyed-purple 186C
<u>Ray florets</u>	
Texture:	Upper and lower side smooth
Number:	190-200
Shape:	Elliptic
Apex:	Dentate
Base:	Attenuate
Cross-section:	Flat
Longitudinal axis:	Straight
Length of corolla tube:	4 mm
Ray floret margin:	Entire
Ray floret length:	1.5-2 cm
Ray floret width:	4-5 mm
Ratio length/width:	High
Disc florets	Absent
<u>Receptacle</u>	
Color:	Yellow-green 145D
Shape:	Domed raised
Height:	3 mm
Diameter:	3 mm
<u>Reproductive Organs</u>	
Androecium:	Absent
Gynoecium:	Present in ray florets

TABLE 1-continued

Botanical Description of <i>Chrysanthemum x morifolium</i> Ramat. 'Zanmuflaminneon'	
5	Style color: Yellow-green 154C Style length: 3 mm Stigma color: Yellow 7A Stigma width: 1 mm Ovary: Enclosed in calyx Plant
10	Form: Grown as a spray type pot mum, outdoor raised and mounded Growth habit: Spherical shape Growth rate: Medium Height: 28-30 cm Width: 38-40 cm
15	Stem color: Greyed-brown 199A Stem strength: Strong Stem brittleness: Not brittle Stem anthocyanin coloration: Only in mature plants Internode length: 2-2.5 cm
20	Length of lateral branch: From top to bottom 18 cm Lateral branch color: Green 137 C Lateral branch, attachment: Brittle Lateral branch diameter: 3 mm Branching (average number of lateral branches): Prolific with 8 breaks after pinching Natural season blooming date: August 29 (week 35-39)
25	<u>Foliage</u> Leaf color: Upper side: Green 138A; Lower side: Green 139C Color midvein: Upper side: Yellow-green 147D; Lower side: Yellow-green 148D
30	Size: Small; length 3.5-4 cm, width 2-2.5 cm Quantity (number per lateral branches): 16-18 Shape: Elliptic Texture upper side: Sparsely pubescent Texture under side: Pubescent
35	Venation arrangement: Palmate Shape of margin: Serrated Shape of base of sinus between lateral lobes: Rounded Margin of sinus between lateral lobes: Diverging
40	Shape of base: Truncate Apex: Mucronulate Petiole length: 0.5-1 cm Petiole diameter: 2 mm Petiole color: Yellow-green 147D

TABLE 1

Difference with comparison varieties (when grown under identical conditions)			
	'Zanmuflaminneon'	'Zanmuflaminneon'	'Zanmuflamin'
50	Color upper side ray-florets	Red-purple 64D	Red 47A, with Yellow 6B at base
55			Red-purple 59D

I claim:

1. A new and distinct variety of *chrysanthemum* plant as described and illustrated.

* * * * *




FIG. 1




FIG. 2




FIG. 3