



US00PP25173P3

(12) **United States Plant Patent**
Schoone(10) **Patent No.:** US PP25,173 P3
(45) **Date of Patent:** Dec. 16, 2014(54) **PHALAENOPSIS ORCHID PLANT NAMED
'STARSHINE'**(50) Latin Name: *Phalaenopsis* hybrid
Varietal Denomination: Starshine(71) Applicant: **Floricultura**, Heemskerk (NL)(72) Inventor: **René Schoone**, Assendelft (NL)(73) Assignee: **Floricultura**, Heemskerk (NL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 117 days.

(21) Appl. No.: **13/573,521**(22) Filed: **Sep. 20, 2012**(65) **Prior Publication Data**

US 2013/0086716 P1 Apr. 4, 2013

Related U.S. Application Data

(60) Provisional application No. 61/540,973, filed on Sep. 29, 2011.

(30) **Foreign Application Priority Data**

Sep. 30, 2011 (NL) PBR OPS838

(51) **Int. Cl.***A01H 5/00* (2006.01)
A01H 5/02 (2006.01)(52) **U.S. Cl.**CPC *A01H 5/02* (2013.01)
USPC **Plt./311**(58) **Field of Classification Search**USPC **Plt./311**
See application file for complete search history.(56) **References Cited**

U.S. PATENT DOCUMENTS

PP6,510 P * 1/1989 Lecoufle et al. **Plt./311**
PP19,906 P2 * 4/2009 Huang **Plt./311**

* cited by examiner

Primary Examiner — Susan McCormick Ewoldt

(74) Attorney, Agent, or Firm — Foley & Lardner LLP; Sunit Talapatra

(57) **ABSTRACT**

A new and distinct *Phalaenopsis* plant named 'Starshine' particularly characterized by flowers which are yellow with in the center a white mark and some purple spots; the labellum is white, yellow and purple; plants which may be propagated economically and uniformly using tissue culture; plants which produce more than one inflorescence; long and sturdy inflorescences; and relatively short, dark-green foliage.

3 Drawing Sheets**1**

Latin name of the genus and species of the plant claimed:
Phalaenopsis hybrid.

Variety denomination: 'Starshine'.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of *Phalaenopsis* plant, botanically known as *Phalaenopsis* of the Orchidaceae family, and hereinafter referred to by the cultivar name 'Starshine'.

Phalaenopsis comprises a genus of about 55 species of herbaceous perennials many of which, or the hybrids thereof, are suitable for cultivation in the home or greenhouse. *Phalaenopsis* is predominantly epiphytic or rock-dwelling, and is native to tropical Asia, the Malay Archipelago, and Oceania. The species typically has 2-ranked, fleshy, oblong or elliptic leaves affixed to a short central stem (monopodial growth), which vary in size from 5 to 8 inches to over 2 feet. The leaves may be entirely green or mottled with silver grey.

Phalaenopsis orchids, often referred to as 'Moth Orchids' in the horticultural trade, are frequently used to furnish cut flowers for the florist trade or sold as flowering potted-plants for home or interiorscape.

Phalaenopsis produces upright or pendent lateral racemes, often with many showy flowers which open in succession beginning with the lowermost. The flowers possess three sepals and three petals; the lateral ones being alike. The lowermost petal, called the labellum, is three-lobed and is

2

often more brightly-colored than the other flower segments. Flower colors include various shades of pink, white, yellow and red-brown.

Phalaenopsis orchids are typically propagated from seeds. Asexual propagation of *Phalaenopsis* is often done from off-shoots which frequently arise from the lower bracts of the inflorescence. The resulting plants are detached from the mother plant and may be planted in a suitable substrate.

The new *Phalaenopsis* 'Starshine' is a product of a controlled breeding program conducted by the inventor, Rene Schoone, in Strengweg, Heemskerk, The Netherlands. The objective of the breeding program was to develop a new *Phalaenopsis* cultivar particularly characterized by its attractive and unique colored flowers, economical propagation via tissue culture, rapid growth, and a plant dimension suitable for packaging and shipping to the market.

The new *Phalaenopsis* 'Starshine' originated from a cross made by the inventor in 1999 in Strengweg, Heemskerk, The Netherlands. The female or seed parent is the *Phalaenopsis* cultivar designated 'Lawrence', unpatented. The male or pollen parent is the *Phalaenopsis* cultivar designated 'Sogo Manager', unpatented. The new *Phalaenopsis* 'Starshine' was discovered and selected by the inventor as a single flowering plant within the progeny of the stated cross in a controlled environment in 2006 in Strengweg, Heemskerk, The Netherlands.

Asexual reproduction of the new *Phalaenopsis* cultivar by tissue culture was first performed in July, 2007 in Cieweg 13,

Heemskerk, The Netherlands, and has demonstrated that the combination of characteristics as herein disclosed for the new cultivar are firmly fixed and retained through successive generations of asexual reproduction. The new cultivar asexually reproduces true-to-type.

BRIEF DESCRIPTION OF THE INVENTION

The following traits have been repeatedly observed and are determined to be unique characteristics of 'Starshine', which in combination distinguish this *Phalaenopsis* as a new and distinct cultivar:

1. flowers which are yellow with in the center a white mark and some purple spots; the labellum is white, yellow and purple;
2. plant produces more than one inflorescence;
3. plants may be propagated economically and uniformly using tissue culture;
4. inflorescences are long and sturdy; and
5. relatively short, dark-green foliage.

In comparison with the parental cultivars of 'Starshine', the female parent 'Lawrence' has yellow colored flowers with red/purple spots/stripes and a purple labellum. The male parent 'Sogo Manager' has yellow colored flowers with a white and yellow labellum, whereas the flowers of 'Starshine' are yellow/green with some purple spots on the sepals, and the labellum is white with some yellow and purple.

Presently, the commercial cultivar to which 'Starshine' can be meaningfully compared is 'Poppy Honey' (U.S. patent application Ser. No. 13/986,345). On the sepals of the flowers of 'Starshine' are more purple spots and stripes than on the sepals of 'Poppy Honey'. Also the midlobe of the labellum of 'Starshine' is white, yellow and purple, whereas the labellum midlobe of 'Poppy Honey' is white, yellow and a little grey/red.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying photographs illustrate the overall appearance of the new *Phalaenopsis* 'Starshine' showing the colors as true as is reasonably possible with colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description, which accurately describe the color of 'Starshine'.

FIG. 1 shows a side view perspective of a typical flowering plant of 'Starshine' in a 12 cm pot, at 16 months of age.

FIG. 2 shows a close-up view of a typical flower of 'Starshine'.

FIG. 3 shows a close-up view of the typical leaves of 'Starshine'.

DETAILED BOTANICAL DESCRIPTION

The new *Phalaenopsis* cultivar 'Starshine' has not been observed under all possible environmental conditions. The phenotype of the new cultivar may vary with variations in environment such as temperature, light intensity, and day length without any change in the genotype of the plant.

The aforementioned photographs, together with the following observations, measurements and values describe plants of 'Starshine' as grown in a greenhouse in Strengweg, Heemskerk, The Netherlands, under conditions which closely approximate those generally used in commercial practice. Initially, the ideal temperature to grow plants of 'Starshine' is 27° C. during the day and at night. Then, during

the flowering phase of 'Starshine', the ideal growing temperature is 20-22° C. during the day and 18° C. at night. Light levels for growing 'Starshine' are a minimum of 5,000 lux and a maximum of 10,000 lux. A balanced fertilizer with level of 5 200 ppm N, 87 ppm P, 168 ppm K is applied. Duration of growth of 'Starshine' from potting size is between 10 and 14 months.

Color references are made to The Royal Horticultural Society Colour Chart (R.H.S.), 2007 edition, except where general colors of ordinary significance are used. Color values were taken under daylight conditions at approximately noon in Zaandammerweg, Assendelft, The Netherlands. The age of the 'Starshine' plants described is 12 months after potting.

Classification:

Botanical.—*Phalaenopsis* hybrid.

Parentage:

Female or seed parent.—*Phalaenopsis* cultivar designated 'Lawrence', unpatented.

Male or pollen parent.—*Phalaenopsis* cultivar designated 'Sogo Manager', unpatented.

Propagation:

Type.—Tissue culture.

Rooting habit and description.—Fleshy; approximately 25 4 mm-8 mm wide and green (RHS 137A) in color; freely branching. It takes 12 weeks for plants growing in tissue culture to initiate roots.

Plant:

Size at maturity.—Height (from bottom of pot to highest flower): about 48 cm. Spread: about 34 cm.

Growth habit.—Standard; green (RHS N137B) leaves and a relatively short raceme.

Vigor.—Moderate.

Crop time.—Following asexual propagation, at about 26 weeks 2 leaves appear; at about 30 weeks 3-4 leaves appear; after a cold treatment of about 4-8 weeks at a temperature of about 19° C. about 2 racemes with flowers appear.

Foliage:

Quantity per plant.—About 5 to 8 leaves are produced before flowering.

Arrangement and attachment.—Half up/horizontal and on two sides.

Overall shape of leaf.—Oval, the tip is blunt and asymmetric.

Texture (both surfaces).—Smooth and leathery.

Pubescence.—None.

Leaf base.—Acute.

Margin.—Entire.

Mature leaf length.—About 18 cm to 21 cm.

Mature leaf width.—About 8 cm to 10 cm.

Mature leaf thickness.—About 1 mm.

Mature leaf color (upper surface).—Green (RHS N137B).

Mature leaf color (under surface).—Green (RHS N138A).

Venation.—Pattern: parallel. Color of midvein upper & under surface: green (RHS N137B).

Raceme:

Quantity per plant.—About 1 to 2.

Number of flowers per raceme.—About 5 to 12.

Length.—About 30 cm to 45 cm.

Diameter.—About 4 mm to 5 mm.

Strength.—Strong.

Aspect.—Upright.

Texture.—Glabrous and smooth.

Color.—Dark green RHS 137B.

Internode.—Length: about 35 to 40 mm.

Inflorescence description:

Appearance.—Upright to slightly pendant, racemose inflorescence with bilaterally symmetrical flowers that open in succession beginning with the lowermost flower. 5

Buds.—Height (from base to tip): about 15 mm to 20 mm. Diameter (at midpoint): about 10 mm to 20 mm. Shape: oval/egg-shaped. Color: yellow/green (RHS 10 144B).

Flowering time.—For an untreated plant (flowering plant that has not undergone cold-treatment where the plant grows at a temperature of 18° C. to 19° C. for about 4 to 8 weeks after a period of about 30 weeks at a temperature of 25° C.), 2 racemes appear with about 16 to 20 flower buds and flowers per inflorescence. First flowers can be expected approximately 4 to 6 months after planting a plant with a leaf diameter of 3 to 5 cm. Flowers persistent. 15 20

Flowering longevity.—On the plant: about 4 to 6 months; lastingness of cut flowers: has not been observed.

Fragrance.—Slight fragrance.

Flower.—Rate of opening: Flowers fully opened about 2 to 3 days after petal and sepal separation. Orientation at opening: slanted upward and outward. Shape: Typical shape of *Phalaenopsis* orchid; see FIG. 2. Size (of single bloom): Height: about 60 mm. Diameter: about 64 mm. Depth of tube: about 9 mm. 25 30

Petals.—Quantity and arrangement: three petals and three sepals that are trimerous, overlapping and arranged in 2 whorls. Petals are more pronounced than sepals. Arrangement: Inner whorl comprises 3 petals: 2 lateral petals and labellum. 2 lateral petals: Overall shape: broadly ovate and weakly cupped. Apex: oval. Base: broadly ovate. Margin: entire and weakly undulate. Length: about 28 mm. Width: about 30 mm. Texture: Upper surface: smooth and satiny. Under surface: smooth and satiny. Color (when fully opened) upper and under surface: yellow/green (RHS 154B). Labellum: Overall shape: 3-lobed with 2 prominent callosities at central junction of the lateral lobes and base of the midlobe. Lateral lobes of labellum fold upward about the column; the midlobe extends forward and is terminated by 2 short stubs appendages at the apex. Lateral lobes of the labellum are ovate in shape while the midlobe is triangular with a bump and a rib on it. Margin: entire and weakly 35 40 45

undulate. Length: about 18 mm. Width (not flattened): about 15 mm. Texture: Upper & under surface: smooth and satiny. Color (when fully opened): Main color is white (RHS NN155C). At the base of mid lobe and lateral lobes some purple (RHS N78A) and yellow (RHS 12B). Also some yellow at the edges of the mid lobe. Under surface: white with some yellow (RHS 12B) on the edges. At the base some red/purple haze (RHS 70C). Cirrhi: two little points. Color: white (RHS NN155C). Pestle (Callosities): Length: about 3 mm. Width (not flattened): about 2 mm. Height: about 4 mm. Color: White (RHS NN155C) with on top yellow (RHS 12B) with purple stripes and spots (RHS N78A).

Sepals.—Arrangement: Outer whorl comprises 3 sepals. Overall shape: elliptical and weakly cupped. Length: about 30 mm. Width: about 25 mm. Margin: entire and weakly undulate. Apex: oval; dorsal sepal has a small notch. Texture: Upper & under surface: smooth and satiny. Color (when fully opened): Upper surface: yellow/green (RHS 154A). At base some purple spots and stripes (RHS N78A). Under surface: yellow/green (RHS 150A).

Pedicel.—Length: about 35 mm. Diameter: about 3 mm. Texture: glabrous and smooth. Color: by the raceme yellow/green (RHS 150D), fading into RHS 149A closer to the flower.

Reproductive organs:

Arrangement.—The stamens, style and stigmas are fused into a single, short structure called the column, possessing one terminal anther with pollen grains united into a pollinia, which are covered by an anther cap. The stigma is located under the column behind the pollinia. The ovary is inferior with three carpels present. The plant has not produced seed.

Column.—Length: about 15 mm. Diameter: about 4 mm. Color: white (RHS NN155C).

Pollinia.—Quantity: Two. Size: about 1 mm. Color: yellow/orange RHS 21A.

Ovary.—Length: about 6 mm. Diameter: about 5 mm. Color: white (RHS NN155C).

Disease/pest resistance/susceptibility: No specific resistance or susceptibility observed.

Temperature tolerance: Tolerant to a low temperature of about 15° C. and to a high temperature about 30° C.

What is claimed is:

1. A new and distinct *Phalaenopsis* plant named 'Starshine', as illustrated and described herein.

* * * * *

FIG. 1



FIG. 2




FIG. 3

