

US00PP25384P2

(12) United States Plant Patent Kanaya et al.

(10) Patent No.: (45) **Date of Patent:** Mar. 24, 2015

US PP25,384 P2

CALIBRACHOA PLANT NAMED 'SUNBEL 205'

Latin Name: *Calibrachoa* sp. (50)Varietal Denomination: Sunbel 205

Applicants: Takeshi Kanaya, Chiba (JP); Yasuyuki **Murakami**, Shiga (JP)

Inventors: Takeshi Kanaya, Chiba (JP); Yasuyuki Murakami, Shiga (JP)

(73)Assignee: Suntory Flowers Ltd., Tokyo (JP)

Subject to any disclaimer, the term of this Notice: patent is extended or adjusted under 35

U.S.C. 154(b) by 175 days.

Appl. No.: 13/815,125

Jan. 31, 2013 (22)Filed:

Int. Cl. (51)A01H 5/00 (2006.01)

U.S. Cl. (52)

(58)

Field of Classification Search See application file for complete search history.

Primary Examiner — Susan McCormick Ewoldt Assistant Examiner — Louanne Krawczewicz Myer (74) Attorney, Agent, or Firm — C. A. Whealy

ABSTRACT (57)

A new and distinct cultivar of *Calibrachoa* plant named 'Sunbel 205', characterized by its compact and mounding plant habit; vigorous growth habit; freely branching habit; freely flowering habit; long flowering period; relatively large light yellow-colored flowers; and good garden performance.

1 Drawing Sheet

Botanical designation: Calibrachoa sp. Cultivar denomination: 'SUNBEL 205'.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of Calibrachoa plant, botanically known as Calibrachoa sp. and hereinafter referred to by the name 'Sunbel 205'.

The new Calibrachoa plant is a product of a planned breeding program conducted by the Inventors in Higashiomi, ¹⁰ Shiga, Japan. The objective of the breeding program is to develop new compact, mounding and freely branching Calibrachoa plants with numerous large and attractively colored flowers.

The new Calibrachoa plant originated from a cross-pollination conducted by the Inventors in Higashiomi, Shiga, Japan in September, 2009 of a proprietary selection of Calibrachoa sp. identified as code number T641-2, not patented, as the female, or seed, parent with a proprietary selection of $_{20}$ Calibrachoa sp. identified as code number 8571-203, not patented, as the male, or pollen, parent. The new Calibrachoa plant was discovered and selected by the Inventors as a single flowering plant from within the progeny of the stated crosspollination in a controlled greenhouse environment in 25 Higashiomi, Shiga, Japan in July, 2010.

Asexual reproduction of the new *Calibrachoa* plant by vegetative cuttings in a controlled greenhouse environment in Higashiomi, Shiga, Japan since July, 2010 has shown that the unique features of this new *Calibrachoa* plant are stable and ³⁰ reproduced true to type in successive generations.

SUMMARY OF THE INVENTION

Plants of the new Calibrachoa have not been observed 35 under all possible environmental conditions and cultural practices. The phenotype may vary somewhat with variations in environmental conditions such as temperature and light intensity without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of 'Sunbel 205'. These characteristics in combination distinguish 'Sunbel' 205' as a new and distinct *Calibrachoa* plant:

- 1. Compact and mounding plant habit.
- 2. Vigorous growth habit.
- 3. Freely branching habit.
- 4. Freely flowering habit.
- 5. Long flowering period.
- 6. Relatively large light yellow-colored flowers.
- 7. Good garden performance.

Plants of the new Calibrachoa can be compared to plants of the female parent selection. Plants of the new Calibrachoa differ primarily from plants of the female parent selection in the following characteristics:

- 1. Plants of the new Calibrachoa are more compact than plants of the female parent selection.
- 2. Plants of the new Calibrachoa are more mounding than and not as upright as plants of the female parent selection.
- 3. Plants of the new Calibrachoa and the female parent selection differ in flower color as plants of the female parent selection have light orange-colored flowers.

Plants of the new Calibrachoa can be compared to plants of the male parent selection. Plants of the new Calibrachoa differ primarily from plants of the male parent selection in the following characteristics:

- 1. Plants of the new Calibrachoa are more compact than plants of the male parent selection.
- 2. Plants of the new Calibrachoa are more mounding than and not as decumbent as plants of the male parent selection.
- 3. Plants of the new Calibrachoa and the male parent selection differ in flower color as plants of the male parent selection have darker yellow-colored flowers.

Plants of the new Calibrachoa can also be compared to plants of Calibrachoa 'Sunbelki', disclosed in U.S. Plant Pat. No. 11,558. In side-by-side comparisons conducted in **3**

Higashiomi, Shiga, Japan, plants of the new *Calibrachoa* and 'Sunbelki' differed primarily in the following characteristics:

- 1. Plants of the new *Calibrachoa* were more compact than plants of 'Sunbelki'.
- 2. Plants of the new *Calibrachoa* were more mounding 5 than and not as decumbent as plants of 'Sunbelki'.
- 3. Plants of the new *Calibrachoa* had shorter internodes than plants of 'Sunbelki'.
- 4. Plants of the new *Calibrachoa* had smaller leaves than plants of 'Sunbelki'.
- 5. Plants of the new *Calibrachoa* and 'Sunbelki' differed slightly in flower color.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photographs illustrate the overall appearance of the new *Calibrachoa* plant showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Calibrachoa* plant.

The photograph at the top of the sheet comprises a side perspective view of a typical flowering plant of 'Sunbel 205' 25 grown in a container.

The photograph at the bottom of the sheet is a close-up view of a typical flowering plant of 'Sunbel 205'.

DETAILED BOTANICAL DESCRIPTION

The aforementioned photographs and following observations, measurements and values describe plants grown during the summer in 15-cm containers in an outdoor nursery in Higashiomi, Shiga, Japan and under cultural practices typical of commercial *Calibrachoa* production. During the production of the plants, day temperatures averaged 23° C. and night temperatures averaged 13° C. Plants were four months old when the photographs and the description were taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 2007 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Calibrachoa* sp. 'Sunbel 205'. Parentage:

Female, or seed, parent.—Proprietary selection of Calibrachoa sp. identified as code number T641-2, not patented.

Male, or pollen, parent.—Proprietary selection of Calibrachoa sp. identified as code number 8571-203, not 50 patented.

Propagation:

Type.—By vegetative cuttings.

Time to initiate roots, summer.—About one week at 15° C. to 20° C.

Time to produce a rooted young plant, summer.—About three weeks at 15° C. to 20° C.

Root description.—Fibrous; white in color.

Rooting habit.—Freely branching.

Plant description:

Plant and growth habit.—Compact and mounding plant habit; freely branching habit with numerous lateral branches developing per plant; pinching enhances lateral branch development; vigorous growth habit.

Plant height.—About 10.9 cm.

Plant diameter.—About 30.3 cm.

Lateral branch description:

Length.—About 16.5 cm.

Diameter.—About 1.5 mm.

Internode length.—About 1.1 mm.

Strength.—Strong.

Aspect.—Upright to outwardly.

Texture.—Pubescent.

Color.—Close to 144A.

Foliage description:

Arrangement.—Alternate, simple.

Length.—About 3 cm.

Width.—About 9.3 mm.

Shape.—Spatulate.

Apex.—Obtuse.

Base.—Cuneate.

Margin.—Entire.

Texture, upper and lower surfaces.—Sparsely pubescent.

Venation pattern.—Pinnate; reticulate.

Color.—Developing and fully expanded leaves, upper surface: Close to 137B; venation, close to 138B. Developing and fully expanded leaves, lower surface: Close to 137D; venation, close to 138B.

Petiole.—Length: About 4.1 mm. Diameter: About 0.4 mm. Texture, upper and lower surfaces: Pubescent. Color, upper and lower surfaces: Close to 144A.

Flower description:

30

60

Flower arrangement and habit.—Single salverform flowers arising from upper leaf axils; freely flowering habit with usually about 198 flowers developing per plant; flowers face upright or outwardly.

Fragrance.—None detected.

Natural flowering season.—Early flowering habit, plants of the new Calibrachoa initiate and develop flowers about three to four weeks after planting; long flowering period, flowering naturally commences during the spring and plants flower continuously throughout the summer until late autumn in Japan.

Flower longevity.—Individual flowers last about seven to ten days on the plant; flowers not persistent.

Flower diameter.—About 2.75 cm.

Flower length (depth).—About 2.7 cm.

Throat diameter.—About 7.1 mm.

Tube length.—About 1.6 cm.

Tube diameter, base.—About 2.4 mm.

Flower buds.—Shape: Cylindrical. Length: About 2.2 cm. Diameter: About 4.3 mm. Color: Close to 4B.

Corolla.—Arrangement: Five petals fused at the base and opening into a flared trumpet. Petal length from throat: About 9.6 mm. Petal width: About 1.2 cm. Petal shape: Roughly spatulate. Petal apex: Rounded. Petal margin: Entire. Petal texture, upper and lower surfaces: Smooth, glabrous. Throat texture: Smooth, glabrous. Tube texture: Pubescent. Color: Petal, when opening and fully opened, upper surface: Close to 4C; towards the throat, close to 4A; midvein, close to 4A; lateral venation, slightly discernible, close to 145C. Petal, when opening and fully opened, lower surface: Close to 5D; venation, close to SD. Throat: Close to 4A; venation, close to 4A. Tube: Close to 5D; venation, close to 5D.

Calyx.—Arrangement: One star-shaped tubular calyx tube with five sepals fused at the base. Sepal length: About 1.1 cm. Sepal width: About 3.1 mm. Sepal shape: Narrowly elliptical. Sepal apex: Acute. Sepal

margin: Entire. Sepal texture, upper and lower surfaces: Pubescent. Sepal color: Immature, upper surface: Close to 137B. Immature, lower surface: Close to 137C. Mature, upper surface: Close to 143A. Mature, lower surface: Close to 143C.

5

Peduncles.—Length: About 1.4 cm. Diameter: About 0.6 mm. Angle: Upright to outwardly. Strength: Strong. Texture: Pubescent. Color: Close to 144B.

Reproductive organs.—Stamens: Quantity: Five per flower. Stamen length: About 8.1 mm to 11.8 mm. Anther shape: Ellipsoidal. Anther size: About 1.2 mm 10 by 1.7 mm. Anther color: Close to 4C. Pollen amount: Moderate. Pollen color: Close to 13A. Pistils: Quantity: One per flower. Pistil length: About 1.1 cm. Style color: Close to 144D. Stigma shape: Transversely ellipsoidal. Stigma color: Close to 144A. Ovary color: Close to 144B.

Seeds and fruits.—Seed and fruit development have not been observed on plants of the new Calibrachoa.

0

Garden performance: Plants of the new *Calibrachoa* have been observed to have good garden performance and to tolerate wind, rain and temperatures ranging from about 5° C. to about 35° C.

Pathogen & pest resistance: Plants of the new *Calibrachoa* have not been observed to be resistant to pests and pathogens common to *Calibrachoa* plants.

It is claimed:

1. A new and distinct *Calibrachoa* plant named 'Sunbel 205' as illustrated and described.

* * * *

