



(12) **United States Plant Patent**
Grows

(10) **Patent No.:** **US PP26,196 P3**
(45) **Date of Patent:** **Dec. 8, 2015**

(54) **WAXFLOWER PLANT NAMED ‘WX 74’**

(50) Latin Name: *Interspecific Chamelaucium* hybrid
(*Chamelaucium*
megalopetalum×*Chamelaucium*
uncinatum).

Varietal Denomination: **WX 74**

(71) Applicant: **Western Australian Agriculture**
Authority, Bentley (AU)

(72) Inventor: **Digby Grows, Kings Park (AU)**

(73) Assignee: **Western Australian Agriculture**
Authority, Bentley (AU)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 143 days.

(21) Appl. No.: **13/987,924**

(22) Filed: **Sep. 16, 2013**

(65) **Prior Publication Data**

US 2014/0082789 P1 Mar. 20, 2014

Related U.S. Application Data

(60) Provisional application No. 61/744,178, filed on Sep.
19, 2012.

(51) **Int. Cl.**
A01H 5/00 (2006.01)
A01H 5/02 (2006.01)

(52) **U.S. Cl.**
USPC **Plt./226**
CPC *A01H 5/02* (2013.01)

(58) **Field of Classification Search**
USPC **Plt./226**
See application file for complete search history.

(56) **References Cited**

PUBLICATIONS

van der Ploeg, R., “Exciting developments in waxflower breeding and
marketing,” Sep. 2011; www.FloraCultureInternational.com- file
retrieval on Mar. 28, 2015 (3 pages total).*
www.wafex.com.au/pp./about_wafex/news/2011-09; summary of
“Exciting developments in waxflower breeding and marketing,”
Monday, Sep. 5, 2011; file retrieval on Mar. 30, 2015 (1 page total).*
“New waxflower varieties released,” Australian Flower Industry;
Sep. 2011; file retrieval on Mar. 30, 2015 (1 page total).*
www.wafex.com.au/pages/about_wafex/news/2011-09; summary
of “New waxflower varieties released,” Thursday, Sep. 1, 2011; file
retrieval on Mar. 30, 2015 (1 page total).*

* cited by examiner

Primary Examiner — Susan McCormick Ewoldt

(74) *Attorney, Agent, or Firm* — Michelle Bos Legal LLC

(57) **ABSTRACT**

‘WX 74’ is a new and distinct waxflower plant (interspecific
Chamelaucium hybrid) notable for its foliage that remains
green, mid-season flowering, open growth habit, and dense
terminal cover of medium-large white flowers that age to
white.

6 Drawing Sheets

1

Latin name of the genus and species of the plant claimed:
Interspecific Chamelaucium hybrid (*Chamelaucium*
megalopetalum×*Chamelaucium uncinatum*).
Variety denomination: ‘WX 74’.

BACKGROUND OF THE INVENTION

‘WX 74’ is a new waxflower plant that originated as a
seedling produced in a sexual breeding program conducted
by the breeder at Medina and South Perth, Western Australia.
‘WX 74’ was selected from seedlings of an open pollination.
Female parent *Chamelaucium megalopetalum* ‘CM12.1-4’
(not patented) was pollinated by an unknown male parent,
likely *C. uncinatum* ‘Alba’ (not patented), which was growing
in close proximity at Medina, Western Australia. An embryo
was excised from resulting fruit produced in August 2000 and
germinated in vitro. The resulting seedling was subcultured in
tissue culture four times, deflasked, hardened and planted in
the field at Medina, Western Australia in May 2001. Follow-
ing flowering in June 2002, the seedling was vegetatively
propagated via cuttings and a second generation of cuttings
was taken in 2009 at Medina, Western Australia. Growth and
flowering records of the generations were recorded during the
period 2002 to 2010. No off types were recorded and all plants
were found to be uniform and stable.

2

‘WX 74’ is distinguishable from its female parent ‘CM
12.1-4’ by a number of features, as described in Table 1
below:

TABLE 1		
Characteristic	CM 12.1-4	WX 74
Flower diameter	Large	Medium
Plant height	Short	Medium-tall
Flower arrangement	Touching	Free
of petals		
Flower colour	White aging to red	White aging to white

‘WX 74’ is distinguishable from its presumed male parent
‘Alba’ by a number of features, as described in Table 2 below:

TABLE 2		
Characteristic	Alba	WX 74
Leaf length	Long	Small-medium
Leaf cross section	Rounded	Flattened triangular
Flower attitude of petals	Horizontal	Semi-erect
Pedicel length	Medium-long	Small-medium

‘WX 74’ is also distinguishable from other known wax-
flower varieties. Comparisons of ‘WX 74’ to ‘Crystal Pearl’

(not patented) and ‘Ivory Pearl’ (not patented), the most similar varieties of common knowledge, are set forth in Tables 3 and 4 below:

TABLE 3

Characteristic	Crystal Pearl	WX 74
Leaf length	Medium	Short
Leaf cross-section	Flattened/round	Flattened/triangular
Pedicle length	Medium to long	Short to medium
Time of beginning of flowering	Early	Medium

TABLE 4

Characteristic	Ivory Pearl	WX 74
Leaf length	Long	Short
Leaf cross-section	Round	Flattened/triangular
Lear colour	Green turning to yellow	Green
Flower diameter	Medium to large	Medium
Pedicle length	Medium to long	Short to medium

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying photographs show four-year-old ‘WX 74’ waxflower plants growing at Medina, Western Australia during August and September (early spring) 2013.

- FIG. 1 is a photograph of ‘WX 74’ growing outdoors;
FIG. 2 is a photograph of a sprig of leaves and flowers of ‘WX 74’;
FIG. 3 is a close-up photograph of young flowers of ‘WX 74’;
FIG. 4 is a photograph of flowers of ‘WX 74’;
FIGS. 5 and 6 are close-up photographs of flowers of ‘WX 74’;
FIG. 7 is a close-up photograph of a leaf of ‘WX 74’;
FIG. 8 is a photograph of a branch and leaves of ‘WX 74’;
FIG. 9 is a photograph of a stem of leaves and flowers of ‘WX 74’;
FIG. 10 is a close-up photograph of a young bud of ‘WX 74’; and
FIG. 11 is a close-up photograph of an older bud of ‘WX 74’.

DETAILED BOTANICAL DESCRIPTION

The following detailed botanical description is based on observations of four year old ‘WX 74’ waxflower plants growing at Medina, Western Australia during August and September (early spring) 2013, except where otherwise noted. All colors are described according to The Royal Horticultural Society Colour Chart (2001). It should be understood that the characteristics described will vary somewhat depending upon cultural practices and climatic conditions, and can vary with location and season. Quantified measurements are expressed as an average of measurements taken from a number of individual plants of the new variety. The measurements of any individual plant, or any group of plants, of the new variety may vary from the stated average.

Plant:
Summary.—‘WX 74’ is a mid-season flowering, spreading medium-tall bush with dense terminal cover of medium to large (17 mm) white flowers with yellow-green 151B centers. The petals age to white.

Growth habit.—Branching, upright shrub growing to a height of 1.5 m and a bush diameter of 1.5 m.
Flowering stem length.—60 to 70 cm.
Branches.—Average of 27 main branches per plant; diameter 5.7 mm; round cross-section; smooth texture; color Grey-brown 201A and 201C. (Branch description taken from five-year-old stock plants.)

Leaves:
Leaf arrangement.—Opposite.
Leaf density.—Main branch: about 6 pairs per 6 cm branch length. Secondary branch: 6 pairs of leaves, branch 5 cm in length.
Attitude.—Held at about 25 to 30 degree angle to stem.
Aroma.—Eucalyptus or citrus aroma when leaves are crushed.
Leaf internode length.—Average 9.0 mm on main branch, and 7.2 mm on secondary branch.
Leaf size.—Length 10.5 mm, width 1.4 mm.
Leaf shape.—Narrowly obovate with acute apex.
Leaf surface texture.—Glabrous glandular, leathery, shiny.
Leaf margin.—Entire.
Leaf base.—Sessile truncate to stem.
Leaf cross section.—Triangular with flat upper surface.
Leaf color.—New growth, upper and lower surface yellow-green 144B to 144C; mature leaves, upper and lower surface green N137B.
Leaf division.—Simple. Leaf venation — None visible.

Flower:
Flower bud.—Fresh buds cone-shaped with smooth shiny surface, color yellow-green 145B, tip of bud orange-red N30; diameter 4.4 mm, length 4.6 mm. Older buds more elongated with papery operculum, coarse, surface color grey-brown N199B to N199C; diameter 4.8 mm, length 9.0 mm.
Flowering season.—August (Medina, Western Australia).
Flower longevity.—60 days.
Flower quality.—High.
Flowering time.—Mid-season.
Flower description.—Flowers slightly cupped and petals separate, elongated round in shape, upper and lower surface are glabrous waxy, entire margin, truncate base and fused to calyx, rounded apex. Flower color remains constant as it matures (lower and upper surface same coloration).
Petal color.—On day of opening, white 155A; When partially developed, petals remain white 155B; When fully developed petals remain white 155C.
Flower arrangement.—Corymb.
Flower type.—Single flower.
Flowering habit.—Terminal, panicle floescence.
Flower shape.—Cup-shaped.
Flower diameter.—Average 17.9 mm; depth 12.2 mm (top of stigma to bottom of ovary).
Flowering branch angle.—Overlapping.
Flowering attitude of petals on day of opening.—Semi erect.
Flowering branch angle 2 weeks after opening.—Semi erect.
Length of sepal in relation to length of petal.—Less than one-third.
Petiole (pedicle) length.—Long, 8.2 mm, aspect 25 degrees to 35 degrees.
Hypanthium shape.—Obconical.

Hypanthium diameter.—Medium, 7.3 mm.
Hypanthium main color at middle part on day of opening of flower.—Yellow-green 145A; 4 weeks after opening of flower yellow-green 145A.
Nectaries.—About 6 mm in diameter, color see 5
hypanthium.
Flower petals.—5, round shape; fused sepals at base to hypanthium, with rounded outer separate lobes arranged alternately between petals; tube portion fluted; fused sepals yellow-green 145A -B; lobed 10
sepals; new petals white 155A, remaining white 155C as the petals age.
Petal shape.—Slightly cupped and undulation of margins weak.
Petal texture.—Waxy, glabrous. 15
Petal dimensions.—Similar width (7.9 mm) to length (7.4 mm).
Stamen collar.—Color at opening of flower yellow-green 154D.

Stamen collar 10 to 14 days after opening of flower.—Color yellow-green 145D.
Gynoecium.—1 pistil, stigma bearded, color yellow-orange 14D with style yellow-green 145D; length 7.1 mm.
Androcoecium.—About 10 fertile stamens with 10 infertile staminodes arranged alternatively on a collar adnate to junction of petals and calyx; filament length 1.4 mm, color white 155D aging to white 155D; staminode length 1.0 mm, color white 155D; anthers length about 0.9 mm, color greyed-orange 166B; pollen is sterile.
Disease resistance.—Moderate to high.
I claim:
1. A new and distinct waxflower plant substantially as shown and described herein.

* * * * *




FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG 10




FIG. 11