



US00PP26371P3

(12) **United States Plant Patent**  
**Giumarra et al.**(10) **Patent No.:** US PP26,371 P3  
(45) **Date of Patent:** Feb. 2, 2016

- (54) **GRAPE PLANT NAMED 'ARRATWENTYNINE'**
- (50) Latin Name: *Vitis vinifera*  
Varietal Denomination: ARRATWENTYNINE
- (71) Applicant: **AGRICULTURAL RESEARCH AND DEVELOPMENT LIMITED LIABILITY COMPANY**, Bakersfield, CA (US)
- (72) Inventors: **Sal Giumarra**, Bakersfield, CA (US); **Shachar Karniel**, Bakersfield, CA (US)
- (73) Assignee: **Agricultural Research and Development Limited Liability Company**, Bakersfield, CA (US)
- (\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 137 days.

(21) Appl. No.: **13/999,817**(22) Filed: **Mar. 24, 2014**(65) **Prior Publication Data**

US 2015/0181786 P1 Jun. 25, 2015

- (30) **Foreign Application Priority Data**
- Dec. 23, 2013 (EP) ..... A201302620
- (51) **Int. Cl.** *A01H 5/00* (2006.01)  
(52) **U.S. Cl.** USPC ..... **Plt./205**  
(58) **Field of Classification Search** USPC ..... Plt./205  
See application file for complete search history.

*Primary Examiner* — Annette Para(74) *Attorney, Agent, or Firm* — Christie, Parker & Hale, LLP**ABSTRACT**

A new distinct variety of grapevine named 'ARRATWENTYNINE' abundantly forms attractive large firm and meaty seedless berries with a red skin coloration; in medium-large clusters which display a sweet apple flavor. The fruit commonly is ready for harvesting during June in San Joaquin Valley of Central California, U.S.A., and displays good eating qualities as a table grape. The fruit firmness renders the fruit well amenable for handling, shipping, and storage.

**1 Drawing Sheet****1**

Classification: The present invention relates to a new *Vitis vinifera* Grapevine.

Variety denomination: The new Grapevine has the varietal denomination 'ARRATWENTYNINE'.

**BACKGROUND OF THE INVENTION**

A breeding program was initiated during the late 90's near Bakersfield in San Joaquin Valley of Central California. In 2006, during this breeding program, a new variety of *Vitis vinifera* was created by deliberate cross breeding of two parent plants by emasculation of the pollen bearing organ of the female and introducing pollen from another male origin. The female parent of the new variety was the A.3. which is a medium red very productive grape variety with a large seed trace (non-patented in the United States). The male parent (i.e. the pollen parent) of the new variety was GAW5 which is a large white crisp, seedless grape variety with medium fertility (non-patented in the United States).

Comparison of 'ARRATWENTYNINE' with its parents:

	ARRATWENTYNINE	A.3. (Mother)	GAW5 (Father)	Flame (Comparison Variety)
Seed trace	None	Large	None	Small to none
Berry shape	Obtuse ovoid	Ovoid	Ovoid	Globose
Bunches per vine	32-36	48	32-36	28-36
Fertility	High	Very high	Medium	Medium-good

**2**

The parentage of the new variety can be summarized as follows:

A.3.xGAW5

5 An artificial pollination was created, and the result was an embryo which possessed unique genetic qualities. The rudiments resulting from the above pollination were embryo rescued.

In 2007 the plant was transplanted to Bakersfield in San 10 Joaquin Valley of Central California.

It was found that the new grapevine of the present invention possesses the following combination of characteristics:

- 15 (a) Forms attractive large firm and meaty seedless berries with a red skin coloration; in large clusters which display a sweet apple flavor,  
(b) Commonly bears fruit during the month of June in the San Joaquin Valley of Central California, U.S.A., and  
(c) Bears fruit that is firm and is well amenable for storage, handling, and shipping.

20 The new variety during observation to date has displayed no visible disease, and has displayed an ability to well resist cold, drought, heat; but sensitive to direct exposure to sun and wind. The fruit of the new variety has been found to display excellent handling and shipping qualities combined with desirable dessert eating qualities.

25 The new variety of the present invention has been found to undergo asexual propagation beginning in 2009 near Bakersfield in the San Joaquin Valley of Central California, U.S.A. by grafting on mature Thompson rootstock (non-patented in the United States). Such asexual propagation has been conducted thereafter in successive years through 2010, and has shown that the characteristics of the new variety are strictly 30

transmissible from one generation to another. Accordingly, the new variety undergoes asexual propagation in a true to type manner.

## SUMMARY OF THE INVENTION

The new variety 'ARRATWENTYNINE' is a large red seedless table grape with a medium-high production, e.g., about 32-36 bunches per vine, and an average of about one to two bunches per shoot.

Asexual reproduction by micro propagation of the new variety as performed near Bakersfield, Calif., U.S.A., shows that the forgoing and other distinguishing characteristics come true to form and are established and transmitted through succeeding propagations.

## BRIEF DESCRIPTION OF THE DRAWING

The accompanying photographic illustration shows typical specimens of vegetative growth of six year old specimens of the new variety, in color as nearly true as it is reasonably possible to make in a color illustration of this character. Colors in the photograph may differ from the color values cited in the detailed botanical description below, which accurately describes the colors of the new Grapevine.

FIG. 1 shows leaves, stems and grapes of 'ARRATWENTYNINE'.

## DETAILED BOTANICAL DESCRIPTION

The chart used in the identification of colors is The R.H.S. Colour Chart of The ROYAL HORTICULTURAL SOCIETY 1995 edition. The description is based on the observation of plants growing on 'Thompson Seedless' rootstock outdoors near San Joaquin Valley of Central California, U.S.A.

## Vine:

*Vigor*.—Vigorous upright shoots.

*Productive capacity*.—Bearing at a natural, average capacity. Spur pruning.

*Trunk*.—Strong and developed. Ranges from 2"-2<sup>3</sup>/<sub>8</sub>". 40 Rough with a fibrous, shaggy exterior. Light maple brown coloring.

## Time of bud burst:

*Early*.—Feb. 15, 2013 in Bakersfield, Calif.

## Young shoot:

*Openness of tip*.—Slightly open.

*Prostrate hairs on tip*.—Sparse.

*Anthocyanin coloration of prostate hairs on tip*.—Weak.

*Erect hairs on tip*.—Sparse.

## Young leaf:

*Color of upper side of blade*.—Yellow-green (146-B).

*Prostrate hairs between main veins on lower side of blade*.—Sparse.

*Erect hairs on main veins on lower side of blade*.—Sparse.

## Shoot:

*Attitude (before tying)*.—Semi-erect.

*Color of dorsal side of internodes*.—Green and red (yellow green 144-A and greyed orange 175-B).

*Color of ventral side of internodes*.—Green and red (yellow green 144-A and greyed orange 175-B).

*Color of dorsal side of nodes*.—Green and red (yellow green 144-A and greyed orange 175-B).

*Color of ventral side of nodes*.—Green and red (yellow green 144-A and greyed orange 175-B).

*Erect hairs on internode*.—Sparse.

*Number of tendrils*.—

*Length of tendrils*.—Long (9").

*Color of tendrils*.—

## Flower:

*Sexual organs*.—Fully developed stamens and fully developed gynoecium.

## Mature leaf:

*Size of blade*.—4.5"×6".

*Shape of blade*.—Pentagonal.

*Blistering of upper side of blade*.—Medium.

*Number of lobes*.—Five.

*Depth of upper lateral sinuses*.—Medium.

*Arrangement of lobes of upper lateral sinuses (only varieties with lobed leaves)*.—Slightly overlapped.

*Arrangement of lobes petiole sinus*.—Wide open.

*Length of teeth*.—Short.

*Ratio length/width of teeth*.—Small.

*Shape of teeth*.—Both sides convex.

*Proportion of main veins on upper side of blade with anthocyanin coloration*.—Medium.

*Prostrate hairs between main veins on lower side of blade*.—Sparse.

*Erect hairs on main veins on lower side of blade*.—Sparse.

*Length of petiole compared to length of middle vein*.—Equal.

*Top side color*.—Green (137-A).

*Bottom side color*.—Green (138-B).

*Texture*.—

*Vein color*.—Yellow Green (147-D).

*Petiole length*.—4.5".

*Petiole color*.—Yellow Green (146-D).

## Reproductive organs:

*Color*.—Green (137-B).

*Size*.—0.003600".

*Time of beginning of ripening*: Early Jun. 30, 2013 in Bakersfield, Calif.

## Bunch:

*Size (penduncle excluded)*.—Large.

*Density*.—Medium.

*Length of penduncle primary bunch*.—Medium.

*Average bunch weight*.—1 lb.

## Berry:

*Size*.—Large.

*Length*.—1".

*Shape*.—Obtuse ovoid.

*Diameter*.—1".

*Weight*.—0.5 oz.

*Color of skin (without bloom)*.—Red.

*Ease of detachment from pedicel*.—Difficult.

*Thickness of skin*.—Thin.

*Anthocyanin coloration of flesh*.—Medium.

*Firmness of flesh*.—Moderately firm.

*Particular flavor*.—None.

*Formation of seeds*.—None.

*Market use of observed plant*.—Fresh market.

*Berries per bunch*.—80.

## Woody shoot:

*Main color*.—Yellowish brown (grayed orange 165-D).

*Age and growing conditions*: Six years growing under Y system in South Joaquin Valley (hot, dry summers).

*Shipping characteristics*: (E.g. number of days fruit has been stored under specific conditions): Fruit was in cold storage.

Stored in poly bags inside Styrofoam boxes with sulphur pads.

*After 60 days.*—Rachises were 80% green; 2% berry shattering; no berry wrinkling or cracks were apparent.

## DNA PROFILE

5

To further characterize the new Arra variety DNA was extracted from dried leaf samples and DNA profiles were obtained at California Seed & Plant Lab, California USA using base pairs for 10 standard microsatellite DNA markers. <sup>10</sup>  
The data is presented hereafter.

Microsatellite DNA Marker	Allele Sizes in Base Pairs
M1	226
M2	239
M3	181
M4	212
M5	251

15

20

-continued

Microsatellite DNA Marker	Allele Sizes in Base Pairs
M6	135
M7	187
M8	247
M9	214
M10	237

The ‘ARRATWENTYNINE’ variety has not been observed under all possible environmental conditions to date. Accordingly, it is possible that the phenotypic expression may vary somewhat with changes in light intensity and duration, cultural practices, and other environmental conditions.

What is claimed is:

1. A new and distinct variety of grapevine, botanically known as *Vitis vinifera*, identified as ‘ARRATWENTYNINE’, substantially as shown and described herein.

\* \* \* \* \*

