



US00PP26433P3

(12) **United States Plant Patent**
Klemm et al.

(10) **Patent No.:** **US PP26,433 P3**
(45) **Date of Patent:** **Feb. 23, 2016**

(54) **SUTERA PLANT NAMED ‘KLESG12346’**

(50) Latin Name: *Sutera grandiflora*
Varietal Denomination: **KLESG12346**

(71) Applicant: **Klemm+Sohn GmbH & Co. KG,**
Stuttgart (DE)

(72) Inventors: **Nils Klemm,** Stuttgart (DE); **Katinka**
Wilde, Stuttgart (DE)

(73) Assignee: **Klemm+Sohn GmbH & Co. KG,**
Stuttgart (DE)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 56 days.

(21) Appl. No.: **13/987,184**

(22) Filed: **Jul. 9, 2013**

(65) **Prior Publication Data**
US 2015/0020280 P1 Jan. 15, 2015

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(52) **U.S. Cl.**
USPC **Plt./485**

(58) **Field of Classification Search**
USPC Plt./485
CPC A01H 5/00
See application file for complete search history.

(56) **References Cited**

PUBLICATIONS

Ball Horticultural Company 2013.*

* cited by examiner

Primary Examiner — Keith O. Robinson

(74) *Attorney, Agent, or Firm* — Barbara Campbell; James
M. Weatherly; Cochran Freund & Young, LLC

(57) **ABSTRACT**

A new *Sutera* plant particularly distinguished by having dark
blue flowers, a trailing plant habit, and good branching, is
disclosed.

1 Drawing Sheet

1

Genus and species: *Sutera grandiflora*.
Variety denomination: ‘KLESG12346’.

BACKGROUND OF THE NEW PLANT

The present invention comprises a new and distinct variety
of *Sutera*, botanically known as *Sutera grandiflora*, and here-
inafter referred to by the variety name ‘KLESG12346’.
‘KLESG12346’ originated from an open-pollination between
the proprietary female *Sutera* variety ‘SnBigPinki’ (unpat-
ented) and an unknown male *Sutera* variety in the summer of
2009.

In August of 2009, seed was collected from the open-
pollination between the two *Sutera* parental lines, ‘SnBig-
Pinki’ and an unknown *Sutera* in Stuttgart, Germany. The
seeds were sown and plants were grown for evaluation. A
plant line was selected in May 2010 which had dark blue
flowers and was subsequently named ‘KLESG12346’. In
June 2010, ‘KLESG12346’ was first vegetatively propagated
by in-vitro cultivation in Stuttgart, Germany. ‘KLESG12346’
was found to reproduce true to type in successive generations
of asexual propagation via in-vitro cultivation in Stuttgart,
Germany.

SUMMARY

The following are the most outstanding and distinguishing
characteristics of this new variety when grown under normal
horticultural practices in Stuttgart, Germany.

1. Dark blue flower color;
2. A trailing plant habit; and
3. Good branching.

2

**CROSS REFERENCE TO RELATED
APPLICATIONS**

Plant Breeders Right for this variety were applied for in
Canada on Feb. 8, 2013, Application No. 13-7927 and with
the European Community Plant Variety Office on Jun. 25,
2013, File No. 2013/1700. ‘KLESG12346’ has not been sold
or made publicly available more than one year prior to the
filing date of this subject application.

DESCRIPTION OF THE PHOTOGRAPH

This new *Sutera* plant is illustrated by the accompanying
photograph which shows the foliage, buds, and a close-up of
the flowers.

The photograph is of a five-month-old plant grown in Stut-
tgart, Germany in August 2011. The colors shown are as true
as can be reasonably obtained by conventional photographic
procedures.

DESCRIPTION OF THE NEW VARIETY

The following detailed descriptions set forth the distinctive
characteristics of ‘KLESG12346’. The data which define
these characteristics were collected from asexual reproduc-
tions by in-vitro cultivation carried out in Stuttgart, Germany.
Data was collected on 11-week-old plants grown in a con-
trolled greenhouse environment in Stuttgart, Germany in
May 2013. Color references are to The R.H.S. Colour Chart
of The Royal Horticultural Society of London (R.H.S.)
(2005).

Classification:

Family.—Scrophulariaceae.

Botanical.—*Sutera grandiflora*.

Common.—*Sutera*.

Designation.—‘KLESG12346’.

Parentage:

Female parent.—Proprietary *Sutera* line ‘SnBigPinki’ (unpatented).

Male parent.—An unknown *Sutera* line.

Plant:

Habit.—Trailing.

Height.—About 10.0 cm.

Spread.—33.0 cm.

Life cycle.—Blooms from April until September.

Form.—Round.

Time to produce a rooted cutting.—4 weeks.

Time to bloom from propagation.—5 weeks.

Lastingness of inflorescence on the plant.—About 7 days.

Root description and habit.—Fine, fibrous and color is white to cream-white.

Stems:

Number of stems per plant.—6.

Length.—About 20.0 cm.

Diameter.—0.5 cm.

Internode length.—About 1.5 cm.

Color.—RHS 144A.

Texture.—Smooth.

Anthocyanin.—Absent.

Leaves:

Arrangement.—Single, opposite.

Quantity of leaves per branch.—About 20, but this is dependent on the age of the plant.

Leaf type.—Simple.

Shape.—Ovate, acute angle to the stem.

Apex.—Acute.

Base.—Cordate.

Margin.—Serrate.

Length.—Between 1.1 cm and 2.0 cm.

Width.—Between 1.1 cm and 2.4 cm.

Color (both immature and mature leaves).—Upper surface: RHS 137A. Lower surface: RHS 137C.

Appearance (both upper and lower surfaces).—Leathery.

Texture (both upper and lower surfaces).—Leathery.

Venation type.—Pinnate.

Venation color (both upper and lower surfaces).—RHS 144A.

Variation.—Absent.

Fragrance.—Present.

Petiole.—Length: 0.5 cm, but depends on the leaf size. Diameter: 0.1 cm to 0.2 cm. Texture: Pubescent. Color: RHS 143B (Green).

Inflorescence:

Blooming habit.—Freely flowering.

Natural flowering season.—Flowers 4 weeks after potting; flowers year around in moderate climates; if in full sun and heat, flowering stops.

Persistent or self-cleaning.—Flowers are not really self-cleaning, but because of the quantity of flowers on the plant, old flowers will not be noticeable.

Quantity of inflorescence per stem.—About 9.

Type of inflorescence.—Flowers are often solitary, most often 2 flowers per node are developed.

Fragrance.—Present.

*Pedice*l.—Color: RHS 144A. Length: About 0.8 cm to 1.0 cm. Diameter: About 0.1 cm. Texture: Pubescent. Strength: Moderate to strong.

Peduncle.—Absent.

Bud:

Shape.—Tubular.

Diameter.—0.4 cm.

Length.—0.3 cm.

Color (at tight bud).—RHS 155A.

Corolla (flower):

Corolla type and shape.—Single-type, nearly round, lower part tube and funnel shaped formed by 5 fused petals, upper part is salver shaped formed by the partly free petal lobes.

Corolla, horizontal diameter.—1.8 cm.

Corolla, total length.—1.6 cm.

Corolla tube length.—0.7 cm.

Corolla tube width.—0.5 cm.

Throat.—Color, inner surface: RHS 23A. Color, outer surface: RHS 15B. Diameter: 0.4 cm. Texture of throat (both inner and outer surfaces): Smooth.

Petal (lobes):

Apex.—Rounded tips.

Base.—Fused.

Margin.—Entire.

Color.—Upper surface: RHS 93D. Lower surface: RHS 90B.

Texture (both upper and lower surfaces).—Smooth.

Length.—About 0.7 cm.

Width.—About 0.8 cm.

Calyx:

Arrangement and appearance.—Whorl of 5 sepals surrounding the base of the flower tube, sepals are fused at the base.

Sepals.—Color (both upper and lower surfaces): RHS 141D. Length: 1.1 cm. Width: 0.1 cm. Apex: Acute. Base: Fused. Margin: Entire. Texture (both upper and lower surfaces): Densely pubescent. Shape: Lanceolate, acuminate.

Reproductive organs:

Stamens.—Quantity: 4. Filament: Color: RHS 155B. Length: 0.6 cm. Diameter: 0.1 cm. Anther color: RHS 15D. Pollen amount: Abundant. Pollen color: RHS 22A.

Pistil.—Quantity per flower: 1. Length: 1.1 cm. Stigma color: RHS 145C. Style color: RHS 155B. Style length: About 0.7 cm. Ovary color: RHS 143B (Green).

Fruit and seed set:

Capsulates/fruit.—Color: RHS 137C. Size: 0.5 cm×0.4 cm. Shape: Ovate.

Seeds.—Color: RHS 20A. Size: About 0.1 cm. Shape: Round.

Disease and pest/insect resistance: None observed.

COMPARISON WITH PARENTAL LINE AND
KNOWN VARIETY

‘KLESG12346’ is distinguished from its female parent as
described in Table 1:

TABLE 1

Comparison with Parental Line		
Trait	‘KLESG12346’	‘SnBigPinki’
Flower color	Dark blue	Pink

‘KLESG12346’ is most similar to the *Sutera* plant named
‘Gulliver Lavender’ (unpatented). Differences between the
two varieties are described in Table 2:

TABLE 2

Comparison with Similar Variety		
Trait	‘KLESG12346’	‘Gulliver Lavender’
Flower color	Dark blue	Light blue
Branching	More branching than ‘Gulliver Lavender’	Less branching than ‘KLESG12346’

We claim:

1. A new and distinct variety of *Sutera* plant named
‘KLESG12346’ as illustrated and described herein.

* * * * *

