



US00PP26459P2

(12) **United States Plant Patent**  
**Arts**

(10) **Patent No.:** **US PP26,459 P2**  
(45) **Date of Patent:** **Mar. 8, 2016**

(54) **HYDRANGEA PLANT NAMED ‘H212911’**

(50) Latin Name: *Hydrangea macrophylla*  
Varietal Denomination: **H212911**

(71) Applicant: **Niels Arts**, Aalsmeer (NL)

(72) Inventor: **Niels Arts**, Aalsmeer (NL)

(73) Assignee: **Hydrangea Breeders Association B.V.**,  
De Kwakel (NL)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/121,247**

(22) Filed: **Aug. 14, 2014**

(51) **Int. Cl.**  
**A01H 5/02** (2006.01)

(52) **U.S. Cl.**  
USPC ..... **Plt./250**

(58) **Field of Classification Search**  
USPC ..... **Plt./250**  
CPC ..... **A01H 5/02; A01H 5/00**  
See application file for complete search history.

*Primary Examiner* — Kent L Bell

(74) *Attorney, Agent, or Firm* — C. A. Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Hydrangea* plant named ‘H212911’, characterized by its upright and somewhat outwardly spreading plant habit; vigorous growth habit; freely branching habit; strong and sturdy stems; freely and uniformly flowering habit; does not require a cold temperature treatment for flower initiation and development; mophead-type inflorescences with numerous pink-colored sterile flowers; and good postproduction longevity.

**1 Drawing Sheet**

**1**

Botanical designation: *Hydrangea macrophylla*.  
Cultivar denomination: ‘H212911’.

**BACKGROUND OF THE INVENTION**

The present invention relates to a new and distinct cultivar of *Hydrangea* plant, botanically known as *Hydrangea macrophylla*, commercially referred to as a mophead-type *Hydrangea* and hereinafter referred to by the name ‘H212911’.

The new *Hydrangea* plant is a product of a planned breeding program conducted by the Inventor in De Kwakel, The Netherlands. The objective of the breeding program was to create new freely-branching *Hydrangea* plants with strong sturdy stems, large inflorescences, attractive flower color and good postproduction longevity.

The new *Hydrangea* plant originated from a cross-pollination made by the Inventor in April, 2007 in De Kwakel, The Netherlands, of a proprietary selection of *Hydrangea macrophylla* identified as code number 01-0215-010, not patented, as the female, or seed, parent with a proprietary selection of *Hydrangea macrophylla* identified as code number 06-0003-000, not patented, as the male, or pollen, parent. The new *Hydrangea* plant was discovered and selected by the Inventor as a single flowering plant from within the progeny of the stated cross-pollination in a controlled greenhouse environment in De Kwakel, The Netherlands in March, 2009.

Asexual reproduction of the new *Hydrangea* plant by vegetative cuttings in a controlled environment in De Kwakel, The Netherlands since June, 2009 has shown that the unique features of this new *Hydrangea* plant are stable and reproduced true to type in successive generations.

**SUMMARY OF THE INVENTION**

Plants of the new *Hydrangea* have not been observed under all possible combinations of environmental conditions and cultural practices. The phenotype may vary somewhat with

**2**

variations in environmental conditions such as temperature and light intensity without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of ‘H212911’. These characteristics in combination distinguish ‘H212911’ as a new and distinct *Hydrangea* plant:

1. Upright and somewhat outwardly spreading plant habit.
2. Vigorous growth habit; freely branching habit.
3. Strong and sturdy stems.
4. Freely and uniformly flowering habit; does not require a cold temperature treatment for flower initiation and development.
5. Mophead-type inflorescences with numerous pink-colored sterile flowers.
6. Good postproduction longevity.

Plants of the new *Hydrangea* can be compared to plants of the female parent selection. Plants of the new *Hydrangea* differ primarily from plants of the female parent selection in inflorescence size as plants of the new *Hydrangea* have smaller inflorescences than plants of the female parent selection. In addition, plants of the female parent require a cold temperature treatment for flower initiation and development.

Plants of the new *Hydrangea* can be compared to plants of the male parent selection. Plants of the new *Hydrangea* differ primarily from plants of the male parent selection in sterile flower sepal color as plants of the male parent selection have white-colored sterile flowers.

Plants of the new *Hydrangea* can be compared to plants of the *Hydrangea hybrida* ‘Agrihydravier’, disclosed in U.S. Plant Pat. No. 19,794. In side-by-side comparisons conducted in De Kwakel, The Netherlands, plants of the new *Hydrangea* differed from plants of ‘Agrihydravier’ in the following characteristics:

1. Plants of the new *Hydrangea* were more freely branching than plants of ‘Agrihydravier’.
2. Plants of the new *Hydrangea* had narrower leaves than plants of ‘Agrihydravier’.

3. Plants of the new *Hydrangea* did not require a cold temperature treatment for flower initiation and development whereas plants of 'Agrihydravier' required a cold temperature treatment for flower initiation and development.
4. Plants of the new *Hydrangea* were more freely flowering than plants of 'Agrihydravier'.
5. Plants of the new *Hydrangea* had smaller inflorescences than plants of 'Agrihydravier'.

## BRIEF DESCRIPTION OF THE PHOTOGRAPH

The accompanying colored photograph illustrates the unique appearance of the new *Hydrangea* plant showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photograph may differ from the color values cited in the detailed botanical description which accurately describe the colors of the new *Hydrangea* plant.

The photograph is a top perspective view of a typical flowering plant of 'H212911'.

## DETAILED BOTANICAL DESCRIPTION

Plants used in the aforementioned photograph and in the following description were grown during the spring and early summer in 13-cm containers in a glass-covered greenhouse in De Kwakel, The Netherlands and under cultural practices typical of commercial *Hydrangea* production. During the production of the plants, day and night temperatures averaged 17° C. Plants of the new *Hydrangea* were pinched one time and were one year old when the photograph and description were taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used.

Botanical description: *Hydrangea macrophylla* 'H212911'.

Parentage:

*Female, or seed, parent.*—Proprietary selection of *Hydrangea macrophylla* identified as code number 01-0215-010, not patented.

*Male, or pollen, parent.*—Proprietary selection of *Hydrangea macrophylla* identified as code number 06-0003-000, not patented.

Propagation:

*Type cutting.*—By vegetative cuttings.

*Time to initiate roots, summer.*—About two weeks at temperatures about 23° C.

*Time to initiate roots, winter.*—About 18 days at temperatures about 18° C.

*Time to produce a rooted young plant, summer.*—About four weeks at temperatures about 23° C.

*Time to produce a rooted young plant, winter.*—About five weeks at temperatures about 18° C.

*Root description.*—Thick; whitish brown in color.

*Rooting habit.*—Freely branching; dense.

Plant description:

*Plant and growth habit.*—Upright and somewhat outwardly spreading plant habit; rounded in shape; strong and sturdy stems; rapid growth rate and vigorous growth habit.

*Plant height.*—About 30 cm to 35 cm.

*Plant diameter or area of spread.*—About 40 cm.

Lateral branch description:

*Branching habit.*—Freely branching habit with about seven to eight lateral branches per plant.

*Length.*—About 25 cm.

*Diameter.*—About 4 mm to 5 mm.

*Internode length.*—About 6 cm to 7 cm.

*Stem texture.*—Smooth, glabrous; fully developed, bark-like.

*Strength.*—Strong, sturdy.

*Color, immature.*—Close to 146D, overlain with close to 187C; lenticels, close to 187C.

*Color, mature.*—Close to 146D, overlain with close to 187C; lenticels, close to 187C; fully developed, close to 177C.

Leaf description:

*Arrangement.*—Opposite, simple.

*Length.*—About 7.5 cm to 8.5 cm.

*Width.*—About 6 cm.

*Shape.*—Ovate.

*Apex.*—Acute.

*Base.*—Obtuse.

*Margin.*—Dentate to serrate.

*Texture, upper surface.*—Smooth to rugose, glabrous.

*Texture, lower surface.*—Rugose, glabrous.

*Venation pattern.*—Pinnate.

*Color.*—Developing and fully developed leaves, upper surface: Close to 147B; venation, close to 145C.

Developing and fully developed leaves, lower surface: Close to 137D; venation, close to 145D.

*Petioles.*—Length: About 2 cm. Diameter: About 3 mm.

Texture, upper and lower surfaces: Smooth, glabrous.

Color, upper surface: Close to 145B. Color, lower surface: Close to 145C.

Flower description:

*Flower type and habit.*—Showy sterile flowers and small, inconspicuous star-shaped fertile flowers arranged on mophead-type terminal panicles; panicles globular in shape; flowers face upright to slightly outwardly.

*Fragrance.*—None detected.

*Natural flowering season.*—Plants begin flowering about one year after planting; short production time as a cooling treatment is not required for flower development; continuous flowering during the late spring and summer in Northern Europe.

*Flower longevity.*—Sterile flowers last about four months on the plant, sterile flowers persistent; fertile flowers last about one month on the plant, fertile flowers not persistent.

*Quantity of flowers.*—Freely flowering habit; about 60 to 70 sterile flowers per panicle and about 25 to 30 fertile flowers per panicle.

*Panicle height.*—About 4 cm to 6 cm.

*Panicle diameter.*—About 8.5 cm to 10 cm.

*Sterile flower buds.*—Length: About 2 mm. Diameter: About 2 mm. Shape: Spherical. Color: Close to 145C.

*Fertile flower buds.*—Length: About 3 mm. Diameter: About 3 mm. Shape: Spherical. Color: Close to 145C.

*Sterile flower diameter.*—About 2.5 cm to 3 cm.

*Sterile flower depth (height).*—About 1 cm.

*Fertile flower diameter.*—About 3 mm.

*Fertile flower depth (height).*—About 3 mm.

*Petals, fertile flowers only, sterile flowers without petals.*—Quantity and arrangement: Five in a single whorl. Length: About 2 mm. Width: About 2 mm. Shape: Ovate. Apex: Acute. Base: Cuneate. Margin: Entire. Texture, upper and lower surfaces: Smooth, glabrous. Color: When opening, upper and lower sur-

faces: Close to 145D. Fully opened, upper and lower surfaces: Close to 69D; color does not change with development.

*Sepals, sterile flowers.*—Quantity and arrangement: 5  
Four in a single whorl. Length: About 1.2 cm to 1.5 cm. Width: About 1.5 cm to 2 cm. Shape: Deltoid. Apex: Acute to obtuse. Base: Cuneate. Margin: Entire. Texture, upper surface: Smooth, glabrous. Texture, lower surface: Smooth to rugose, glabrous. 10  
Color: When opening, upper surface: Close to 150D. When opening, lower surface: Close to 155C. Fully opened, upper surface: Close to 73C; color becoming closer to 155D with development. Fully opened, lower surface: Close to 73D; color does not change with development. 15

*Sepals, fertile flowers.*—Quantity and arrangement: 20  
Five in a single whorl. Length: About 1.5 mm. Width: About 1.5 mm. Shape: Ovate. Apex: Acute. Base: Obtuse. Margin: Entire. Texture, upper and lower surfaces: Smooth, glabrous. Color: When opening, upper and lower surfaces: Close to 145B. Fully opened, upper and lower surfaces: Close to 145B; color does not change with development.

*Pedicels, sterile flowers.*—Length: About 1.5 cm. Diameter: About 2 mm. Strength: Strong. Texture: Smooth, glabrous. Color: Close to 69B. 25

*Pedicels, fertile flowers.*—Length: About 4 mm. Diameter: About 1 mm. Strength: Strong. Texture: Smooth, glabrous. Color: Close to 65D.

*Reproductive organs, fertile flowers only; sterile flowers without reproductive organs.*—Stamens: Quantity per flower: Eight. Filament length: About 1 mm. Filament color: Close to 155D. Anther shape: Conical. Anther length: About 1 mm. Anther color: Close to 145D. Pollen amount: Abundant. Pollen color: Close to 155D. Pistils: Pistil quantity per flower: Three. Pistil length: About 1 mm. Stigma shape: Oval. Stigma color: Close to 155D. Style length: About 1 mm. Style color: Close to 155D. Ovary color: Close to 145C.

*Seeds.*—Quantity per flower: About 20 to 30. Length: About 0.5 mm. Diameter: About 0.1 mm. Color: Close to 200C.

Disease & pest resistance: Under commercial production conditions, plants of the new *Hydrangea* have not been observed to be resistant to pathogens and pests common to *Hydrangea* plants.

Temperature tolerance: Plants of the new *Hydrangea* have been shown to be tolerant to temperatures ranging from about 3° C. to about 38° C.

It is claimed:

1. A new and distinct *Hydrangea* plant named 'H212911' as illustrated and described.

\* \* \* \* \*

