

US00PP26800P3

(12) **United States Plant Patent**  
**Stewart et al.**

(10) **Patent No.:** **US PP26,800 P3**  
(45) **Date of Patent:** **Jun. 7, 2016**

- (54) **STRAWBERRY PLANT NAMED**  
**‘DRISSTRAWFORTYTHREE’**
- (50) Latin Name: *Fragaria×ananassa*  
Varietal Denomination: **DrisStrawFortyThree**
- (71) Applicant: **DRISCOLL STRAWBERRY**  
**ASSOCIATES, INC.**, Watsonville, CA  
(US)
- (72) Inventors: **Philip J. Stewart**, Watsonville, CA (US);  
**Renae Robertson**, Santa Maria, CA  
(US); **Joanne F. Coss**, Pebble Beach, CA  
(US); **Martin P. Madesko**, Aptos, CA  
(US); **Agustin M. Renteria**, Royal Oaks,  
CA (US)
- (73) Assignee: **DRISCOLL STRAWBERRY**  
**ASSOCIATES, INC.**, Watsonville, CA  
(US)
- (\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 90 days.

- (21) Appl. No.: **14/121,764**
- (22) Filed: **Oct. 15, 2014**
- (65) **Prior Publication Data**  
US 2016/0113175 P1 Apr. 21, 2016
- (51) **Int. Cl.**  
*A01H 5/08* (2006.01)
- (52) **U.S. Cl.**  
USPC ..... **Plt./208**
- (58) **Field of Classification Search**  
USPC ..... Plt./208  
See application file for complete search history.

*Primary Examiner* — Annette Para  
(74) *Attorney, Agent, or Firm* — Jondle & Associates, P.C.

(57) **ABSTRACT**  
A new and distinct variety of strawberry plant named ‘Dris-  
StrawFortyThree’ particularly characterized by dark orange-  
red colored fruit, early time of flowering and early harvest  
maturity, is disclosed.

**3 Drawing Sheets**

**1**

Genus and species: *Fragaria×ananassa*.  
Variety denomination: ‘DrisStrawFortyThree’.

**BACKGROUND OF THE NEW PLANT**

The present invention relates to a new and distinct straw-  
berry variety designated ‘DrisStrawFortyThree’ and botani-  
cally known as *Fragaria×ananassa*. This new strawberry  
variety was discovered in Monterey County, Calif. in June  
2009 and originated from a cross between the proprietary  
female parent ‘131N177’ (unpatented) and the proprietary  
male parent ‘96P159’ (unpatented). A single plant was  
selected and asexually propagated via tissue culture and veg-  
etative cuttings in Shasta County, Calif.

‘DrisStrawFortyThree’ underwent further testing in Santa  
Barbara County, Calif. for five years (2009-2014). The  
present invention has been found to retain its distinctive char-  
acteristics through successive asexual propagations via sto-  
lons and tissue culture.

Plant Breeder’s Rights for this variety have not been  
applied for. ‘DrisStrawFortyThree’ has not been made pub-  
licly available or sold anywhere in the world more than one  
year prior to the filing date of this application.

**SUMMARY OF THE INVENTION**

The following are the most outstanding and distinguishing  
characteristics of this new cultivar when grown under normal  
horticultural practices in Santa Barbara County, Calif.

1. Dark orange-red colored fruit;
2. Early time of flowering; and
3. Early harvest maturity.

**2**

**DESCRIPTION OF THE PHOTOGRAPHS**

The accompanying color photographs show typical speci-  
mens of the new variety at various stages of development. The  
5 colors shown are as true as can be reasonably obtained by  
conventional photographic procedures. The photographs  
were taken from nine-month-old plants.

FIG. 1 shows upper and lower surfaces of the leaves of the  
plant with three leaflets.

10 FIG. 2 shows the upper surfaces of the flowers.

FIG. 3 shows the lower surfaces of the flowers.

FIG. 4 shows the whole fruit.

FIG. 5 shows the fruit in longitudinal cross-section.

15 FIG. 6 shows the whole plant.

**DESCRIPTION OF THE NEW VARIETY**

The following detailed descriptions set forth the distinctive  
characteristics of ‘DrisStrawFortyThree’. The data which  
20 define these characteristics is based on observations taken in  
Santa Barbara County, Calif. from 2009 to 2014. This  
description is in accordance with UPOV terminology. Color  
designations, color descriptions, and other phenotypical  
descriptions may deviate from the stated values and descrip-  
25 tions depending upon variation in environmental, seasonal,  
climatic, and cultural conditions. ‘DrisStrawFortyThree’ has  
not been observed under all possible environmental condi-  
tions. The botanical description of ‘DrisStrawFortyThree’  
30 was taken from nine-month-old plants. Color references are  
primarily to The R.H.S. Colour Chart of The Royal Horticul-  
tural Society of London (R.H.S.) (2007 edition). Descriptive  
terminology follows the *Plant Identification Terminology, An  
Illustrated Glossary*, 2<sup>nd</sup> edition by James G. Harris and  
Melinda Woolf Harris, unless where otherwise defined.



DETAILED BOTANICAL DESCRIPTION OF THE  
PLANT

## Classification:

*Species.*—*Fragaria x ananassa*.*Common name.*—Strawberry.*Denomination.*—‘DrisStrawFortyThree’.

## Parentage:

*Female parent.*—The proprietary variety ‘131N177’ (unpatented).*Male parent.*—The proprietary variety ‘96P 159’ (unpatented).

## Plant:

*Height.*—28.0 cm.*Diameter.*—42.5 cm.*Number of crowns/plant.*—4.*Habit.*—Flat — spreading.*Density of individual plant.*—Medium.*Vigor (health and hardiness of plant).*—Medium.

## Terminal leaflets:

*Size.*—Medium. Length: 8.8 cm. Width: 7.98 cm. Length/width ratio: 1.1 (As long as broad).*Number of teeth/terminal leaflet.*—20.*Shape of teeth.*—Rounded to crenate.*Color.*—Upper surface: RHS N137A (Medium green).

Lower surface: RHS 191A (Medium greyed-green).

*Shape in cross section.*—Slightly concave.*Blistering.*—Medium.*Glossiness.*—Medium.*Number of leaflets.*—Three only.*Shape.*—Orbicular.*Base shape.*—Acute.*Apex descriptor.*—Complex.*Margin.*—Serrate.*Margin profile.*—Revolute (margins rolled backwards).*Variation.*—Absent.

## Petiole:

*Length.*—Long; 17.1 cm.*Diameter.*—3.90 mm.*Pubescence.*—Dense.*Pose of hairs.*—Outwards — horizontal.*Color.*—RHS 144A (Medium yellow-green).*Bract frequency.*—2.

## Petiolule:

*Length.*—10.63 mm.*Diameter.*—2.10 mm.*Color.*—RHS 144A (Medium yellow-green).

## Stipule:

*Length.*—4.2 cm.*Width.*—5.29 mm.*Pubescence.*—Medium.*Stipule anthocyanin coloration.*—Absent or very weak; RHS 185A (Dark greyed-purple).

## Inflorescence:

*Position relative to foliage.*—Beneath.*Number of flowers per plant.*—3.8 (Medium).*Time of flowering (50% of plants at first flower).*—Early.*Flowering interval.*—February-September.*Flower size.*—Medium.*Flower diameter.*—24.46 mm.*Petals.*—Shape: Orbicular. Apex: Rounded. Base: Concavo-convex. Margin: Entire. Spacing: Free. Length: 10.97 mm. Width: 10.69 mm. Length/width ratio: 1.0 (As long as broad). Petal number per flower: 5. Color (upper surface): RHS N155C (White).*Calyx.*—Diameter: 41.44 mm. Diameter relative to corolla: Larger. Inner calyx diameter relative to outer: Larger. Insertion of calyx: In a basin — inserted. Pose of calyx segments: Reflexed — upwards. Size of calyx in relation to fruit: Slightly larger. Adherence of calyx: Strong.*Sepal.*—Shape: Elliptical. Apex: Truncate. Margin: Entire. Length: 17.59 mm. Width: 8.10 mm. Sepal number: 11.*Receptacle color.*—RHS 7A (Medium yellow).*Stamen.*—Present. Anther color: RHS 14A (Medium yellow-orange).*Pedicel.*—Attitude of hairs: Upwards.

## Fruiting truss:

*Length.*—Medium; 24.3 cm.*Diameter at base of truss.*—7.18 mm.*Number of berries per fruiting truss.*—4.*Attitude at first picking.*—Semi-erect.*Color at base of truss.*—RHS 144A (Medium yellow-green).

## Fruit:

*Relative fruit size.*—Medium.*Length.*—40.49 mm.*Width.*—39.45 mm.*Length/width ratio.*—1.0 (As long as broad).*Fruit hollow length.*—17.82 mm.*Fruit hollow width.*—10.05 mm.*Fruit hollow length/width ratio.*—1.8 (Longer than broad).*Fruit hollow center (cavity).*—Small.*Fruit weight.*—20.1 g.*Predominant fruit shape.*—Conical.*Difference in shape between primary and secondary fruits.*—None or very slight.*Evenness of fruit surface.*—Even or very slightly uneven.*Fruit skin color.*—RHS N34A (Dark orange-red).*Evenness of fruit color.*—Even or very slightly uneven.*Fruit glossiness.*—Medium.*Achenes.*—Insertion of achenes: Level with surface. Coloration (sunward side of berry): RHS N144A (Light yellow-green). Coloration (shaded side of berry): RHS N144C (Medium yellow-green). Number per berry: 248. Weight (weight of achenes divided by total # seed): 0.1155 g. Width of band without achenes: Narrow.*Firmness of flesh (when fully ripe).*—Firm.*Color of flesh (excluding core).*—RHS 42B (Medium red).*Color of core.*—RHS 42B (Medium red).*Evenness of flesh color.*—Slightly uneven.*Distribution of flesh color.*—Marginal and central.*Sweetness.*—Medium.*Acidity.*—Medium.*Texture when tasted.*—Medium.*Type of bearing.*—Not everbearing — not remontant.*Harvest interval.*—March-September.*Harvest maturity.*—Early.*Production.*—1223.0 grams per plant.

Disease and pest resistance: Not tested.

Stress resistance:

*Rain tolerance.*—Moderately resistant.

COMPARISON WITH PARENTAL AND  
COMMERCIAL VARIETIES

When 'DrisStrawFortyThree' is compared to the female parent '131N177' (unpatented), 'DrisStrawFortyThree' has better flavor and appearance and produces fewer runners in the fruiting field than '131N177'.

When 'DrisStrawFortyThree' is compared to the male parent '96P159' (unpatented), 'DrisStrawFortyThree' has healthier plants and begins fruit production later with fewer culls than '96P159'.

When 'DrisStrawFortyThree' is compared to the commercial variety 'DrisStrawNine' (U.S. Plant Pat. No. 20,733), 'DrisStrawFortyThree' has a flat—spreading growth habit and medium vigor, whereas 'DrisStrawNine' has an upright growth habit and weak vigor. In addition, the insertion of the

calyx of 'DrisStrawFortyThree' is in a basin—inserted, whereas 'DrisStrawNine' is level.

When 'DrisStrawFortyThree' is compared to the commercial variety 'San Juan' (U.S. Plant Pat. No. 12,899), 'DrisStrawFortyThree' has a flat—spreading growth habit, whereas 'San Juan' has a globose to flat globose growth habit. Additionally, 'DrisStrawFortyThree' has conical shaped fruit with none or very slight difference in the shape between primary and secondary fruits, whereas 'San Juan' has conical to almost cylindrical shaped fruit with moderate difference in the shape between primary and secondary fruits.

We claim:

1. A new and distinct variety of strawberry plant named 'DrisStrawFortyThree', substantially as illustrated and described herein.

\* \* \* \* \*






FIG. 1



FIG. 2






FIG. 3




FIG. 4





FIG. 5



FIG. 6