



US00PP28157P3

(12) **United States Plant Patent**
Van Swieten(10) **Patent No.:** US PP28,157 P3
(45) **Date of Patent:** Jul. 4, 2017

- (54) **PHALAENOPSIS ORCHID PLANT NAMED 'PHALDUKAI'**
- (50) Latin Name: *Phalaenopsis* hybrid
Varietal Denomination: Phaldukai
- (71) Applicant: **ANTHURA B.V.**, Bleiswijk (NL)
- (72) Inventor: **Martinus Nicolaas Gerardus Van Swieten**, Leimuiden (NL)
- (73) Assignee: **ANTHURA B.V.**, Bleiswijk (NL)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 51 days.
- (21) Appl. No.: **14/545,823**
- (22) Filed: **Jun. 24, 2015**

(65) **Prior Publication Data**

US 2016/0381851 P1 Dec. 29, 2016

- (51) **Int. Cl.**
A01H 5/02 (2006.01)
- (52) **U.S. Cl.**
USPC **Plt./311**
- (58) **Field of Classification Search**
USPC Plt./311
See application file for complete search history.

Primary Examiner — Keith Robinson(74) *Attorney, Agent, or Firm* — Jondle & Associates, P.C.(57) **ABSTRACT**

A new and distinct variety of *Phalaenopsis* plant named 'PHALDUKAI', particularly characterized by having purple flowers with small centers, 1 to 2 peduncles, a peduncle that is long and sturdy, leaves that are obovate and moderately elongated, and is propagated by tissue culture is disclosed.

3 Drawing Sheets**1**

Genus and species: *Phalaenopsis* hybrid.
Variety denomination: 'PHALDUKAI'.

BACKGROUND OF THE NEW PLANT

The present invention comprises a new and distinct cultivar of *Phalaenopsis* plant, botanically known as *Phalaenopsis* of the Orchidaceae family, and hereinafter referred to by the cultivar name 'PHALDUKAI'.

Phalaenopsis comprises a genus of about 60 species of herbaceous perennials many of which, or the hybrids thereof, are suitable for cultivar in the home or greenhouse. *Phalaenopsis* is predominantly epiphytic or rock dwelling, and is native to tropical Asia, the Malay Archipelago, and Oceania. The species typically has 2-ranked, fleshy, oblong or elliptic leaves affixed to a short central stem (monopodial growth), which vary in size from 12 to 20 cm to over 60 cm. The leaves may be entirely green or mottled with silver grey.

Phalaenopsis orchids, often referred to as 'Moth Orchids' in the horticultural trade, are frequently used to furnish cut flowers for the florist trade or sold as flowering potted-plants for home or interiorscape.

Phalaenopsis produces upright or pendent lateral racemes or panicles, often with many showy flowers which open in succession beginning with the lowermost. The flowers possess three sepals and three petals; the lateral ones being alike. The lowermost petals, called the labellum, are three-lobed and are often more brightly-colored than the other flower segments. Flower colors include various shades of pink, white, yellow, and red-brown.

Phalaenopsis orchids are typically propagated from seeds. Asexual propagation of *Phalaenopsis* is often done from off-shoots which arise from the lower bracts of the inflorescence. The resulting plants are detached from the mother plants and may be planted in a suitable substrate.

The new *Phalaenopsis* 'PHALDUKAI' is particularly characterized by its attractive and unique purple flowers with small centers, economical propagation by tissue cul-

2

ture, rapid growth, and a plant dimension suitable for packaging and shipping to the market.

'PHALDUKAI' is a product of a planned breeding program conducted by the inventor in Bleiswijk, The Netherlands.

The new *Phalaenopsis* 'PHALDUKAI' originated from a cross made in January 2006 in Bleiswijk, The Netherlands. The female parent is a *Phalaenopsis* pot plant named '01-1384' (unpatented), while the male parent is a purple *Phalaenopsis* pot plant named '01-1452' (unpatented). A single plant was selected in January 2009 and has been asexually reproduced repeatedly by meristem tissue culture in Bleiswijk, The Netherlands over a 3.5-year period. The new variety has been found to retain its distinctive characteristics through successive asexual propagations.

Asexual reproduction of 'PHALDUKAI' by tissue culture was first performed in September 2011 in Bleiswijk, The Netherlands and has demonstrated that the new cultivar is firmly fixed and retained through successive generations of asexual reproduction.

Plant Breeder's Rights for this variety have been applied for in Europe on Sep. 30, 2014. 'PHALDUKAI' has not been made publicly available or sold anywhere in the world more than one year prior to the filing date of this application.

SUMMARY OF THE INVENTION

The following are the most outstanding and distinguishing characteristics of this new cultivar when grown under normal horticultural practices in Bleiswijk, The Netherlands.

- 1) Purple flowers with small centers;
- 2) 1 to 2 peduncles;
- 3) Peduncle is long and sturdy;

- 4) The shape of the leaf is obovate and moderately elongated; and
 5) Plants are propagated by meristem tissue culture.

DESCRIPTION OF THE PHOTOGRAPHS

5

This new *Phalaenopsis* plant is illustrated by the accompanying photographs which show the overall plant habit including blooms and foliage of the plant; the colors shown are as true as can be reasonably obtained by conventional photographic procedures. The photographs are of a 50-week old plant grown in a greenhouse in Bleiswijk, The Netherlands in March 2015.

FIG. 1 shows the overall plant habit, including blooms and foliage of 'PHALDUKAI'.
 15

FIG. 2 shows a close-up of a flower of 'PHALDUKAI'.
 FIG. 3 shows a close-up of the leaves of 'PHALDUKAI'.

DESCRIPTION OF THE NEW VARIETY

20

The following detailed description sets forth the distinctive characteristics of 'PHALDUKAI'. The data which define these characteristics were collected from asexual reproductions carried out in Bleiswijk, The Netherlands. The plant history was taken on 50-week old plants which were planted from a nursery tray in 12 centimeter pots and grown in a greenhouse between 27° C. to 29° C. for 30 weeks, continued by a cooling period of 8 weeks between 18° C. to 20° C. and 12 weeks in a greenhouse of 21° C. Observations were made in March 2015. Color readings were taken under 4-6000 lux natural light in the greenhouse. Color references are primarily to The R.H.S. Colour Chart of The Royal Horticultural Society of London (R.H.S.) (2001).

30

35

DETAILED BOTANICAL DESCRIPTION

Classification:

Family.—Orchidaceae.

Botanical.—*Phalaenopsis* hybrid.

Common name.—Moth Orchid.

Variety name.—'PHALDUKAI'.

40

Parentage:

Female parent.—*Phalaenopsis* cultivar '01-1384' (un-patented).

45

Male parent.—*Phalaenopsis* cultivar '01-1452' (un-patented).

Propagation:

Type.—Tissue culture.

Plant:

Crop time (time to produce a finished flowering plant).—48 to 50 weeks for a 12 cm pot.

50

Growth habit of peduncle.—Standard, green leaves, raceme to panicle.

Height (including pot, including inflorescence).—63.0 cm to 73.0 cm.
 55

Width (measured from leaf tips).—39.0 cm to 44.0 cm.

Vigor.—Strong.

Roots:

Root description.—Greyed-green colored roots (RHS 190B/C) with branching lateral roots having slightly red-purple colored root tips (RHS 60C).
 60

Leaves:

Mature leaves.—Quantity per plant: 7 to 9 leaves are produced before flowering. Length (fully expanded): 21.0 cm to 25.0 cm. Width: 9.0 cm to 10.0 cm.
 65

Position of broadest part of leaf: Towards the apex. Shape: Obovate. Base shape: Moderately elongated. Apex: Unequal obtuse. Leaf blade angle with the petiole: Between 0 degrees and 25 degrees (measured from the horizontal position). Leaf margin: Entire. Color: Upper surface: RHS 146A. Lower surface: RHS 146B and 187A. Variegation: Absent. Texture (upper and lower surfaces): Smooth. Thickness: 2.5 mm to 2.9 mm. Venation: Pattern: Parallel. Color of the midvein: Upper surface: RHS 147A. Lower surface: RHS 187A.

Peduncle:

Quantity per plant.—1 to 2.

Number of flowers per peduncle.—10 to 13.

Length.—55.0 cm to 60.0 cm.

Diameter.—5.8 mm to 6.3 mm.

Strength.—Strong.

Aspect.—Upright.

Texture.—Smooth.

Color.—Brown (RHS 200A) and slightly greyed-green (RHS 194B).

Internode length.—45.0 mm to 55.0 mm.

Callosities.—None.

Inflorescence description:

Appearance.—Upright to slightly pendant, raceme to panicle inflorescence with bilaterally symmetrical flowers that open in succession beginning with the lowermost flower.

Inflorescence size.—Height (from base to tip): 260.0 mm to 290.0 mm. Diameter: 4.0 mm to 4.3 mm.

Number of inflorescences per plant.—1 to 3.

Flowering time.—First flowers can be expected 10 to 11 months after planting in a 12 cm pot.

Flower.—Height: 75.0 mm to 80.0 mm. Diameter: 80.0 mm to 85.0 mm. Depth of lip: 19.0 mm to 20.0 mm.

Flower longevity.—On the plant: 10 to 15 weeks.

Flower shape.—Concave.

Fragrance.—Absent.

Petals.—Arrangement: Free. Shape: Semi-circular. Apex: Symmetric and mucronate. Margin: Entire. Length (from base to tip): 37.0 mm to 39.0 mm. Width: 50.0 mm to 52.0 mm. Position of broadest part of petal: Towards the base. Color (when fully opened): Main color: Purple (RHS 78A) with the small center (RHS 78C). At the base: Purple (RHS 78A). Spots on the petals: Very few to few spots (RHS 59A and 71A). Stripes on the petals: Very few to few stripes (RHS 72A). Netting on the petals: None.

Dorsal sepal.—Shape: Wide elliptic. Margin: Entire. Length (from base to tip): 42.0 mm to 44.0 mm. Width: 35.0 mm to 37.0 mm. Position of broadest part of dorsal sepal: At the middle. Color (when fully opened): Main color: Purple (RHS 78A). At the base: Purple (RHS 78A). Spots on the dorsal sepal: Few to medium spots (RHS 84C). Stripes on the dorsal sepal: Very few to few stripes (RHS 72A). Netting on the dorsal sepal: Very low to low (RHS 72A).

Lateral sepals.—Shape: Ovate. Margin: Entire. Length (from base to tip): 41.0 mm to 43.0 mm. Width: 31.0 mm to 33.0 mm. Position of broadest part of lateral sepal: Towards the base. Color (when fully opened): Main color: Red-purple (RHS 59A and 78A). At the base: Purple (RHS 78A). Spots on the lateral sepal:

RHS 84C. Stripes on the lateral sepal: RHS 72A. Netting on the lateral sepal: Very low (RHS 72A).

Labellum (lip).—Margin: Slightly undulated. Shape: Spatulate. Length: 18.0 mm to 20.0 mm. Width: 22.0 mm to 24.0 mm. Whiskers: Present. Length of whiskers: Long; 16.0 mm to 18.0 mm

Lateral lobe.—Shape: Type V (as described in the International Union for the Protection of New Varieties of Plants (UPOV) Test Guidelines for *Phalaenopsis*). Color: Dark greyed-purple (RHS 187A/B and 59A). Netting of the lateral lobe: None.

Apical lobe.—Shape: Triangular-trullate. Length: 22.0 mm to 25.0 mm. Width: 23.0 mm to 25.0 mm. Color: Dark greyed-purple (RHS 187B and 59A). Netting of the apical lobe: None.

Callus.—Color: Greyed-red (RHS 178A) with greyed-orange spots (RHS 163C).

Reproductive organs:

Arrangement.—The stamens, style and stigmas are fused into a single, short structure called the column, possessing one terminal anther with pollen grains united into pollinia, which are covered by an anther cap. The stigma is located under the column behind the pollinia. The ovary is inferior with three carpels present.

Column.—Length: 7.5 mm to 8.5 mm. Diameter: 6.0 mm to 7.0 mm. Color: Purple (RHS 78A).

Pollinia.—Quantity: 2. Size: 0.9 mm to 1.0 mm. Color: Orange (RHS 24A).

Ovary.—Length: 7.0 mm to 9.0 mm. Diameter: 2.6 mm to 2.8 mm.

Pedicel.—Length: 30.0 mm to 35.0 mm. Diameter: 3.3 mm to 3.5 mm. Texture: Smooth. Color: Purple-red (RHS N77B).

Disease, pest, and stress resistance: No specific resistance or susceptibility observed.

Temperature tolerance: Tolerant to a low temperature of 15° C. and a high temperature about 30° C.

COMPARISON WITH PARENTAL AND COMMERCIAL VARIETIES

The female parent of ‘PHALDUKAI’, cultivar ‘01-1384’ is no longer available, so a meaningful comparison cannot be made.

‘PHALDUKAI’ differs from male parent ‘01-1452’ (unpatented) in that ‘PHALDUKAI’ has a callus that is greyed-red with greyed-orange spots, whereas ‘01-1452’ has a callus that is yellow dotted. Additionally, ‘PHALDUKAI’ has longer whiskers than ‘01-1452’.

‘PHALDUKAI’ differs from commercial variety ‘PHALBATZOM’ (unpatented) in that ‘PHALDUKAI’ has a callus that is greyed-red with greyed-orange spots and petals that are free, whereas ‘PHALBATZOM’ has a callus that is yellow dotted and petals that are touching or almost touching. Additionally, ‘PHALDUKAI’ has a darker flower color than ‘PHALBATZOM’.

I claim:

1. A new and distinct variety of *Phalaenopsis* plant named ‘PHALDUKAI’, substantially as described and illustrated herein.

* * * * *




FIG. 1




FIG. 2




FIG. 3