



US00PP28255P2

(12) **United States Plant Patent**
Li

(10) **Patent No.:** **US PP28,255 P2**

(45) **Date of Patent:** **Aug. 8, 2017**

(54) **VERBENA PLANT NAMED ‘KLEVP15620’**

(50) Latin Name: *Verbena* sp.
Varietal Denomination: **KLEVP15620**

(71) Applicant: **Klemm+Sohn GmbH & Co. KG,**
Stuttgart (DE)

(72) Inventor: **Ruijun Li,** North Parramatta (AU)

(73) Assignee: **Klemm+Sohn GmbH & Co. KG,**
Stuttgart (DE)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 14 days.

(21) Appl. No.: **14/998,951**

(22) Filed: **Mar. 9, 2016**

(51) **Int. Cl.**
A01H 5/02 (2006.01)

(52) **U.S. Cl.**
USPC **Plt./308**

(58) **Field of Classification Search**
USPC **Plt./308**
See application file for complete search history.

Primary Examiner — Susan McCormick Ewoldt
(74) *Attorney, Agent, or Firm* — Barbara Campbell;
Cochran Freund & Young, LLC

(57) **ABSTRACT**
A new *Verbena* plant particularly distinguished by pink flowers with darker pink eyes, good branching and an upright plant habit, and good tolerance to powdery mildew, is disclosed.

1 Drawing Sheet

1

Genus and species: *Verbena* sp.
Variety denomination: ‘KLEVP15620’.

BACKGROUND OF THE NEW PLANT

The present invention comprises a new and distinct variety of *Verbena*, botanically known as *Verbena* sp., and hereinafter referred to by the variety name ‘KLEVP15620’. ‘KLEVP15620’ originated from a cross-pollination conducted in September 2011 in Cobbitty, New South Wales, Australia between the proprietary female *Verbena* variety ‘VC1256’ (unpatented), and the proprietary male *Verbena* variety ‘VC1261’ (unpatented).

The seeds from the cross were sown and plants were grown for evaluation, where an individual plant designated ‘KLEVP15620’ was selected from the group of plants in Cobbitty, New South Wales, Australia in August 2012.

In October 2012, ‘KLEVP15620’ was first vegetatively propagated by vegetative stem cuttings in Cobbitty, NSW, Australia. ‘KLEVP15620’ was found to reproduce true to type in successive generations of asexual propagation via vegetative stem cuttings.

SUMMARY

The following are the most outstanding and distinguishing characteristics of this new variety when grown under normal horticultural practices in Cobbitty, New South Wales, Australia.

1. Pink flowers with darker pink eyes;
2. Good branching and an upright plant habit; and
3. Good tolerance to powdery mildew.

DESCRIPTION OF THE PHOTOGRAPH

This new *Verbena* plant is illustrated by the accompanying photograph which shows the plant’s overall plant habit including form, foliage, and flowers. The photograph is of a twelve-week-old plant grown in a greenhouse in Stuttgart,

2

Germany in May 2014. The colors shown are as true as can be reasonably obtained by conventional photographic procedures.

DESCRIPTION OF THE NEW VARIETY

The following detailed descriptions set forth the distinctive characteristics of ‘KLEVP15620’. The data which define these characteristics were collected from asexual reproductions carried out in Cobbitty, New South Wales, Australia. Data was collected on three-month-old plants grown in a greenhouse in Cobbitty, New South Wales, Australia in June 2015 in Cobbitty, New South Wales, Australia. Color references are to The R.H.S. Colour Chart of The Royal Horticultural Society of London (R.H.S.) 2007.

Classification:

- Family.*—Verbenaceae.
- Botanical.*—*Verbena* sp.
- Common.*—*Verbena*.
- Designation.*—‘KLEVP15620’.

Parentage:

- Female parent.*—The proprietary female *verbena* variety ‘VC1256’ (unpatented).
- Male parent.*—The proprietary male *verbena* variety ‘VC1261’ (unpatented).

Plant:

- Growth and branching habit.*—Upright and good branching.
- Height (from top of soil).*—30.0 cm.
- Width (horizontal plant diameter).*—28.0 cm.
- Time to produce a finished flowering plant.*—Approximately 8 weeks.
- Time to initiate and develop roots.*—3 weeks.
- Root description.*—RHS 155B (White); fine and fibrous roots.

Stems:

- Number of branches per plant.*—More than 20.
- Length.*—20.0 cm.
- Diameter.*—1.0 cm.

Internode length.—Approximately 1.8 cm.
Color.—RHS 130D.
Anthocyanin.—Absent.
Texture and appearance.—Pubescent, round.

Leaves:

Arrangement.—Opposite.
Immature and mature leaf color.—Upper surface: RHS 141A. Lower surface: RHS 141C.
Length.—2.3 cm.
Width.—1.2 cm.
Shape.—Lanceolate.
Apex.—Acute.
Base.—Obtuse.
Margin.—Crenate.
Texture.—Upper surface: Leathery. Lower surface: Rugose.
Venation type.—Pinnate.
Venation color (both upper and lower surfaces).—RHS 141D.
Petioles.—Length: 0.3 cm. Diameter: 0.1 cm. Color: RHS 141D. Texture: Leathery.

Flower buds:

Shape.—Tall, cylindrical.
Length.—0.5 cm.
Diameter.—0.2 cm.
Color (at tight bud).—RHS 49A.

Inflorescence:

Blooming habit (flowering season).—Continuously.
Lastingness of individual blooms on the plant.—2 weeks.
Fragrance.—Absent.
Inflorescence type.—Umbel.
Length of inflorescence.—5.8 cm.
Diameter of inflorescence.—5.9 cm.
Number of florets per inflorescence.—More than 16.
Peduncle.—Color: RHS 141A. Length: 1.0 cm. Diameter: 0.1 cm.

Florets:

Length.—2.2 cm.
Diameter.—2.8 cm.
Texture.—Glossy.
Form.—Single.
Length.—2.2 cm.
Diameter.—2.8 cm.
Corolla tube length.—1.4 cm.
Corolla tube color (outer surface).—RHS 56C.
Petals.—Length of lobe: 1.9 cm. Diameter of lobe: 2.0 cm. Lobe shape: Round. Apex: Acute. Base: Obtuse. Margin: Entire. Texture (both upper and lower surfaces): Glossy, satiny. Color: Immature: Upper surface: RHS 52B with RHS 61C eyes. Lower surface: RHS 38A. Mature: Upper surface: RHS 55B with RHS N57D eyes. Lower surface: RHS 38B.
Pedicels.—Not visible.

Sepals:

Shape.—Lanceolate.
Apex.—Acute.
Base.—Obtuse.
Margin.—Entire.
Length.—0.9 cm.
Diameter.—0.4 cm.
Color.—RHS 141C.
Texture (both upper and lower surfaces).—Hairy, dull.

Reproductive organs:

Stamens.—Present. Quantity: 4. Color: RHS 139D. Filament length: 0.6 cm. Filament diameter: 0.1 cm. Anther: Shape: Elliptic. Color: RHS 141D. Length: 0.4 cm. Diameter: 0.2 cm. Pollen amount: Sparse.
Pistils.—Number: 1. Length: 1.0 cm. Diameter: 0.1 cm. Stigma: Color: RHS 141D. Appearance: Ovate. Length: 0.1 cm. Diameter: 0.1 cm. Style: Color: RHS 141D. Length: 0.9 cm. Diameter: 0.1 cm. Appearance: Long.

Fruit and seed set: None observed.

Disease and pest/insect resistance: Good resistance to powdery mildew (*Podosphaera xanthii*).

COMPARISON WITH PARENTAL LINES AND KNOWN VARIETY

'KLEVP15620' is distinguished from its parents as described in Table 1.

TABLE 1

Comparison with Parental Lines			
Characteristic	'KLEVP15620'	Female parent 'VC1256'	Male parent 'VC1261'
Flower color	Pink with darker eyes	Red	Orange-red
Branching	More than 20 stems	10 to 15 stems	More than 15 stems

'KLEVP15620' is most similar to the commercial *verbena* 'Pink Charme' (patent status unknown). Differences between the varieties are described in Table 2.

TABLE 2

Comparison with Similar Variety		
Characteristic	'KLEVP15620'	'Pink Charme'
Flower color	Pink with dark eyes	Pink with white eyes
Resistance to powdery mildew	Good tolerance	Less tolerance than 'KLEVP15620'

I claim:

1. A new and distinct variety of *Verbena* plant designated 'KLEVP15620' as illustrated and described herein.

* * * * *

