



US00PP28267P3

(12) **United States Plant Patent**
Randag(10) **Patent No.:** US PP28,267 P3
(45) **Date of Patent:** Aug. 8, 2017(54) **VARIETY OF CALLA LILY PLANT NAMED 'DENVER'**(50) Latin Name: *Zantedeschia sprengeri*
Varietal Denomination: Denver

(71) Applicant: Sande B.V., 't Zand (NL)

(72) Inventor: Cecilius Jan-Jochem Randag, 't Zand (NL)

(73) Assignee: Sande B.V., 't Zand (NL)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: 14/998,393

(22) Filed: Dec. 30, 2015

(65) **Prior Publication Data**

US 2016/0212919 P1 Jul. 21, 2016

Related U.S. Application Data

(60) Provisional application No. 62/125,226, filed on Jan. 15, 2015.

(51) **Int. Cl.**
A01H 5/02 (2006.01)(52) **U.S. Cl.**
USPC Plt./490(58) **Field of Classification Search**
USPC Plt./490
CPC A01H 5/0272
See application file for complete search history.(56) **References Cited****PUBLICATIONS**<https://www.youtube.com/watch?v=RTvZi68ZGX4>; May 28, 2014;
3 pages.*

* cited by examiner

Primary Examiner — Kent L Bell*(74) Attorney, Agent, or Firm* — The Webb Law Firm(57) **ABSTRACT**

'Denver' is a new variety of calla lily plant having inflorescences with a large, pink and white-colored spathe and a large throat spot that produces 3-25 inflorescences per tuber. The height of the top of an inflorescence above the soil can reach up to 40 cm, and the leaves are dark green with many whitish spots and have a leathery texture.

2 Drawing Sheets**1****CROSS REFERENCE TO RELATED APPLICATION**

This application claims the benefit of U.S. Provisional Patent Application Ser. No. 62/125,226, having a filing date of Jan. 15, 2015, and entitled "Varieties of Calla Lily Plants", the entire disclosure of which is incorporated herein by reference.

Botanical classification: *Zantedeschia sprengeri*.

Varietal denomination: 'DENVER'.

BACKGROUND OF THE NEW PLANT

The present invention comprises a new and distinct cultivar of calla lily, botanically known as *Zantedeschia sprengeri* and hereinafter referred to by the cultivar name 'Denver'.

'Denver' is a product of a planned breeding program, which had the objective of creating *Zantedeschia* hybrids for pot flower production in a wide range of colors with a large, classic flower shape. The breeding program began in 1989, and the new cultivar is a seedling selected from the crossing of a *Zantedeschia sprengeri* selection referred to as Z020045-422 (female parent, unpatented) with a *Zantedeschia sprengeri* selection referred to as 'Garnet Glow' (male parent, unpatented). 'Denver' was selected in 2008 by the inventor in 't Zand, The Netherlands as one flowering plant within the progeny of the stated cross.

The first act of asexual reproduction of 'Denver' by tissue culture was performed by the inventor in September of 2011

in 't Zand, The Netherlands. Subsequent asexual reproductions by tissue culture at the same location have demonstrated that the combination of characteristics as herein disclosed for the new cultivar are retained and reproduced true to type through successive generations of asexual reproduction.

The following observations, measurements and comparisons describe plants grown in 14 cm pots in 't Zand, The Netherlands under greenhouse conditions, which approximate those generally used in horticultural practice. Color references are made to The R.H.S. Colour Chart of The Royal Horticultural Society of London, except where general color terms of ordinary significance are used.

The present invention has not been evaluated under all possible environmental conditions. The phenotype may vary with variations in environment without a change in the genotype of the plant.

The following traits have been repeatedly observed and determined to be basic characteristics of 'Denver' which, in combination, distinguish this calla lily as a new and distinct cultivar:

1. Large, pink and white-colored spathe, with the white color of between White Group RHS 155A to 155B being mostly present on the inner, lower spathe surface;
2. Large throat spot in spathe having a color between Purple Group RHS N79A and 79A; and
3. High inflorescence production.

Further, when compared to calla lily plant named 'Samur' (unpatented), 'Samur' has an upper surface spathe color that varies between Red-Purple Group RHS 68B and 68D,

whereas the upper surface spathe color of 'Denver' varies between Red Group RHS 50C and Red-Purple Group RHS 60A.

Table 1 provides similarities and differences of 'Denver' to its parents, *Zantedeschia sprengeri* selections Z020045-422 and 'Garnet Glow'.

TABLE 1

	Similarities	Differences	
'Denver'			10
Z020045-422	Number of inflorescences Leaf color	Spathe color Leaf shape Spathe shape	
'Garnet Glow'	Leaf shape	Spathe color Number of inflorescences Spathe shape	15

BRIEF DESCRIPTION OF THE DRAWINGS

20

The accompanying photographic drawings illustrate the new variety, with the colors being as nearly true as is possible with color illustrations of this type:

FIG. 1 is a photograph of a plant of the new variety; and

FIG. 2 is a photograph of a group of multiple plants of the new variety.

DESCRIPTION OF THE NEW PLANT

30

The Plant

Size:

Height of the leaf canopy above the soil.—20-45 cm.

Height of top of inflorescence above the soil.—8-40 cm.

Diameter.—20-60 cm.

Form: Erect.

Number of inflorescences per tuber:

Size 14-16 cm in diameter.—3-8 inflorescences.

Size 16-18 cm in diameter.—6-15 inflorescences.

Size 18-20 cm in diameter.—8-25 inflorescences.

Branches:

Character.—Many; like the variety 'Odessa' (U.S. Plant Pat. No. 18,833).

Color.—Between Yellow-Green Group RHS 144A and Greyed-Purple Group RHS 187A.

Leaves:

Size.—Width: 3-13 cm. Length: 12-25 cm.

Number per plant.—15-30.

Shape.—Lanceolate.

Color.—Upper surface: Green Group RHS 139A to 139B. Lower surface: Green Group RHS 137A to 137B.

Margin.—Undulate; having a color of Green Group RHS 139A to 139B.

Veins.—Configuration: Pinnate. Color: Green Group RHS 143A to 143B.

Surface quality.—Leathery.

Petiole.—Length: 7-20 cm. Color: The base is White Group RHS 155A, and the upper part is Green Group RHS 143A to 143B.

Roots:

Color.—White.

Branching.—Similar to other *Zantedeschia* varieties.

The Inflorescence and Seeds

Spathe:

Size.—Length (measured from opening to tip): 4-8 cm. Width: 3-7 cm. Height: 5-10 cm.

Color.—Upper surface: Varies between Red Group RHS 50C and Red-Purple Group RHS 60A. Lower surface: Varies between Green Group RHS 143A and 143B.

Vein color.—Between Red-Purple Group RHS 58A and 58B.

Shape.—Cupped.

Spadix:

Size.—Length: 25-45 mm. Diameter: 3-10 mm.

Color.—Between Yellow-Orange Group RHS 15A and 15B.

Position relative to spathe.—Upright.

Peduncle:

Size.—Length: 10-35 cm. Diameter: 6-12 mm.

Color.—The upper part is between Green Group RHS 143A and 143B, and the lower part is Green-White Group RHS 157C.

Reproductive organs:

Location of female organs.—Basal position of the spadix.

Location of male organs.—Upper position of the spadix.

Perianth.—Conspicuous.

Stamens.—Presence: Not visible before pollen release. Number: More than 20. Pollen amount: Similar to 'Picasso' (U.S. Plant Pat. No. 15,282). Color: Between White Group RHS 155A and 155B.

Anther.—Shape: Round. Length: Less than 1 mm. Color: Between Yellow-Orange Group RHS 15A and 15B.

Filament.—Length: Less than 1 mm. Color: Between White Group RHS 155A and 155B.

Pistils.—Number: 15 to 30. Length beyond perianth: About 1 mm.

Stigma.—Shape: Round. Size: Less than 1 mm.

Style.—Length: Less than 1 mm. Color: Between Yellow-Orange Group RHS 15C and 15D.

Ovaries.—Texture: Smooth. Length: Between 1 to 10 mm. Width: Between 1 to 10 mm. Color: Top color is Yellow-Green Group RHS 150C, bottom color is from Yellow-Green Group RHS 144D to Green-White Group RHS 157C.

Seeds:

Length.—4-7 mm.

Width.—3-6 mm.

Color.—Between Yellow-Green Group RHS 150A and 151A.

Amount.—Between 1-70.

General

Disease resistance.—No unusual susceptibility to diseases noticed to date.

Pest resistance.—No unusual susceptibility to pests noticed to date.

US PP28,267 P3

5

Heat tolerance: No heat tolerance.

Hardiness: Not hardy.

Flowering: Tubers planted in a greenhouse in The Netherlands in February produce inflorescences in April. Tubers planted outdoors in The Netherlands in May produce inflorescences in July.

6

Lastingness: About two weeks on the plant.

Fragrance: None.

I claim:

1. A new and distinct variety of calla lily plant named⁵ 'Denver' as herein described and illustrated.

* * * * *



Fig. 1



Fig 2
Fig 3