

(12) **United States Plant Patent**
Egger

(10) **Patent No.:** **US PP29,162 P2**
(45) **Date of Patent:** **Mar. 27, 2018**

(54) **HEUCHERA PLANT NAMED ‘TNHEUNEL’**
(50) Latin Name: **Heuchera hybrid**
Varietal Denomination: **TNHEUNEL**
(71) Applicant: **Terra Nova Nurseries, Inc.**, Canby,
OR (US)
(72) Inventor: **Janet N. Egger**, Wilsonville, OR (US)
(73) Assignee: **Terra Nova Nurseries, Inc.**, Canby,
OR (US)
(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 11 days.
(21) Appl. No.: **15/330,803**
(22) Filed: **Nov. 7, 2016**
(51) **Int. Cl.**
A01H 5/02 (2018.01)

(52) **U.S. Cl.**
USPC **Plt./440**
(58) **Field of Classification Search**
USPC **Plt./440**
See application file for complete search history.

Primary Examiner — Susan McCormick Ewoldt
(74) *Attorney, Agent, or Firm* — Klarquist Sparkman,
LLP

(57) **ABSTRACT**
A new and distinct *Heuchera* plant characterized by yellow
to lime colored leaves, medium large, slightly lobed, gera-
nium like leaves, rust red flowers in narrow spikes in spring
on upright flowering stems, good sun tolerance, a large,
mounding habit with excellent crown count, and excellent
vigor.

1 Drawing Sheet

1

Botanical denomination: *Heuchera* hybrid.
Variety designation: ‘TNHEUNEL’.

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *Heuchera* and given the cultivar name of ‘TNHEUNEL’.
Heuchera is in the family Saxifragaceae. *Heuchera* ‘TNHE-
UNEL’ originated as a controlled cross using *Heuchera*
‘K803-2’, a proprietary, unpatented, unnamed plant as the
seed parent, and *Heuchera* ‘K803-4’, a proprietary,
unpatented, unnamed plant as the pollen parent. These
parents are a result of breeding using hardy *Heuchera*
richardsonii with proprietary hybrid lines. *Heuchera*
‘TNHEUNEL’ was bred to be a hardy, large, landscape
plant.

Compared to the seed parent, *Heuchera* ‘K803-2’, the
new cultivar has a larger habit and the flowers are rust red
rather than green.

Compared to the pollen parent, *Heuchera* ‘K803-4’, the
new cultivar has a larger habit.

Compared to *Heuchera* ‘Citronelle’, U.S. Plant Pat. No.
17,934, the new cultivar has smaller, rounder, thicker,
leaves. The flowers of the new cultivar are rust red rather
than white.

This new *Heuchera* is uniquely distinguished by:

1. yellow to lime colored leaves,
2. medium large, slightly lobed, geranium like leaves,
3. rust red flowers in narrow spikes in spring on upright
flowering stems,
4. good sun tolerance,
5. a large, mounding habit with excellent crown count,
and
6. excellent vigor.

This new cultivar has been reproduced only by asexual
propagation (tip cuttings and tissue culture using growing
tips). Each of the progeny exhibits identical characteristics
to the original plant. Asexual propagation in 2013 by cut-

2

tings and tissue culture using standard micropropagation
techniques with terminal and lateral shoots, as done in
Canby, Oreg., shows that the foregoing characteristics and
distinctions come true to form and are established and
transmitted through succeeding propagations. The present
invention has not been evaluated under all possible envi-
ronmental conditions. The phenotype may change with
variations in environment without a change in the genotype
of the plant.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows a three year old plant of *Heuchera* ‘TNHE-
UNEL’ in flower growing in the trial bed in April in Canby,
Oreg.

FIG. 2 shows the same plant in August.

DETAILED PLANT DESCRIPTION

The following is a detailed description of the new *Heu-
chera* cultivar based on observations taken in April of
one-year-old specimens growing in the trial field in Canby,
Oreg. Canby is Zone 8 on the USDA Hardiness map.
Temperatures range from a high of 95 degrees F. in August
to an average of 32 degrees F. in January. Normal rainfall in
Canby is 42.8 inches per year. The color descriptions are all
based on *The Royal Horticultural Society Colour Chart*, 5th
edition, 2007.

Plant:

Form.—Basal rosette, herbaceous perennial.

Hardiness.—USDA Zone 4 to 9.

Size.—27 cm tall from top of the foliage to the ground
and 40 cm wide (mature plant grows to 35 cm tall
and 58 cm wide).

Number of crowns.—About 40.

Habit.—Medium large, mounding.

Vigor.—Excellent.

Leaf:

Type.—Simple.

Arrangement.—Rosette.

Shape.—Broadly ovate to orbicular.

Number.—About 200.

Blade size.—Grows to 11.3 cm long and 11.3 cm wide.

Venation.—Palmate.

Lobing/division.—7 shallow palmate lobes.

Margins.—Crenate.

Apex.—Mucronulate.

Base.—Cordate, strongly overlapping and sometimes spiraling in.

Surface texture.—Glandular-puberulent on both sides.

Leaf rugosity.—Absent.

Petiole description.—Grows to 15 cm long and 3.5 mm wide, glandular hairs, color closest to Yellow Green 145B, tinted Greyed Red 182C at base.

Leaf color.—Spring new leaves, top and bottom side including veins Yellow Orange 16B; mature leaves Yellow Green 144A with veins 145C, bottom side Yellow Green 146D with veins 145C.

Inflorescence:

Size.—Grows to 4.5 cm wide and 11.5 cm long.

Type.—Upright thyse.

Number of flowers per thyse.—About 110.

Number of thyse.—About 20.

Peduncle.—Grows to 38 cm long and 5 mm wide at base, glandular hairs, Yellow Green 146B lightly tinted Greyed Red 178A on top $\frac{1}{3}$.

Pedicel.—Grows to 3 mm long, with glandular hairs, Greyed Orange 177B.

Bloom period.—Late April to June in Canby, Oreg.

Flower bud:

Size.—3 mm wide and 5 mm long.

Description.—Glandular puberulent, ovoid, down facing.

Color.—Greyed Red 182A.

Flower:

Type.—Perfect.

Shape.—Campanulate.

Attitude.—Side and down-facing.

Size.—6 mm long and 6 mm wide.

Corolla description.—5 petals, each 4 mm long and 1.3 mm wide, spatulate, margins entire, tip acute, glandular-puberulent and Greyed Purple 186B on both sides.

Calyx description.—Campanulate, 6 mm long and 6 mm wide, with 5 lobes with wide sinuses divided $\frac{1}{2}$ way to the base, each 2 mm wide and 3 mm long, oblong in shape, back side glandular-puberulent, glabrous inside, tip obtuse, margin entire, Greyed Red 179B on both sides.

Stamen description.—5 in number, filaments 2.5 mm long, White NN155A, anthers 1 mm long, Orange 26A, pollen Yellow Orange 16A.

Pistil description.—1, 2-beaked, 5 mm long and 2 mm wide, Greyed Red 179C overall, ovary 2 mm long and 2 mm wide, style 2 mm long.

Fragrance.—None.

Lastingness.—Each thyse blooms for about 3 weeks on the plant.

Fruit and seed: None seen.

Pest and disease tolerance: The new cultivar is typical to the genus. No known resistances to pests or diseases. No problems have been found in Canby, Oreg.

I claim:

1. A new and distinct *Heuchera* plant as herein illustrated and described.

* * * * *




FIG. 1 above
FIG. 2 on left