



US00PP29429P2

(12) **United States Plant Patent**  
**Koot**

(10) **Patent No.:** **US PP29,429 P2**  
(45) **Date of Patent:** **Jun. 26, 2018**

(54) **PETUNIA PLANT NAMED**  
**‘DUEFORTPIGEM17’**

(50) Latin Name: *Petunia*×*hybrida*  
Varietal Denomination: **Duefortpigem17**

(71) Applicant: **DUMMEN GROUP B.V.**, De Lier  
(NL)

(72) Inventor: **Arjan Koot**, Oeffelt (NL)

(73) Assignee: **Dümmen Group B.V.**, De Lier (NL)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days. days.

(21) Appl. No.: **15/530,745**

(22) Filed: **Feb. 22, 2017**

(51) **Int. Cl.**  
**A01H 5/02** (2018.01)

(52) **U.S. Cl.**  
USPC ..... **Plt./356.21**

(58) **Field of Classification Search**  
USPC ..... Plt./356.21  
See application file for complete search history.

*Primary Examiner* — Annette H Para

(74) *Attorney, Agent, or Firm* — C. A. Whealy

(57) **ABSTRACT**

A new and distinct cultivar of *Petunia* plant named  
‘Duefortpigem17’, characterized by its medium to compact  
plant size; mounding to trailing plant habit; moderately  
vigorous growth habit; freely branching habit; early and  
freely flowering habit; relatively large flowers with bright  
red purple-colored petals; and good garden performance.

**1 Drawing Sheet**

**1**

Botanical designation: *Petunia*×*hybrida*.  
Cultivar denomination: ‘DUEFORTPIGEM17’.

**BACKGROUND OF THE INVENTION**

The present invention relates to a new and distinct cultivar  
of *Petunia* plant, botanically known as *Petunia*×*hybrida* and  
hereinafter referred to by the name ‘Duefortpigem17’.

The new *Petunia* plant is a product of a planned breeding  
program conducted by the Inventor in Rheinberg, Germany.  
The objective of the breeding program is to create new  
moderately vigorous and early-flowering *Petunia* plants  
with numerous attractive flowers.

The new *Petunia* plant originated from a cross-pollination  
made by the Inventor in July, 2014 in Rheinberg, Germany  
of a proprietary selection of *Petunia*×*hybrida* identified as  
code number TT13-002214-006, not patented, as the female,  
or seed, parent with a proprietary selection of *Petunia*×  
*hybrida* identified as code number TT12-000219-001, not  
patented, as the male, or pollen, parent. The new *Petunia*  
plant was discovered and selected by the Inventor as a single  
flowering plant from within the progeny of the stated  
cross-pollination in a controlled greenhouse environment in  
Rheinberg, Germany in May, 2016.

Asexual reproduction of the new *Petunia* plant by termi-  
nal cuttings in a controlled greenhouse environment in  
Rheinberg, Germany since June, 2016 has shown that the  
unique features of this new *Petunia* plant are stable and  
reproduced true to type in successive generations.

**SUMMARY OF THE INVENTION**

Plants of the new *Petunia* have not been observed under  
all possible combinations of environmental conditions and  
cultural practices. The phenotype may vary somewhat with  
variations in environmental conditions such as temperature  
and light intensity without, however, any variance in geno-  
type.

The following traits have been repeatedly observed and  
are determined to be the unique characteristics of

**2**

‘Duefortpigem17’. These characteristics in combination dis-  
tinguish ‘Duefortpigem17’ as a new and distinct *Petunia*  
plant:

1. Medium to compact plant size, mounding to trailing  
plant habit.
2. Moderately vigorous growth habit.
3. Freely branching habit.
4. Early and freely flowering habit.
5. Relatively large flowers with bright red purple-colored  
petals.
6. Good garden performance.

Plants of the new *Petunia* can be compared to plants of the  
female parent selection. Plants of the new *Petunia* differ  
primarily from plants of the female parent selection in plant  
size as plants of the new *Petunia* are more compact than  
plants of the female parent selection. In addition, plants of  
the new *Petunia* and the female parent selection differ in  
flower color as plants of the female parent selection have  
darker red purple-colored flowers.

Plants of the new *Petunia* can be compared to plants of the  
male parent selection. Plants of the new *Petunia* differ  
primarily from plants of the male parent selection in plant  
size as plants of the new *Petunia* are not as compact or  
vigorous as plants of the male parent selection. In addition,  
plants of the new *Petunia* and the male parent selection  
differ in flower color as plants of the male parent selection  
have purple-colored flowers.

Plants of the new *Petunia* can be compared to plants of  
*Petunia*×*hybrida* ‘Sunrovein’, disclosed in U.S. Plant Pat.  
No. 16,468. Plants of the new *Petunia* and ‘Sunrovein’ differ  
primarily in the following characteristics:

1. Plants of the new *Petunia* are more compact and have  
shorter internodes than plants of ‘Sunrovein’.
2. Plants of the new *Petunia* flower earlier than plants of  
‘Sunrovein’.
3. Plants of the new *Petunia* have larger flowers than  
plants of ‘Sunrovein’.



4. Plants of the new *Petunia* and 'Sunrovein' differ in flower color as plants of 'Sunrovein' have lighter red purple-colored flowers.

## BRIEF DESCRIPTION OF THE PHOTOGRAPH

The accompanying colored photograph illustrates the overall appearance of the new *Petunia* plant showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photograph may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Petunia* plant.

The photograph is a side perspective view of a typical flowering plant of 'Duefortpigem17'.

## DETAILED BOTANICAL DESCRIPTION

The aforementioned photograph and following observations, measurements and values describe plants grown during the summer in 22-cm containers in a glass-covered greenhouse in Rheinberg, Germany and under cultural practices typical of commercial *Petunia* production. During the production of the plants, day and night temperatures averaged 18° C. and light levels averaged 4,500 lux. Plants were 13 weeks old when the photograph and description were taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 2007 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Petunia* × *hybrida*  
'Duefortpigem17'.

## Parentage:

*Female, or seed, parent.*—Proprietary selection of *Petunia* × *hybrida* identified as code number TT13-002214-006, not patented.

*Male, or pollen, parent.*—Proprietary selection of *Petunia* × *hybrida* identified as code number TT12-000219-001, not patented.

## Propagation:

*Type.*—By terminal cuttings.

*Time to initiate roots, summer.*—About five days at temperatures about 20° C.

*Time to initiate roots, winter.*—About seven days at temperatures about 20° C.

*Time to produce a rooted young plant, summer.*—About three weeks at temperatures about 20° C.

*Time to produce a rooted young plant, winter.*—About four weeks at temperatures about 20° C.

*Root description.*—Fine, fibrous; typically white in color, actual color of the roots is dependent on substrate composition, water quality, fertilizers, substrate temperature and age of roots.

*Rooting habit.*—Freely branching; dense.

## Plant description:

*Plant and growth habit.*—Medium to compact plant size, mounding to trailing plant habit; freely branching habit with about seven to nine lateral branches developing after pinching; moderately vigorous growth habit.

*Plant height.*—About 35 cm.

*Plant diameter.*—About 70 cm.

## Lateral branch description:

*Length.*—About 37 cm.

*Diameter.*—About 5 mm.

*Internode length.*—About 2 cm.

*Strength.*—Moderately strong.

*Aspect.*—Initially upright to outwardly spreading.

*Texture.*—Pubescent.

*Color.*—Close to 144A.

## 5 Leaf description:

*Arrangement.*—Before flowering, alternate; after flowering, opposite; simple.

*Length.*—About 4.1 cm.

*Width.*—About 2.5 cm.

*Shape.*—Spatulate.

*Apex.*—Obtuse.

*Base.*—Attenuate.

*Margin.*—Entire.

*Texture, upper and lower surfaces.*—Pubescent; leathery.

*Venation pattern.*—Pinnate; arcuate.

*Color.*—Developing leaves, upper surface: Close to 146B. Developing leaves, lower surface: Close to 146C. Fully expanded leaves, upper surface: Close to 146A; venation, close to 146B. Fully expanded leaves, lower surface: Close to 146B; venation, close to 146C.

*Petioles.*—Length: About 3.7 mm. Diameter: About 2.6 mm. Texture, upper and lower surfaces: Pubescent. Color, upper and lower surfaces: Close to 145A.

## Flower description:

*Flower type and flowering habit.*—Single salverform flowers arising from leaf axils; freely flowering habit with usually about 11 to 15 open flowers and flower buds per lateral branch and about 99 to 135 flowers developing per plant; flowers face mostly upright to outwardly.

*Fragrance.*—None detected.

*Natural flowering season.*—Plants flower continuously during the spring and summer in Germany; early flowering habit, plants typically beginning flowering about nine weeks after planting.

*Flower longevity.*—Individual flowers last about five to six days on the plant; flowers persistent.

*Flower buds.*—Length: About 2.6 cm. Diameter: About 5 mm. Shape: Ovoid. Color: Close to 186A.

*Flower diameter.*—About 5.4 cm.

*Flower depth (height).*—About 4.7 cm.

*Flower throat diameter.*—About 1.3 cm.

*Flower tube length.*—About 3 cm.

*Flower tube diameter.*—About 2.5 mm.

*Corolla.*—Arrangement: Five petals fused at the base and opening into a flared trumpet. Petal lobe length (from throat): About 2.7 cm. Petal lobe width: About 2.7 cm. Petal shape: Roughly spatulate. Petal apex: Obtuse. Petal margin: Entire. Petal texture, upper and lower surfaces: Rippled, glabrous. Throat texture: Rippled, glabrous. Tube texture: Rippled, pubescent.

*Color.*—Petal lobe, when opening, upper surface: Close to N74A. Petal lobe, when opening, lower surface: Close to 72C. Petal lobe, fully opened, upper surface: Close to N74B; venation, close to 61A; color becoming closer to N81B with development. Petal lobe, fully opened, lower surface: Close to N74C; venation, close to 71A. Flower throat: Close to N77B; venation, close to N79B. Flower tube: Close to N78D; venation, close to 60C.

*Calyx.*—Arrangement: Five sepals fused at the base forming a star-shaped calyx. Sepal length: About 1.9

cm. Sepal width: About 3 mm. Sepal shape: Oblong. Sepal apex: Rounded. Sepal margin: Entire. Sepal texture, upper and lower surfaces: Smooth. Color, upper surface: Close to 146A. Color, lower surface: Close to 146B.

*Peduncles*.—Length: About 3 cm. Diameter: About 1.8 mm. Strength: Moderately strong. Texture: Smooth. Color: Close to 143C.

*Reproductive organs*.—Stamens: Quantity per flower: Five. Filament length: About 1.5 cm. Filament color: Close to 157D. Anther length: About 1.8 mm. Anther shape: Ovate. Anther color: Close to 8D. Pollen amount: Abundant. Pollen color: Close to 11C. Pistils: Quantity per flower: One. Pistil length: About 2 cm. Style length: About 1.8 cm. Style color: Close to

144C. Stigma shape: Rounded. Stigma color: Close to 144B. Ovary color: Close to N144C. Seeds and fruits: Seed and fruit development have not been observed on plants of the new *Petunia*.

5 Garden performance: Plants of the new *Petunia* have been observed to have good garden performance and tolerate wind, rain and temperatures ranging from about 5° C. to about 40° C.

Pathogen & pest resistance: Plants of the new *Petunia* have not been observed to be resistant to pathogens and pests common to *Petunia* plants.

It is claimed:

1. A new and distinct *Petunia* plant named ‘Duefortpigem17’ as illustrated and described.

\* \* \* \* \*



