



US00PP29729P2

(12) **United States Plant Patent**
Kibbe et al.

(10) **Patent No.:** **US PP29,729 P2**
(45) **Date of Patent:** **Oct. 9, 2018**

- (54) **STRAWBERRY PLANT VARIETY NAMED ‘DRISSTRAWFIFTYTWO’**
- (50) Latin Name: *Fragaria x ananassa*
Varietal Denomination: **DrisStrawFiftyTwo**
- (71) Applicant: **Driscoll’s, Inc.**, Watsonville, CA (US)
- (72) Inventors: **Esther Kibbe**, Alden, NY (US); **Philip J. Stewart**, Watsonville, CA (US)
- (73) Assignee: **Driscoll’s, Inc.**, Watsonville, CA (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: **15/731,542**
- (22) Filed: **Jun. 26, 2017**
- (51) **Int. Cl.**
A01H 5/08 (2018.01)
- (52) **U.S. Cl.**
USPC **Plt./208**
- (58) **Field of Classification Search**
USPC **Plt./156, 208**
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

PP1,745 P	8/1958	Lang
PP3,981 P	11/1976	Bringhurst et al.
PP4,487 P	11/1979	Bringhurst et al.
PP4,538 P	5/1980	Bringhurst et al.
PP5,262 P	7/1984	Voth et al.
PP5,265 P	7/1984	Voth et al.
PP5,266 P	7/1984	Bringhurst et al.
PP5,300 P	10/1984	Johnson, Jr.
PP5,480 P	5/1985	Nakagawa
PP5,840 P	12/1986	Johnson, Jr. et al.
PP6,191 P	5/1988	Johnson, Jr. et al.
PP6,231 P	7/1988	Johnson, Jr. et al.
PP6,578 P	1/1989	Voth et al.
PP6,579 P	1/1989	Bringhurst et al.
PP7,024 P	9/1989	Johnson, Jr. et al.
PP7,172 P	2/1990	Voth et al.
PP7,522 P	5/1991	Johnson, Jr. et al.
PP7,614 P	8/1991	Bringhurst et al.
PP7,615 P	8/1991	Bringhurst et al.
PP8,086 P	1/1993	Nelson et al.
PP8,205 P	4/1993	Nelson et al.
PP8,649 P	3/1994	Sjulin et al.
PP8,661 P	3/1994	Bringhurst et al.
PP8,708 P	5/1994	Voth et al.
PP8,745 P	5/1994	Sjulin et al.
PP9,130 P	5/1995	Sjulin et al.
PP9,909 P	6/1997	Ackerman et al.
PP10,221 P	2/1998	Sjulin et al.
PP10,534 P	8/1998	Sjulin et al.
PP10,642 P	10/1998	Amorao et al.
PP11,035 P	8/1999	Mowrey et al.
PP11,277 P	3/2000	Gilford et al.
PP11,279 P	3/2000	Gilford et al.
PP11,522 P	9/2000	Amorao et al.
PP11,548 P	10/2000	Amorao et al.
PP11,554 P	10/2000	Sjulin et al.
PP11,639 P	11/2000	Mowrey et al.
PP12,186 P2	11/2001	Gilford et al.

PP12,436 P2	3/2002	Amorao et al.
PP12,577 P2	4/2002	Amorao et al.
PP12,817 P2	7/2002	Gilford et al.
PP12,889 P2	8/2002	Lamb et al.
PP12,899 P2	9/2002	Mowrey et al.
PP13,386 P2	12/2002	Mowrey et al.
PP13,469 P3	1/2003	Larson et al.
PP14,005 P3	7/2003	Amorao et al.
PP14,062 P3	8/2003	Amorao et al.
PP14,109 P3	8/2003	Gilford et al.
PP14,771 P3	5/2004	Amorao et al.
PP15,145 P2	9/2004	Mowrey et al.
PP15,308 P2	11/2004	Sjulin et al.
PP15,375 P2	11/2004	Mowrey et al.
PP15,435 P2	12/2004	Sjulin et al.
PP15,596 P2	3/2005	Amorao et al.
PP15,731 P2	4/2005	Amorao et al.
PP15,752 P2	5/2005	Gilford et al.
PP16,070 P2	10/2005	Gilford et al.
PP16,238 P2	2/2006	Amorao et al.
PP16,241 P2	2/2006	Mowrey et al.
PP16,298 P2	2/2006	Gilford et al.
PP16,299 P2	2/2006	Gilford et al.
PP16,475 P2	4/2006	Gilford et al.
PP16,558 P3	5/2006	López
PP18,000 P2	9/2007	Meulenbroek
PP18,040 P3	9/2007	Mowrey et al.
PP18,041 P3	9/2007	Gilford
PP18,458 P2	1/2008	Ferguson et al.
PP18,575 P3	3/2008	Amorao et al.
PP18,878 P2	6/2008	Mowrey et al.
PP19,240 P2	9/2008	Gilford et al.
PP19,673 P3	2/2009	Ferguson et al.
PP19,767 P2	2/2009	Shaw et al.
PP20,248 P3	9/2009	Rogers et al.
PP20,701 P2	2/2010	Gilford et al.
PP20,731 P2	2/2010	Mowrey et al.
PP20,733 P2	2/2010	Mowrey et al.
PP20,735 P2	2/2010	Ferguson
PP20,775 P2	2/2010	Mowrey et al.
PP20,922 P2	4/2010	Gilford et al.
PP21,538 P2	11/2010	Gilford et al.
PP21,559 P2	12/2010	Ferguson et al.
PP21,762 P2	3/2011	Stewart et al.
PP22,040 P3	7/2011	Stewart et al.
PP22,218 P2	11/2011	Ferguson
PP22,247 P2	11/2011	Ferguson
PP23,107 P2	10/2012	Ferguson et al.
PP23,148 P2	10/2012	Gilford et al.

(Continued)

OTHER PUBLICATIONS

Unpublished U.S. Appl. No. 14/999,062, filed Mar. 25, 2016, titled “Strawberry Plant Named ‘Drisstrawfifty’”.

(Continued)

Primary Examiner — Susan McCormick Ewoldt
Assistant Examiner — Karen M Redden
(74) *Attorney, Agent, or Firm* — Morrison & Foerster LLP

(57) **ABSTRACT**

A new and distinct variety of strawberry plant named ‘DrisStrawFiftyTwo’ particularly characterized by its compact plant habit, early production, and high yield, is disclosed.

3 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

PP23,377 P2 2/2013 Ferguson et al.
 PP23,378 P2 2/2013 Pullen et al.
 PP23,382 P2 2/2013 Ferguson et al.
 PP23,383 P2 2/2013 Ferguson et al.
 PP23,400 P2 2/2013 Ferguson et al.
 PP23,401 P2 2/2013 Pullen et al.
 PP23,459 P2 3/2013 Stewart et al.
 PP23,506 P3 4/2013 Ferguson et al.
 PP23,517 P3 4/2013 Ferguson et al.
 PP24,096 P3 12/2013 Fear et al.
 PP24,317 P3 3/2014 Ferguson et al.
 PP24,333 P3 3/2014 Vitten et al.
 PP24,395 P3 4/2014 Vitten et al.
 PP24,533 P3 6/2014 Ferguson et al.
 PP24,745 P2 8/2014 Vitten et al.
 PP25,408 P3 4/2015 Vitten et al.
 PP25,437 P3 4/2015 Vitten et al.
 PP25,698 P3 7/2015 Ferguson et al.
 PP25,699 P3 7/2015 Stewart et al.
 PP25,747 P3 7/2015 Kibbe et al.
 PP25,866 P3 9/2015 Ferguson et al.
 PP26,800 P3 6/2016 Stewart et al.
 PP26,801 P3 6/2016 Stewart et al.
 PP26,802 P3 6/2016 Rodriguez Alcazar et al.
 PP27,442 P2 12/2016 Kibbe et al.
 PP27,645 P3 2/2017 Vitten et al.

PP27,682 P3 2/2017 Kibbe et al.
 PP27,711 P3 2/2017 Vitten et al.
 PP27,813 P3 3/2017 Ferguson et al.
 2003/0079263 P1 4/2003 Gilford et al.
 2013/0276182 P1 10/2013 Fear et al.

OTHER PUBLICATIONS

Unpublished U.S. Appl. No. 15/731,415, filed Jun. 6, 2017, titled
 "Strawberry Plant Variety Named 'Drisstrawfiftythree'".
 Unpublished U.S. Appl. No. 15/731,421, filed Jun. 6, 2017, titled
 "Strawberry Plant Variety Named 'Drisstrawfiftyseven'".
 Unpublished U.S. Appl. No. 15/731,545, filed Jun. 26, 2017, titled
 "Strawberry Plant Variety Named 'Drisstrawfiftyone'".
 Unpublished U.S. Appl. No. 15/731,546, filed Jun. 26, 2017, titled
 "Strawberry Plant Variety Named 'Drisstrawfiftysix'".
 Unpublished U.S. Appl. No. 15/731,559, filed Jun. 27, 2017, titled
 "Strawberry Plant Variety Named 'Drisstrawfiftyfour'".
 Unpublished U.S. Appl. No. 15/731,560, filed Jun. 27, 2017, titled
 "Strawberry Plant Variety Named 'Drisstrawfiftyfive'".

**STRAWBERRY PLANT VARIETY NAMED
'DRISSTRAWFIFTYTWO'**

Latin name:

Botanical classification: *Fragaria x ananassa*.

Varietal denomination: The varietal denomination of the claimed variety of strawberry plant is 'DrisStrawFiftyTwo'.

BACKGROUND OF THE INVENTION

Cultivated strawberry is a hybrid species of the genus *Fragaria* that is grown worldwide for its fruit. Modern strawberry was first bred in Brittany, France, in the 18th century by crossing *Fragaria virginiana* with *Fragaria chiloensis*. Strawberry fruit is an aggregate accessory fruit, with the fleshy part of the fruit being derived from the receptacle that holds the ovaries.

Strawberry varieties vary widely in color, size, shape, flavor, season of ripening, degree of fertility, and susceptibility to disease. Certain varieties vary in foliage, and some vary in the relative development of their reproductive organs. Typically, strawberry flowers appear hermaphroditic in structure, but function as either male or female. Generally, commercial production of strawberry plants involves propagation from runners and distribution as either plugs or bare root plants. Cultivation is either perennial or annual plasticulture. During the off season, strawberries can also be produced in greenhouses.

Strawberry fruit is widely appreciated for its characteristic bright red color, aroma, juicy texture, and sweetness. Strawberry fruit is a popular fruit that is generally consumed either fresh or in prepared foods, such as preserves and baked goods.

Strawberry is an important and valuable fruit crop. Accordingly, there is a need for new varieties of strawberry plants. In particular, there is a need for improved varieties of strawberry plant that are stable, high yielding, and agronomically sound.

SUMMARY OF THE INVENTION

In order to meet these needs, the present invention is directed to an improved variety of strawberry plant. In particular, the invention relates to a new and distinct variety of strawberry plant (*Fragaria x ananassa*), which has been denominated as 'DrisStrawFiftyTwo'.

Strawberry plant variety 'DrisStrawFiftyTwo' was discovered in Hillsborough County, Fla. in February of 2012 and originated from a cross between the proprietary female parent '9S123' (unpatented) and the proprietary male parent '140R374' (unpatented). A single plant was selected and asexually propagated via stolons in Shasta County, Calif. in 2012.

'DrisStrawFiftyTwo' was subsequently asexually propagated via stolons, and underwent further testing at a farm in Huelva, Spain for two years (2015 to 2016). The present invention has been found to be stable and reproduce true to type through successive asexual propagations via stolons and tissue culture.

'DrisStrawFiftyTwo' exhibits the following distinguishing characteristics when grown under normal horticultural practices in Huelva, Spain:

1. Small, vivid red fruit;
2. Small plants with a bearing that is not everbearing and not remontant, and that produces a high amount of fruit per fruiting truss; and
3. Early harvest maturity.

'DrisStrawFiftyTwo' was selected for its compact plant habit, early production, and high yield.

DESCRIPTION OF THE DRAWINGS

This new strawberry plant is illustrated by the accompanying photographs which show fruit and leaves of the plant. The colors shown are as true as can be reasonably obtained by conventional photographic procedures. The photographs are of plants that are eight months old.

FIG. 1 illustrates whole fruit of variety 'DrisStrawFiftyTwo'.

FIG. 2 illustrates longitudinal cross-sections of fruit of variety 'DrisStrawFiftyTwo'.

FIG. 3A shows the lower surface of a leaf of variety 'DrisStrawFiftyTwo' with three leaflets. FIG. 3B shows the upper surface of a leaf of variety 'DrisStrawFiftyTwo' with three leaflets.

DESCRIPTION OF THE NEW VARIETY

The following detailed descriptions set forth the distinctive characteristics of 'DrisStrawFiftyTwo'. The data which define these characteristics is based on observations taken in Huelva, Spain from 2015 to 2016. This description is in accordance with UPOV terminology. Color designations, color descriptions, and other phenotypical descriptions may deviate from the stated values and descriptions depending upon variation in environmental, seasonal, climatic, and cultural conditions. 'DrisStrawFiftyTwo' has not been observed under all possible environmental conditions. The botanical description of 'DrisStrawFiftyTwo' was taken from eight month old plants. The indicated values represent averages calculated from measurements of several plants. Color references are primarily to The R.H.S. Colour Chart of The Royal Horticultural Society of London (R.H.S.) (2007 edition). Descriptive terminology follows the *Plant Identification Terminology, An Illustrated Glossary*, 2nd edition by James G. Harris and Melinda Woolf Harris, unless where otherwise defined.

**DETAILED BOTANICAL DESCRIPTION OF
THE PLANT**

Classification:

Species.—*Fragaria x ananassa*.

Common name.—Strawberry.

Denomination.—'DrisStrawFiftyTwo'.

Parentage:

Female parent.—The proprietary variety '9S123' (unpatented).

Male parent.—The proprietary variety '140R374' (unpatented).

Plant:

Height.—11.0 cm.

Diameter.—23.4 cm.

Number of crowns/plant.—2.5.

Habit.—Flat — spreading.

Terminal leaflets:

Length.—5.65 cm.

Width.—5.55 cm.

Length/width ratio.—1.0.

Number of teeth/terminal leaflet.—21.6.

Shape of teeth.—Rounded — crenate.

Color.—Upper surface: RHS 147A (Moderate olive green). Lower surface: RHS 137C (Moderate yellow-green).

3

- Shape in cross section.*—Slightly concave.
Number of leaflets.—Three only.
Shape.—Oblicular.
Base shape.—Rounded.
Apex descriptor.—Rounded.
Margin.—Entire (smooth).
Margin profile.—Revolute (margins rolled backwards).
Variation.—Absent.
- Petiole:
Length.—6.57 cm.
Diameter.—2.8 mm.
Pose of hairs.—Upwards.
Color.—RHS 144C (Strong yellow-green).
Bract frequency (number present on each petiole).—0.
- Petiolule:
Length.—6.5 mm.
Diameter.—2.0 mm.
Color.—RHS 145A (Strong yellow-green).
- Stipule:
Length.—2.57 cm.
Width.—9 mm.
Stipule anthocyanin coloration.—Absent.
- Stolon:
Average number of daughter plants per square foot.—2.13.
Anthocyanin coloration.—Present.
Diameter at bract.—4.55 mm.
- Inflorescence:
Position relative to foliage.—Above.
Flower diameter.—33.7 mm.
Petals.—Shape: Oblicular. Apex: Rounded. Base: Concavo-convex. Margin: Entire. Spacing: Overlapping. Length: 15 mm. Width: 14.7 mm. Length/width ratio: 1.0. Petal number per flower: 7.4. Color (upper surface): RHS 155C (Greenish white).
Calyx.—Diameter: 47.8 mm. Insertion of calyx: Level. Pose of calyx segments: Spreading — outwards.
Sepal.—Shape: Ovate. Apex: Convex. Margin: Entire. Length: 17.4 mm. Width: 11.5 mm. Sepal number: 12.5.
Receptacle color.—RHS 3A (Brilliant greenish yellow).
Stamen.—Present. Anther color: RHS 22A (Strong orange-yellow).
Pedice.—Attitude of hairs: Outwards — horizontal.
Time of flowering (50% of plants at first flower).—Early.
- Fruiting truss:
Length.—15.49 cm.
Diameter at base of truss.—2.7 mm.
Number of berries per fruiting truss.—2.4.
Attitude at first picking.—Prostrate.
Color at base of truss.—RHS 144A (Strong yellow-green).
- Fruit:
Length.—47.9 mm.
Width.—40.0 mm.
Length/width ratio.—1.2.

4

- Fruit hollow length.*—11.8 mm.
Fruit hollow width.—2.7 mm.
Fruit hollow length/width ratio.—4.4.
Fruit weight.—31.5 g.
Predominant fruit shape.—Conical.
Fruit skin color.—RHS 46B (Vivid red).
Achenes.—Insertion of achenes: Above surface. Coloration (sunward side of berry): RHS 178B (Dark reddish orange). Coloration (shaded side of berry): RHS N144B (Strong yellow).
Color of flesh (excluding core).—RHS 44B (Vivid reddish orange).
Color of core.—RHS 37A (Strong yellowish pink).
Distribution of flesh color.—Marginal and central.
Type of bearing.—Not everbearing — not remontant.
Harvest interval.—November.
Harvest maturity (beginning of fruit ripening when 50% of plants have ripe fruit).—Early.
Production.—500 grams/plant to 700 grams/plant.

COMPARISON WITH PARENTAL AND COMMERCIAL VARIETIES

When 'DrisStrawFiftyTwo' is compared to the female parent '9S123' (unpatented), 'DrisStrawFiftyTwo' produces plants with a more compact plant habit, produces larger fruit, and has an earlier production time than '9S123'.

When 'DrisStrawFiftyTwo' is compared to the male parent '140R374' (unpatented), 'DrisStrawFiftyTwo' produces fruit that are smaller and that have a better shelf-life than '140R374'.

When 'DrisStrawFiftyTwo' is compared to the commercial variety 'DrisStrawTwelve' (U.S. Plant Pat. No. 21,538), 'DrisStrawFiftyTwo' produces plants that are smaller, produce smaller fruit, and have more fruit per fruiting truss than 'DrisStrawTwelve'. Additionally, plants of 'DrisStrawFiftyTwo' produce fruit with a vivid red skin color and vivid reddish orange flesh, while plants of 'DrisStrawTwelve' produce fruit with a dark purple red skin color and flesh that is medium red and white. Moreover, 'DrisStrawFiftyTwo' produces plants with a bearing that is not everbearing and not remontant, while 'DrisStrawTwelve' produces plants with a bearing that is partially everbearing.

When 'DrisStrawFiftyTwo' is compared to the commercial variety 'DrisStrawForty' (U.S. Plant Pat. No. 25,747), 'DrisStrawFiftyTwo' produces plants that are smaller in height and diameter, and fruits with a smaller fruit hollow than 'DrisStrawForty'. Additionally, plants of 'DrisStrawFiftyTwo' produce fruit with a vivid red skin color and vivid reddish orange flesh. In comparison, plants of 'DrisStrawForty' produce fruit with a dark red skin color and dark red and white flesh. Moreover, 'DrisStrawFiftyTwo' reaches harvest maturity early in the season, while 'DrisStrawForty' reaches harvest maturity at mid-season.

We claim:

1. A new and distinct variety of strawberry plant named 'DrisStrawFiftyTwo' as shown and described herein.

* * * * *




FIG. 1




FIG. 2




FIG. 3A

FIG. 3B