



US00PP29842P2

(12) **United States Plant Patent**
Uchneat et al.

(10) **Patent No.:** **US PP29,842 P2**
(45) **Date of Patent:** **Nov. 13, 2018**

(54) **HYPOESTES PLANT NAMED ‘G14160’**

(22) Filed: **Sep. 14, 2017**

(50) Latin Name: *Hypoestes phyllostachya*
Varietal Denomination: **G14160**

(51) **Int. Cl.**
A01H 5/12 (2018.01)

(71) Applicants: **Michael S. Uchneat**, Bellefonte, PA
(US); **Irene E. Palmer**, Mills River,
NC (US)

(52) **U.S. Cl.**
USPC **Plt./373**

(72) Inventors: **Michael S. Uchneat**, Bellefonte, PA
(US); **Irene E. Palmer**, Mills River,
NC (US)

(58) **Field of Classification Search**
USPC **Plt./373**
See application file for complete search history.

(73) Assignee: **GardenGenetics LLC**, Bellefonte, PA
(US)

Primary Examiner — Annette H Para

(74) *Attorney, Agent, or Firm* — C. A. Whealy

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(57) **ABSTRACT**

A new and distinct cultivar of *Hypoestes* plant named
‘G14160’, characterized by its upright and mounding plant
habit; vigorous growth habit; freely branching habit; large
dark green and red purple bi-colored leaves; and relative
tolerance to high light conditions.

(21) Appl. No.: **15/732,084**

1 Drawing Sheet

1

2

Botanical designation: *Hypoestes phyllostachya*.
Cultivar denomination: ‘G14160’.

with variations in environmental conditions such as tem-
perature and light intensity, without, however, any variance
in genotype.

CROSS-REFERENCED TO CLOSELY-RELATED
APPLICATIONS

Applicants: Michael S. Uchneat & Irene E. Palmer
Title: *Hypoestes* Plant Named ‘G14157’
Filed: Concurrently with this application

5 The following traits have been repeatedly observed and
are determined to be the unique characteristics of ‘G14160’.
These characteristics in combination distinguish ‘G14160’
as a new and distinct *Hypoestes* plant:

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar
of *Hypoestes* plant, botanically known as *Hypoestes phyl-
lostachya* and hereinafter referred to by the name ‘G14160’.

1. Upright and mounding plant habit.
2. Vigorous growth habit.
- 10 3. Freely branching habit.
4. Large dark green and red purple bi-colored leaves.
5. Relatively tolerant to high light conditions.

The new *Hypoestes* plant is a product of a planned
breeding program conducted by the Inventors in Bellefonte,
Pa. The objective of the breeding program is to create new
vigorous *Hypoestes* plants with attractive leaves and high
light tolerance.

15 Compared to plants of the mutation parent selection,
plants of the new *Hypoestes* differ primarily in the following
characteristics:

The new *Hypoestes* plant is a naturally-occurring branch
mutation of an unnamed proprietary selection of *Hypoestes
phyllostachya*, not patented. The new *Hypoestes* plant was
discovered and selected by the Inventors on a single plant
within a population of plants of the mutation selection in a
controlled greenhouse environment in Bellefonte, Pa. on
Aug. 15, 2014.

1. Plants of the new *Hypoestes* are more vigorous than and
not as compact as plants of the mutation parent selec-
tion.
2. Plants of the new *Hypoestes* have thicker leaves than
plants of the mutation parent selection.
3. Plants of the new *Hypoestes* are more tolerant to high
light conditions than plants of the mutation parent
selection.

Asexual reproduction of the new *Hypoestes* plant by
terminal cuttings in a controlled greenhouse environment in
Bellefonte, Pa. since Aug. 15, 2014 has shown that the
unique features of this new *Hypoestes* plant are stable and
reproduced true to type in successive generations.

25 Compared to plants of *Hypoestes phyllostachya*
‘G14157’, disclosed in a U.S. Plant patent application Ser.
No. 15/732,085, plants of the new *Hypoestes* differ primarily
in the following characteristics:

SUMMARY OF THE INVENTION

Plants of the new *Hypoestes* have not been observed
under all possible combinations of environmental conditions
and cultural practices. The phenotype may vary somewhat

1. Plants of the new *Hypoestes* are more vigorous than
plants of ‘G14157’.
- 30 2. Plants of the new *Hypoestes* are not as freely branching
as plants of ‘G14157’.
3. Plants of the new *Hypoestes* and ‘G14157’ differ in leaf
color as plants of ‘G14157’ have dark green and greyed
purple bi-colored leaves.

35 Plants of the new *Hypoestes* can also be compared to
plants of *Hypoestes phyllostachya* ‘Splash Select Rose’, not
patented. In side-by-side comparisons, plants of the new
Hypoestes differ primarily from plants of ‘Splash Select
Rose’ in the following characteristics:

1. Plants of the new *Hypoestes* are more vigorous than and not as compact as plants of 'Splash Select Rose'.
2. Plants of the new *Hypoestes* have thicker leaves than plants of 'Splash Select Rose'.
3. Plants of the new *Hypoestes* are more tolerant to high light conditions than plants of 'Splash Select Rose'.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying photographs illustrate the overall appearance of the new *Hypoestes* plant showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photographs may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Hypoestes* plant.

The photograph at the bottom of the sheet is a side perspective view of a typical plant of 'G14160' grown in a container.

The photograph at the top of the sheet is a close-up view of a typical plant of 'G14160'.

DETAILED BOTANICAL DESCRIPTION

The aforementioned photographs and following observations and measurements describe plants grown during the late winter in 11.5-cm containers in an acrylic-covered greenhouse in Carleton, Mich. and under cultural practices typical of commercial potted *Hypoestes* production. During the production of the plants, day and night temperatures ranged from 18° C. to 27° C. Plants were eleven weeks old when the photographs and description were taken. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 2007 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Hypoestes phyllostachya* 'G14160'.
Parentage: Naturally-occurring branch mutation of an unnamed proprietary selection of *Hypoestes phyllostachya*, not patented.

Propagation:

Type.—By terminal cuttings.

Time to initiate roots, summer.—About 7 to 10 days at ambient temperatures about 22° C. to 27° C.

Time to initiate roots, winter.—About 10 to 14 days at ambient temperatures about 18° C. to 23° C.

Time to produce a rooted plant, summer.—About three to four weeks at ambient temperatures about 22° C. to 27° C.

Time to produce a rooted plant, winter.—About four weeks at temperatures about 18° C. to 23° C.

Root description.—Medium in thickness, fibrous; close to white in color, actual color of the roots is dependent on substrate composition, water quality, fertilizers, substrate temperature and age of roots.

dent on substrate composition, water quality, fertilizers, substrate temperature and age of roots.

Rooting habit.—Freely branching; medium density.

Plant description:

Plant and growth habit.—Upright and mounded plant form; freely branching habit with about two primary lateral branches each with about four to six secondary lateral branches developing per plant; vigorous growth habit and moderate growth rate.

Plant height.—About 14 cm.

Plant diameter or spread.—About 25 cm.

Lateral branches.—Length: About 13 cm. Diameter: About 3 mm. Internode length: About 2.4 cm. Strength: Strong. Aspect: Upright to about 15° to 20° from vertical. Texture: Smooth, glabrous; sparse pubescence at nodes. Luster: Semi-glossy. Color: Developing, close to 146A; color becoming closer to 187A with subsequent development; at the nodes, close to 183B.

Leaf description:

Arrangement.—Opposite; simple.

Length.—About 8.5 cm.

Width.—About 6.5 cm.

Shape.—Broadly elliptic.

Apex.—Acute; reflexing.

Base.—Attenuate.

Margin.—Entire.

Venation pattern.—Pinnate, arcuate.

Texture, upper and lower surfaces.—Smooth, glabrous.

Luster, upper and lower surfaces.—Matte.

Color.—Developing leaves, upper surface: Ground color, close to 146B; interveinal areas, close to 73B. Developing leaves, lower surface: Ground color, close to 146C; interveinal patches, close to N155C. Fully expanded leaves, upper surface: Ground color, close to 139A; interveinal patches, close to 59D; venation, close to 187A. Fully expanded leaves, lower surface: Ground color, close to 139A; interveinal patches, close to N155C and N155D; venation, close to 187A.

Petioles.—Length: About 4.5 cm. Diameter: About 2 mm. Strength: Moderately strong. Texture, upper and lower surfaces: Sparsely pubescent. Luster, upper and lower surfaces: Matte. Color, upper and lower surfaces: Close to 187A.

Flower description: Flower initiation and development have not been observed on plants of the new *Hypoestes* to date.

Disease & pest resistance: Plants of the new *Hypoestes* have not been observed to be resistant to pathogens and pests common to *Hypoestes* plants to date.

Temperature tolerance: Plants of the new *Hypoestes* have been observed to tolerate low temperatures about 1.7° C. and to be suitable for USDA Hardiness Zones 10 and 11. It is claimed:

1. A new and distinct *Hypoestes* plant named 'G14160' as illustrated and described.

* * * * *

